

PRODUCT AND APPLICATION GUILLE

TRUCK, SUV, AND JEEP • POWERSPORTS • INDUSTRIAL AND COMMERCIAL







TABLE OF CONTENTS

TRUCK & SUV	
Winches	
ZEON Platinum	Q_1N
ZEON Flatilium	
VR EVO	
16.5ti	
M15	
M12	
9.0Rc	
9.5xp	
XD9	
XD9i	
M8000	
M8274	
Bumpers/Mounting Systems/Body	
Ascent Front Bumpers4	
Ascent HD Front Bumpers	
Ascent XP Front Bumpers4	
Ascent Rear Bumpers	
Trans4mer Gen III!	
Trans4mer Gen II	
Multi-Mount	
Semi-Hidden Kits	
Ford Super Duty Hidden Kits	64
Winch Mounting Plates	
Rock Crawler Bumpers	
Semi-Hidden Kits for Subaru	
Elite Bumpers	
Crawler Bumpers	
L & JT Rubicon Bumper Accessories	
Elite Tube Doors for JL & JT Wrangler	
Rock Sliders	
Body Armor	/9
Winch Accessories	
Epic Sidewinder	07
Epic Hyperlink	
HUB Wireless Receiver	
Hawse Fairleads	
Shackles	
Roller Fairleads	
Roller Fairlead Cover	87
Tow Hooks	
Winch Hooks	
Hook Strap	
Tree Trunk Protectors	
Recovery Straps	
Snatch Blocks	
Recovery/Winch Accessory Kits	
Wireless Control	
Corded Remote	
ZEON Accessories	
Control Pack Upgrade Kit	93
Spydura Nightline Synthetic Rope	

HUB Wireless Receiver
Hawse Fairleads
Shackles
Roller Fairleads
Roller Fairlead Cover
Tow Hooks
Winch Hooks
Hook Strap
Tree Trunk Protectors
Recovery Straps
Snatch Blocks
Recovery/Winch Accessory Kits
Wireless Control
Corded Remote
ZEON Accessories
Control Pack Upgrade Kit
Spydura Nightline Synthetic Rope
Spydura Synthetic Rope
Spydura Pro Synthetic Rope
Removable Rope Abrasion Sleeve

Removable Rope Abrasion Sleeve 96

Winch Damper... Steel Rope

Winch Covers ... Epic Trail Gear ..

Winching Gloves..... Stealth Series Winch Covers.

. 95 . 95

.96

. 97

.. 97

.98

.. 99 . 100-101 Suzuki .

Yamaha

Wheels/4WD Hubs Epic Wheels
Application Charts Chevrolet/GMC 154-155 Dodge/Ram 156-157 Ford 157-159 International Harvester 159 Isuzu 159 Jeep 160-161 Mazda 162 Nissan 162 Subaru 162 Suzuki 162 Toyota 163
POWERSPORTS
Winches AXON
Bumpers/Mounting Systems/Body ArmorWinch Mounting Kits122Side X Side Bumpers123HUB Wireless Receiver124Epic Trail Gear125Multi-Mount126
Winch Accessories Fairleads 127 Synthetic Rope 127 Epic Accessories 128 Tool Roll Recovery Kit 128 Winch Accessory Kit 129 Rigging Straps 129 Snatch Blocks 129 Shackles 129 Winch Remote 129 Electrical Connections 129 Winch Hook Bump Stop 129
William Hook Bullip Stop123
Plow Systems ProVantage ATV Plow System133-135 All-In-One Plow System136 ProVantage SXS Plow System137 Plow Accessories133-137
Application Charts
Arctic Cat
Kubota

. 167, 169

. 167, 169

IITII ITV/COMMEDCIAI

UTILITY GUMMEKGIAL	
PullzAll/Winches	
Corded & Cordless PullzAll	140
Drill Winch	14
5000 DC	
4000 DC	
2000 DC	
3000 ACI	
1500 AC	144
1000 AC	145
Accessories PullzAll Rigging Kit	140
PullzAll Battery	14t
PullzAll Charger	140
Winch Remote	14
Winch Rigging Kit	
Fairleads	14
Mounting Plates	147
Electrical Connections	
Winch Covers	147
INDUSTRIAL	
Sada Salbada di Windo	
Series G2 Hydraulic Winches Series G2 9 HYD	15
Series G2 12 HYD	15 15
Series G2 15 HYD	
Series G2 18 HYD	
Series G2 DC Electric Winches Series G2 9 DC	45
Series G2 12 DC	
Series G2 15 DC	
Series G2 18 DC	15 [.]
	15
Series G2 Severe Duty Winches Series G2 Severe Duty 12	
Series G2 Severe Duty 12	15
Series G2 Severe Duty 18	15
Series XL Winches	
Series 30XL	
Series 20XL	
Series XL-LP	
Series 30XL 2-Speed	154
Planetary Gear Hoists	
DC4000	
DC3000	
DC2500	
DC2000 LF	152
DC2000 MF	
DC1600	154 151
DC1000	152 151
DC800	
HY3000	157
HY2000	

YOUR JOB: GETTING THERE. OUR JOB: GETTING YOU BACK.

We build our products with a focus on self-reliance. We also understand your different requirements when it comes to selecting the right product for your vehicle. That's why we offer a wide variety of winches to fit nearly every need and budget. Whether it's an agile trail rig, a work truck, or something in between, our winches will help you go prepared for whatever lies ahead.



STANDARD DUTY SERIES

- Authentic, reliable design evolved through decades of winching know-how
- A modern take on classic WARN engineering, testing, and quality; perfect for a variety of vehicles
- Class-leading features, such as IP68 waterproof construction and an Albright contactor at a price that won't break the bank
- Same great limited lifetime warranty as all of our other winches



PREMIUM SERIES

- Often copied, but never duplicated— ZEON sets the bar for the winching market
- Excellent durability, style, and performance for the off-road enthusiast
- Full IP68 waterproofing for every condition
- Advanced design, rugged durability, all built with premium components
- Built to last with all the performance serious off-roaders need

	STANDARD DUTY SERIES	PREMIUM SERIES	ULTIMATE PERFORMANCE SERIES	HEAVYWEIGHT SERIES	WARN DELIVERS
FEATURES					
Available Capacities (lbs.)	8,000, 10,000, and 12,000	8,000, 10,000, and 12,000	10,000 and 12,000	12,000, 15,000, and 16,500	For anything between a 2-door Jeep up to 1/2-ton pickups, stick with Standard, Premium, or Ultimate Performance Series. For 3/4-ton and 1-ton full-size trucks, count on the Heavyweight Series to perform under severe stresses and high shock loads
Suitable Vehicles	SUVs and trucks with GVWR* of up-to 8,000 lbs. Recommended winch capacity = 1.5 x GVWR	SUVs and trucks with GVWR* of up-to 8,000 lbs. Recommended winch capacity = 1.5 x GVWR	SUVs and trucks with GVWR* of up-to 8,000 lbs. Recommended winch capacity = 1.5 x GVWR	Large SUVs & trucks with GVWR* of up-to 11,000 lbs. Recommended winch capacity = 1.5 x GVWR	Keep your gear and other on-vehicle accessories in mind when calculating actual GVWR. Bumpers, tire carriers, roof racks, and larger wheels and tires can quickly add weight
Anchoring System	Drum flange screw and thimble	Patented through-drum technology	Patented through-drum technology	Drum flange screw and thimble	The patented through-drum anchor system is up-to 50 times stronger than the traditional flange screw and thimble. Be mindful to leave at least 5 full wraps on the drum before winching
Motor and Gear Train Armor	Full metal armor	Full metal armor	Full metal armor	None	Metal casing protects vital components from impact and damage on hardcore obstacles
Control Pack Material	Impact-resistant composite	Full metal armor	Full metal armor	Plastic on M12 and M15. Metal on 16.5Ti	Metal casing protects vital components from impact and damage on hardcore obstacles
Wiring	Traditional motor terminals	Automotive OE— grade bus bar	Automotive OE— grade bus bar	Traditional motor terminals	Automotive OE-grade bus bar hides unsightly wires and provides superior connection
Remote Control	2-in-1 wired/wireless remote	IP68 Waterproof ergonomic remote with large rocker switch	IP68 Waterproof Advanced wireless control	IP68 Waterproof ergonomic remote with large rocker switch	Wireless clutch activation can save substantial amount of time during critical recovery operations. They are used and proven in grueling off-road races world-wide
Performance Sensors	None	None	Actively monitors winch temperature and vehicle battery condition	Thermometric sensor on 16.5ti	Advanced Platinum technology provides live information, delivering confidence and control to the end user
Clutching Mechanism	Manual lever operation	Manual lever operation	Automatic operation via wireless remote	Manual lever operation	Platinum's remote clutch means no need to turn a clutch handle. Can cut recovery time in half.
Clutch Lever	Stainless steel easy-grip handle	Stainless steel easy-grip handle	None (Remote-operated clutch)	Polished silver bent bar handle	All handles are stylized to complement the product and are easy to handle, even with gloves on
Auxiliary Plug-In	None	None	2 auxiliary accessories, control via wireless remote	None	Platinum technology allows easy-install and wireless control of 2 accessories, e.g. lighting
Synthetic Rope	Standard Duty synthetic rope	Spydura and Spydura Pro synthetic rope	Spydura and Spydura Pro synthetic rope	Spydura and Spydura Pro synthetic rope	Proprietary Spydura synthetic rope delivers 15% greater strength and 50% greater durability. Spydura Pro offers best strength and durability for any winch in its class, up to 3 times stronger than competitors' products
Hawse Fairlead	Black-painted cast aluminum	Cast aluminum	Cast aluminum	Cast aluminum	Cast Aluminum fairlead features superior surface finish smoothness and corrosion resistance
Brake System	Load-holding spring	6-segment mechanical cone brake	3-segment mechanical cone brake with a steel sleeve	3-segment mechanical cone brake	Platinum's unique design allows for increased line speed over the ZEON
Winch Structural Bracing	Tie plate	Tie plate	Tie plate	Tie rods	Tie plates offer stronger structure but are not compatible with winch cable tensioners found in the industrial market
Final Point of Assembly	China	Warn facility in Oregon, USA	Warn facility in Oregon, USA	Warn facility in Oregon, USA	All Premium, Ultimate Performance, Heavyweight, and Classic Series wiches are 100% designed and engineered in the US.





ULTIMATE PERFORMANCE SERIES

- Unmatched technology and control: ZEON Platinum redefines the future of winching
- No-compromise construction, world-class performance for the users who want the ultimate winch
- Full IP68 waterproofing for every condition
- Remote clutch, Advanced Wireless Control, and the ability to plug 12V accessories directly into the winch
- The combination of features and performance means easier, quicker recoveries

HEAVYWEIGHT SERIES

- Heavy-duty winches built to pull the biggest trucks out of the muck, or move the heaviest loads with ease
- Perfect for the full-size truck user who is on the job, on the trail, or at their favorite hunting spot
- Large-frame architecture built to withstand heavy stress over time
- Available with lightweight, easy-to-handle Spydura synthetic rope

CLASSIC/SPECIALTY SERIES

- Time-tested crowd favorites and winches made to fill a unique niche
- Modern classics designed for a host of vehicles, from pickups to rock crawlers
- Much-loved winches including the tried-and-true M8 and iconic M8274-50
- Unique winches, such as the 9.0Rc for rock sports and the tried-and-true M8.

	STANDARD DUTY	PREMIUM SERIES	ULTIMATE PERFORMANCE	HEAVYWEIGHT SERIES	WARN DELIVERS
SPECIFIC	SERIES		SERIES		
Winch Drum	2.5" diameter	3.15" diameter aluminum or zinc-alloy drum	3.15" diameter zinc-alloy drum	3.5" diameter welded steel drum	The larger the drum diameter, the less stress the rope will see. Both the aluminum and zinc- alloy drums dissipate heat quicker than welded steel drums, providing greater protection for your synthetic rope
Weight	55-74 lbs.	75–98 lbs.	83-98 lbs.	89–138 lbs.	Synthetic rope can save up to 25 lbs.
Dimensions (L x D x H)	Integrated Configuration: 21" L x 6.3" D x 10.1"	Integrated Configuration: 24.3" x 7.2" x 10.6"	Integrated Configuration: 24.3" x 7.2" x 10.6"	With Control Pack: M-12 and M-15: 25.2" x 8.5" x 11" 16.5Ti: 24.2" x 8.5" x 9.7"	Winches can be mounted with the control pack attached or relocated based on application and desired styling. Some products will require a relocation kit. Please consult the product guide
Low Profile Height	7.5" (without control pack)	7.9" (without control pack)	7.9" (without control pack)	8.6" (without control pack)	
Mounting Pattern	10.5" x 4.5"	10"x 4.5"	10" x 4.5"	10" x 4.5"	A majority of WARN SUV/Truck winches share the same mounting pattern
PERFORM	ANCE				
No Load Line Speed	26.2 ft/min (EVO 12, 12-S) 27.1 ft/min (EVO 10, 10-S) 24.8 ft/min (EVO 8, 8-S)	33 ft/min (ZEON 10, 10-S)	33 ft/min (12, 12-S Platinum) 44 ft/min (10, 10-S Platinum)	23.6 ft/min (16.5ti, ti-S) 22.2 ft/min (M15, M15-S) 30 ft/min (M12, M12-S)	ZEON Platinum has a 70% faster no-load line speed than VR, 33% vs. ZEON for rapid recovery
Full Load Line Speed	4.0 ft/min (EVO 12, 12-S) 5.2 ft/min (EVO 10, 10-S) 6.0 ft/min (EVO 8, 8-S)	3.1 ft/min (ZEON 12, 12-S) 4.8 ft/min (ZEON 10, 10-S) 6.2 ft/min (ZEON 8, 8-S)	4.5 ft/min (12, 12-S Platinum) 5.5 ft/min (10, 10-S Platinum)	3.2 ft/min (16.5ti, ti-S) 2.5 ft/min (M15, 15-S) 3.9 ft/min (M12, 12-S)	ZEON Platinum: More than 2x full-load line speed vs. VR EVO and 17% faster than ZEON
No Load Motor Current	55 amps (EVO 12, 12-S) 58 amps (EVO 10, 10-S) 57 amps (EVO 8, 8-S)	50 amps (ZEON 12, 12-S) 62 amps (ZEON 10, 10-S) 63 amps (ZEON 8, 8-S)	57 amps (12, 12-S Platinum) 55 amps (10, 10-S Platinum)	68 amps (16.5ti-, ti-S) 67 amps (M15, 15-S) 67 amps (M12, 12-S)	Lower amp draw delivers greater efficiency and longer motor life
Rated Load Motor Current	396 amps (EVO 12, 12-S) 358 amps (EVO 10, 10-S) 298 amps (EVO 8, 8-S)	438 amps (ZEON 12, 12-S) 409 amps (ZEON 10, 10-S) 413 amps (ZEON 8, 8-S)	446 amps (12, 12-S Platinum) 465 amps (10, 10-S Platinum)	460 amps (M15, 15-S) 440 amps (M12, 12-S)	Lower amps means more sustained pulling power without draining your battery
Corrosion Resistance	240 hr salt spray test	408 hr salt spray test	408 hr salt spray test	408 hr salt spray test	ZEON and Heavyweight have 2x the industry standard for corrosion resistance
Ingress Protection	Entire winch unit is rated IP68 waterproof, for submersible operation	Entire winch unit is rated IP68 waterproof, for submersible operation, including remote	Entire winch unit is rated IP68 waterproof, for submersible operation, including remote	Winch is dust tight, weather-resistant, with IP68 waterproof electrical contactor	ZEON and Platinum feature fewer points of water/debris entry, superior sealing, and total protection from the elements
Motor	Standard-duty	High-performance, high- effiency motor, exclusive to ZEON	Highest-performance motor exclusive to the Platinum	High-performance motor exclusive to the Heavyweights	Motor is one area that sets us apart. Make sure to run your winch every few months to ensure that parts are being lubricated and the electrical contacts are sound.
Geartrain Durability	***	***	****	****	The Platinum and Heavyweight features our most robust, highest durability gear train
WARRANT	ΓY			1	, , , , , , , , , , , , , , , , , , , ,
Mechanical	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Best warranty in the industry, backed by a fully
Electrical	7 Years	7 Years	7 Years	7 Years	staffed, US-based customer service

* Gross Vehicle Weight Rating

TRUCK & SUV WINCHES 5





WARN ZEON PLATINUM

Pulling Winching Into the 21st Century

With state-of-the-art features, cutting-edge technology, and world-class engineering, the ZEON Platinum is the future of winching. The one-of-a-kind Advanced Wireless Remote controls the clutch, power in/power out, plus it displays motor temperature and vehicle battery info. It also can control two 12-volt accessories, which can be plugged directly into the winch.

- High-speed motor and unique gear train provides 33% faster line speed than the ZEON, and increased durability
- Plug two 12V accessories directly into the winch and control with remote—no drilling through the firewall
- Full IP68 waterproofing keeps water and the elements out
- Large diameter drum reduces rope wear, dissipates brake heat, and features a unique rope anchor system for strength
- Convertible control pack for upright or low-profile mounting options
- Best-in-class cone brake; holds the winch's full-rated load
- Available in 10,000 lb. and 12,000 lb. capacities with lightweight, easy-to-handle Spydura synthetic rope or durable steel rope
- Industry-leading warranty: Limited lifetime (mechanical components); seven year (electrical components)

The WARN ZEON Platinum winches offer the advanced technology and ultimate performance for those who eat, sleep, and dream of adventure.

92820 ZEON 12 Platinum includes 80' of 3/8" steel rope and roller fairlead

95960 ZEON 12-S Platinum includes 80' of 3/8" Spydura Pro synthetic

rope and polished aluminum hawse fairlead

92810 ZEON 10 Platinum includes 80' of 3/8" steel rope and roller fairlead

92815 ZEON 10-S Platinum includes 100' of 3/8" Spydura synthetic rope and polished aluminum hawse fairlead





Advanced Wireless Remote

The Advanced Wireless Remote is no ordinary controller. It puts total control in the palm of your hand. It controls the winch, the clutch, and up to two 12V accessories, such as auxillary lights. This sophisticated advanced remote

sophisticated advanced remot controls operation of the remote clutch, winch drum, and much more.

- Now the clutch is in your hand, not on the winch
- Thermometrics—instant feedback on winch motor temperature
- Battery condition monitor vehicle battery charge level
- Auxiliary controlscontrol the winch and up to two accessories.
 Tie in your lights or other auxiliary 12V gear
- Includes USB charging cable and car charger adapter

THE TOUGHEST, MOST TECHNOLOGICALLY ADVANCED WINCH ON THE TRAIL TODAY.

TRUCK & SUV WINCHES 3





ZEON 12 AND 12-S PLATINUM

SPECIFICATIONS

Part numbers: 92820 (ZEON 12 Platinum), 95960 (ZEON 12-S Platinum)

Rated line pull: 12,000 lbs. (5443 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor

Remote Control: Advanced Wireless

Geartrain: 3-stage planetary

Gear ratio: 216:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm)

Rope: ZEON 12 Platinum: 3/8" x 80' (9.52mm x 24.38m) steel, ZEON 12-S Platinum: 3/8" x 80' (9.52mm x 24.38m) Spydura Pro™ synthetic

Fairlead: ZEON 12 Platinum: Roller, ZEON 12-S Platinum: Aluminum hawse

Recommended Battery: 650 CCA minimum for winching


Battery leads: 2 gauge, 72" (1.83m)

Finish: Satin-black powder coat Weight: ZEON 12 Platinum: 106 lbs. (48 kg),

ZEON 12-S Platinum: 80 lbs. (36 kg)

Warranty: Limited lifetime

DIMENSIONS



- **A** 24.25" (615.9mm) **(**E) 10.0" (254.0mm) **B** 10.5" (266.8mm) **(F)** 7.14" (181.3mm)
- **©** 7.84" (199.0mm) **G** 3.15" (80.0mm)
- (**D**) 7.11" (180.6mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	32.9 (10.0)	57 amps	1/12000 (5440)
2000 (910)	15.1 (4.6)	132 amps	2/9895 (4488)
4000 (1810)	9.9 (3.0)	200 amps	3/8418 (3818)
6000 (2720)	8.9 (2.7)	261 amps	4/7325 (3323)
8000 (3630)	7.8 (2.4)	321 amps	5/6483 (2941)
10000 (4536)	5.4 (1.6)	381 amps	
12000 (5440)	4.5 (1.4)	446 amps	

OPTIONAL ACCESSORIES FOR THE ZEON PLATINUM WINCH



ZEON 10 AND 10-S PLATINUM

SPECIFICATIONS

Part numbers: 92810 (ZEON Platinum 10), 92815 (ZEON Platinum 10-S)

Rated line pull: 10,000 lbs. (4536 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor Remote Control: Advanced Wireless

Geartrain: 3-stage planetary

Gear ratio: 162:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm)

Rope: ZEON Platinum 10: 3/8" x 80' (9.52mm x 24.38m) steel, ZEON Platinum 10-S: 3/8" x 100' (9.52mm x 30m) Spydura synthetic

Fairlead: ZEON 10 Platinum: Roller, ZEON 10-S Platinum: Aluminum hawse


Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m) Finish: Satin-black powder coat

Weight: ZEON 10 Platinum: 106 lbs. (48 kg),

ZEON 10-S Platinum: 83 lbs. (38 kg) Warranty: Limited lifetime

DIMENSIONS



- **(A)** 24.25" (615.9mm) **B** 10.5" (266.8mm)
- **(F)** 7.14" (181.3mm) **©** 7.84" (199.0mm) **G** 3.15" (80.0mm)
- **(D)** 7.11" (180.6mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	44 (13.4)	55 amps	1/10000 (4536)
2000 (910)	17.8 (5.42)	149 amps	2/8246 (3740)
4000 (1810)	12 (3.65)	233 amps	3/7015 (3182)
6000 (2720)	10.7 (3.3)	311 amps	4/6104 (2769)
8000 (3630)	7.5 (2.3)	387 amps	5/5402 (2450)
10000 (4536)	5.6 (1.7)	465 amps	

Advanced Wireless Control Window Mount

Mount the ZEON Platinum wireless remote to your windshield or other smooth, flat, non-porous surface.

94437



Control Pack Relocation Kit

Hardware and wiring required to mount the ZEON Platinum control box remotely from winch.

89970 (Short kit 31") **92193** (Long Kit 78")

Additional wiring (optional)

93373 Light harness kit (short 6') 93375 Light harness kit (long 20')







WARN ZEON

Advanced, Capable, and Tough

The WARN ZEON continues to redefine winching. ZEON is the premium winch line for trucks, Jeeps, and SUVs, and provides unmatched durability, performance, and style. These winches have become top sellers for a good reason: They've been the top choice of editors and off-roaders worldwide, and look as good as they perform.

- Automotive-grade busbars replace unsightly wires for greater electrical efficiency, superior connection, and a cleaner look
- Full metal armor protects vital components from impact and damage
- Twice the corrosion resistance of entry-level winches; rated to 408 hours in rigorous salt-spray tests
- 33 ft/min no-load line speed—22% faster than our Standard Duty winches
- Full IP68 waterproofing to keep water and the elements out

- · Large diameter drum for longer rope life; unique and durable rope attachment point
- Convertible control pack for upright or low-profile mounting options
- Available in 8,000, 10,000, and 12,000 lb. capacities with lightweight, easy-to-handle Spydura synthetic rope or durable steel rope
- Industry-leading warranty: Limited lifetime (mechanical components); seven year (electrical components)

89120 ZEON 12

80' of 3/8" steel rope and roller fairlead

90666 (24V) ZEON 12

Roller fairlead; rope not included

95950 ZEON 12-S

80' of 3/8" Spydura Pro synthetic rope and polished aluminum hawse fairlead

88990 ZEON 10

80' of 3/8" steel rope and roller fairlead

90665 (24V) ZEON 10

Roller fairlead; rope not included

89611 ZEON 10-S

100' of 3/8" Spydura synthetic rope and polished aluminum hawse fairlead

104179 ZEON 10-S Multi-Mount

100' of 3/8" Spydura synthetic rope, Multi-Mount carrier, polished aluminum hawse fairlead, and Quick Connect wiring

88980 ZEON 8

100' of 5/16" steel rope and roller fairlead

89305 ZEON 8-S

100' of 3/8" Spydura synthetic rope and polished aluminum hawse fairlead





ZEON Multi-Mount Winch Mounting System

For those looking for added versatility with their winch, the WARN Multi-Mount system allows you to have a winch on the front or rear of the vehicle for maximum flexibility. Simply add the receiver to the front of the vehicle, and the Quick Connect wiring to the rear, and you're ready to go.



Control Pack Relocation Kit

Hardware and wiring required to mount control box



89970 (Short kit 31") 89960 (Long Kit 78")

ALL THE PERFORMANCE FEATURES OFF-ROADERS NEED THE MOST



TRUCK & SUV WINCHES 15



ZEON 12 AND 12-S

SPECIFICATIONS

Part numbers: 89120 (ZEON 12), 90666 (ZEON 12, 24V), 95950 (ZEON 12-S)

Rated line pull: 12,000 lbs. (5443 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) Lead

Geartrain: 3-stage planetary

Gear ratio: 216:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm) **Rope:** ZEON 12: 3/8" x 80' (9.52mm x 24.38m) steel, ZEON 12 (24V): No rope included, ZEON 12-S: 3/8" x 80' (9.52mm x 24.38m) Spydura Pro™ synthetic

Fairlead: ZEON 12: Roller, ZEON 12-S: Aluminum hawse **Recommended Battery:** 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Satin-black powder coat

Weight: ZEON 12: 103.5 lbs. (47 kg), ZEON 12 (24V): 82 lbs. (37 kg), ZEON 12-S: 83 lbs. (38 kg)

Warranty: Limited lifetime



ZEON 10 AND 10-S

SPECIFICATIONS Part numbers: 88990 (ZEON 10), 90665 (ZEON 10, 24V), 89611 (ZEON 10-S)

Rated line pull: 10,000 lbs. (4536 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) Lead

Geartrain: 3-stage planetary

Gear ratio: 216:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm)

Rope: ZEON 10: 3/8" x 80' (9.52mm x 24.38m) steel, ZEON 10 (24V): No rope included, ZEON 10-S: 3/8" x 100' (9.52mm x 30m) Spydura synthetic

Fairlead: ZEON 10: Roller, ZEON 10-S: Aluminum hawse Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Satin-black powder coat

Weight: ZEON 10: 103.5 lbs. (47 kg), ZEON 10 (24V): 82 lbs. (37 kg), ZEON 10-S: 83 lbs. (38 kg)

Warranty: Limited lifetime

ZEON 8 AND 8-S

SPECIFICATIONS

Part numbers: 88980 (ZEON 8), 89305 (ZEON 8-S)

Rated line pull: 8,000 lbs. (3630 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 162:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm)

Rope: ZEON 8, 5/16" x 100' (8mm x 30.5m) steel

ZEON 8-S, 3/8" x 100' (9.5mm x 30.5m) Spydura synthetic Fairlead: ZEON 8: Roller, ZEON 8-S: Aluminum hawse


Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Satin-black powder coat

Weight: ZEON 8: 99 lbs. (45 kg),

ZEON 8-S: 80 lbs. (36 kg) Warranty: Limited lifetime




- **B** 10.5" (266.8mm)
 - **(F)** 7.14" (181.3mm)
- **©** 7.84" (199.0mm) **G** 3.15" (80.0mm)
- **(180.6mm)** 7.11" (180.6mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	28.1 (8.6)	67 amps	1/12000 (5440
2000 (910)	14.2 (4.3)	141 amps	2/9895 (4488)
4000 (1810)	9.3 (2.8)	209 amps	3/8418 (3818)
6000 (2720)	7.8 (2.4)	272 amps	4/7325 (3323)
8000 (3630)	6.4 (2.0)	336 amps	5/6483 (2941)
10000 (4536)	4.3 (1.3)	401 amps	
12000 (5440)	3.3 (1.0)	469 amps	



- **A** 24.25" (615.9mm)
- **B** 10.5" (266.8mm)
- **©** 7.84" (199.0mm) **(D)** 7.11" (180.6mm)


Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

(F) 7.14" (181.3mm)

G 3.15" (80.0mm)

12V DC PERFORMANCE SPECS (first layer)

IZV DC FER	(III St layer)		
Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg
0	33 (10.27)	62 amps	1/10000 (453
2000 (910)	14.9 (4.5)	144 amps	2/8246 (3740
4000 (1810)	11.2 (3.4)	215 amps	3/7015 (3182
6000 (2720)	8.5 (2.6)	380 amps	4/6104 (2769
8000 (3630)	6.5 (2.0)	353 amps	5/5402 (2450
10000 (4536)	4.8 (1.5)	409 amps	




- **B** 10.5" (266.8mm)
- **(F)** 7.14" (181.3mm) **©** 7.84" (199.0mm) **G** 3.15" (80.0mm)
- **(D)** 7.11" (180.6mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	35 (12.8)	63 amps	1/8000 (3629)
2000 (910)	17.2 (5.2)	167 amps	2/6777 (3074)
4000 (1810)	11.7 (3.6)	255 amps	3/5878 (2666)
6000 (2720)	8.5 (2.6)	335 amps	4/5190 (2354)
8000 (3630)	6.2 (1.9)	413 amps	5/4646 (2107)

FOR 24V PERFORMANCE SPECS GO TO WARN.COM







The New Standard in Standard-Duty Winches

With the lowest amp draw and fastest line speed under load, the new VR EVO series of winches are the hardest-working, standard-duty winches we've ever offered. They feature IP68-rated waterproof construction for performance in all conditions, a two-in-one wireless/corded remote that gives you options when winching, and our legendary reliability-standard. Plus, they're covered by our industry-leading limited lifetime warranty. All VR EVO winches are available at a price that won't pull you out of your budget.

- Available in 8,000, 10,000, and 12,000 lb. capacities
- Choice of durable steel or easy-to-handle synthetic rope
- Rugged, one-piece, cast-aluminum tie plate for added strength and durability
- Heavy-duty, die-cast hawse fairlead
- Two-in-one remote with wired and wireless controls for increased winching options
- Sealed Albright® contactors deliver the ultimate
- Control pack can be relocated for low-profile installations
- Limited lifetime warranty (mechanical), seven

VR EVO is the gateway to the WARN brand and has the best warranty in the business-you can't afford to trust anything less.

103254 VR EVO 12

85' of 3/8" steel rope and roller fairlead

103255 VR EV0 12-S

90' of 3/8" synthetic rope and black hawse fairlead

103252 VR EVO 10

90' of 0.3/8" steel rope and roller fairlead

103253 VR EVO 10-S

90' of 3/8" synthetic rope and black hawse fairlead

103250 VR EVO 8

90' of 5/16" steel rope and roller fairlead

103251 VR EVO 8-S

90' of 3/8" synthetic rope and black hawse fairlead





Center-Mounted Convertible Control Pack

You can mount the control pack separately from the winch, or keep it attached for an integrated look. Your choice.

While a kit isn't required to relocate the VR EVO control pack several inches from the winch, a 78" Extended-Length Cable Kit is available for those looking to move the control pack farther away.

106011 Optional Extended-Length Cable Kit (78") for VR EVO winches





Two-in-one Remote

A versatile, two-in-one remote gives users the option, and security, of either wired or wireless connectivity when operating the winch. You have a full-range of options, whatever the terrain or circumstances.











VR EVO 12 AND 12-S

SPECIFICATIONS

Part numbers: 103254 (VR EVO 12), 103255 (VR EVO 12-S) Rated line pull: 12,000 lbs. (5443 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Albright Contactor

Remote Control: 2-in-1 plug-in remote, wireless capability and 11.5' (3.5m) lead

Geartrain: 3-stage planetary

Gear ratio: 234:1

Clutch (freespooling): Rotating ring gear clutch

Brake: Spring Brake

Drum diameter/Length: Steel and Synthetic: 2.5"/ 9.0" (6.73cm/ 23cm)

Rope: Steel: 3/8"x 85' (9.5mm x 25.9m) Synthetic: 3/8"x 90' (9.5mm x 27.4m)


Fairlead: Steel: Roller, Synthetic: Die Cast Hawse

Recommended Battery: 650 CCA minimum for winching

Battery leads: 0.98" x 6.5' (25mm x 2m)

Finish: Powder coating over primer undercoating Weight: VR EVO 12: 82.6 lbs. (37 kg),

VR EVO 12-S: 57.1 lbs. (26 kg) Warranty: Limited lifetime



(21.02" (534mm) **(E)** 4.84" (123mm) **B** 10.08" (256mm) **(F)** 6.18" (157mm) **G** 7.5" (191.4mm)

(C) 2.54" (64mm) **(D)** 10" (254mm) **(H)** 6.79" (172.4mm)

Mounting bolt pattern: 10.0" x 4.5" (254mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	26.2 (8.0)	55 amps	1/12000 (5443)
2000 (910)	13.9 (4.2)	120 amps	2/9517 (4317)
4000 (1810)	9.5 (2.9)	178 amps	3/7886 (3577)
6000 (2720)	8.1 (2.5)	234 amps	4/6732 (3054)
8000 (3630)	6.8 (2.1)	288 amps	5/5872 (2664)
10000 (4540)	4.9 (1.5)	337 amps	
12000 (5440)	4.0 (1.2)	396 amps	

VR EVO 10 AND 10-S

SPECIFICATIONS Part numbers: 103252 (VR EVO 10), 103253 (VR EVO 10-S) Rated line pull: 10,000 lbs. (4536 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Albright Contactor

Remote Control: 2-in-1 plug-in remote, wireless capability and 11.5' (3.5m) lead

Geartrain: 3-stage planetary

Gear ratio: 218:1

Clutch (freespooling): Rotating ring gear clutch

Brake: Spring Brake

Drum diameter/Length: Steel and Synthetic: 2.5"/9.0" (6.73cm/23cm)

Rope: Steel: .354" x 90' (9mm x 27.4m) Synthetic: 3/8" x 90' (9.5mm x 27.4m)

Fairlead: Steel: Roller, Synthetic: Die Cast Hawse


Recommended Battery: 650 CCA minimum for winching Battery leads: 0.98" x 6.5' (25mm x 2m)

Finish: Powder coating over primer undercoating

Weight: VR EVO 10: 83.7 lbs. (40 kg),

VR EVO 10-S: 57.2 lbs. (26 kg) Warranty: Limited lifetime

(D) 10" (254mm)



(A) 21.02" (534mm) **(E)** 4.84" (123mm) **B** 10.08" (256mm) **(F)** 6.18" (157mm) **(C)** 2.54" (64mm) **G** 7.5" (191.4mm)

Mounting bolt pattern: 10.0" x 4.5" (254mm x 114.3mm)

(H) 6.79" (172.4mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	27.1 (8.3)	58 amps	1/10000 (4536)
2000 (910)	13.9 (4.2)	125 amps	2/7996 (3627)
4000 (1810)	9.9 (3.0)	185 amps	3/6661 (3021)
6000 (2720)	8.2 (2.5)	244 amps	4/5708 (2589)
8000 (3630)	6.5 (2.0)	303 amps	5/4993 (2265)
10000 (4536)	5.2 (1.6)	358 amps	

VR EVO 8 AND 8-S

SPECIFICATIONS **Part numbers:** 103250 (VR EVO 8), 103251 (VR EVO 8-S)

Rated line pull: 8,000 lbs. (3629 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Albright Contactor

Remote Control: 2-in-1 plug-in remote, wireless capability and 11.5' (3.5m) lead

Geartrain: 3-stage planetary Gear ratio: 218:1

Clutch (freespooling): Rotating ring gear clutch

Brake: Spring Brake

Drum diameter/Length: Steel and Synthetic: 2.5"/9.0" (6.73 cm/23 cm)

Rope: Steel: 5/16" x 90' (8mm x 27.4m) Synthetic: 3/8" x 90' (9.5mm x 27.4m)

Fairlead: Steel: Roller, Synthetic: Die Cast Hawse

Recommended Battery: 650 CCA minimum for winching


Battery leads: 0.98" x 6.5' (25mm x 2m)

Finish: Powder coating over primer undercoating

Weight: VR EVO 8: 75.3 lbs. (34 kg),

VR EVO 8-S: 57.2 lbs. (26 kg)

Warranty: Limited lifetime



(£34mm) **(E)** 4.84" (123mm) **(B)** 10.08" (256mm) **(F)** 6.18" (157mm) © 2.54" (64mm) **G** 7.5" (191.4mm) **(**10" (254mm) **(H)** 6.79" (172.4mm)

Mounting bolt pattern: 10.0" x 4.5" (254mm x 114.3mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	24.8 (7.6)	57 amps	1/8000 (3630)
2000 (910)	13.1 (4.0)	122 amps	2/6545 (2969)
4000 (1810)	9.6 (2.9)	183 amps	3/5538 (2512)
6000 (2720)	7.6 (2.3)	242 amps	4/4800 (2177)
8000 (3630)	6.0 (1.8)	298 amps	





WARN 16.5ti AND 16.5ti-s

Highest Capacity, Most Technologically Advanced Winches for Full-Size Trucks

With 16,500 lbs. of pulling power, these winches are made for the biggest, heaviest, and longest pulls. The 16.5ti and 16.5ti-s feature the full diagnostic ability of WARN thermometric technology, plus the extreme sealing, durability, and reliability that the WARN ti winches are known for.

- Thermometric indicator (ti) provides motor temperature feedback via LED on remote control
- Extreme-duty sealing helps protect the winch from the outside elements
- Metal control box for added protection for the electronics
- Contactor control for the ultimate in durability and reliability
- Class-leading cone brake holds the winch's full-rated load
- Chip-resistant powder-coated finish with primer undercoating for superior corrosion resistance
- Industry-leading warranty:
 Limited lifetime (mechanical components);
 seven year (electrical components)
- Available with lightweight, easy-to-handle, Spydura Pro rope and Epic Hook or durable steel rope and standard hook

Whether you opt for the 16.5ti or 16.5ti-s, you'll get the biggest, most powerful winch in the WARN truck lineup.

68801 16.5ti

90' of 7/16" steel rope and a roller fairlead

97740 16.5ti-s

(C) 8.49" (215.7mm)

(D) 6.21" (157.8mm)

80' of 3/8" Spydura Pro synthetic rope with polished aluminum hawse fairlead and Epic Hook

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

(G) 3.5" (85mm)

SPECIFICATIONS

Part numbers: 68801 (16.5ti), 97740 (16.5ti-s)

Rated line pull: 16,500 Lbs. (7484 kg) single-line

Motor: 12V DC, series wound

Electrical controls: Contactor

Remote Control: Remote switch, with LED indicator 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 315:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone
Drum diameter/Length: 3.5"/8.2" (9cm/21cm)

Rope: 16.5ti: 7/16" x 90' (11mm x 27m) steel,

Rope: 16.5ti: //16" x 90" (11mm x 2/m) stee 16.5ti-s: 3/8" x 80" (9.5mm x 24.3m)

Spydura Pro synthetic

Fairlead: 16.5ti: Roller, 16.5ti-s: Aluminum hawse

Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat

Weight: 16.5ti: 134 lbs. (61 kg), 16.5ti-s: 104 lbs. (47 kg)

Warranty: Limited lifetime

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	23.6 (7.20)	68 amps	1/16500 (7484)
2000 (907)	12.07 (3.68)	138 amps	2/13500 (6123)
4000 (1814)	9.22 (2.81)	189 amps	3/11423 (5181)
6000 (2721)	7.37 (2.25)	240 amps	4/9900 (4491)
8000 (3628)	6.08 (1.85)	291 amps	5/8735 (3962)
10000 (4536) 5.12 (1.56)	342 amps	
12000 (5443) 4.40 (1.34)	393 amps	
14000 (6350) 3.86 (1.18)	444 amps	
16000 (7257)	3.38 (1.03)	494 amps	
16500 (7484)	3.24 (0.99)	507 amps	





WARN MIS AND MIS-S

More Than Enough Power for the Heaviest Loads

Got a full-size truck? The M15 and M15-S offer 15,000 lbs. of pulling capacity for heavy-duty jobs. The large-frame architecture means this winch will stand up to the stresses of heavy winching. Plus, its removable control pack allows for clearance and ease of access.

- High strength carrier plates designed to handle heavy gear train stresses
- Best-in-class cone brake holds full-rated load of winch
- Chip-resistant powder-coated finish resists
 corresion
- Remote-mount control box allows for various mounting options
- Industry-leading warranty:
 Limited lifetime (mechanical components);
 seven year (electrical components)
- Available with lightweight, easy-to-handle Spydura Pro synthetic rope and Epic Hook or durable steel rope and standard hook

When you need that extra pulling power for your big truck or SUV, the M15 and M15-S fit the bill.

47801 M15

90' of 7/16" wire rope and a roller fairlead

478022 (24V) M15

90' of 7/16" steel rope and a roller fairlead

97730 M15-S

80' of 3/8" Spydura Pro synthetic rope, polished aluminum hawse fairlead, and Epic Hook.

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	22.2 (6.77)	67 amps	1/15000 (6804)
2000 (910)	7.27 (2.22)	135 amps	2/12273 (5567)
4000 (1810)	5.41 (1.65)	185 amps	3/10385 (4711)
6000 (2720)	4.43 (1.35)	235 amps	4/9000 (4082)
8000 (3630)	3.79 (1.16)	285 amps	5/7941 (3602)
10000 (4540)	3.31 (1.01)	335 amps	
12000 (5440)	2.93 (.893)	385 amps	
14000 (6350)	2.61 (.796)	435 amps	
15000 (6800)	2.48 (.756)	460 amps	

SPECIFICATIONS

Part numbers: 47801 (M15), 478022 (M15, 24V), 97730 (M15-S)

Rated line pull: 15,000 lbs. (6804 kg) single-line
Motor: Series wound

Electrical controls: Contactor

Electrical Collitors: Collitactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 315:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.5"/8.2" (9cm/21cm)

Rope: M15: 7/16" x 90' (11mm x 27m) steel,

M15-S: 3/8" x 80' (9.5mm x 24.3m) Spydura Pro synthetic

Fairlead: M15: Roller, M15-S: Aluminum hawse
Recommended Battery: 650 CCA minimum for winching


Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat

Weight: M15: 135 lbs. (61 kg), M15-S: 102 lbs. (46 kg)

Warranty: Limited lifetime

DIMENSIONS



(E) 10.53" (267.5mm) (E) 8.08" (204.8mm) (E) 9.79" (248.7mm) (E) 8.44" (214.4mm) (E) 6.03" (153.2mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

FOR 24V PERFORMANCE SPECS GO TO WARN.COM



WARN M12 AND M12-S

A Reliable Workhorse to Meet Heavy Winching Needs

Big torque, 12,000 lbs. of pulling power, and fast no-load retrieval speed give the M12 and M12-S a great combination of heavy-duty capacity and high performance. If you've got a big truck and are looking for a true workhorse, these winches are where it's at.

- Large frame design to handle heavier winch loads
- High speed motor for fast line speed and powerful pulls
- Best-in-class cone brake holds the winch's full rated load
- Chip-resistant powder-coated finish resists corrosion
- Remote-mount control box allows for various mounting options
- Industry-leading warranty:
 Limited lifetime (mechanical components);
 seven year (electrical components)
- Available with lightweight, easy-to-handle Spydura synthetic rope and Epic Hook or durable steel rope and standard hook

Whether on the jobsite, on the trail, or at your favorite hunting spot, the M12 and M12-S winches will let you go prepared, no matter the terrain.

17801 M12

125' of 3/8" wire rope and a roller fairlead

265072 (24V) M12

125' of 3/8" steel rope and a roller fairlead

97720 M12-S

100' of 3/8" Spydura synthetic rope with polished aluminum fairlead and Epic Hook

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	30 (9.1)	67 amps	1/12000 (5443
2000 (910)	14 (4.3)	140 amps	2/10054 (4560
4000 (1810)	8.6 (2.6)	210 amps	3/8651 (3924)
6000 (2720)	6.9 (2.1)	250 amps	4/7592 (3444)
8000 (3630)	5.8 (1.8)	320 amps	5/6764 (3068)
10000 (4540)	4.4 (1.3)	370 amps	
12000 (5440)	3.9 (1.2)	440 amps	

SPECIFICATIONS

Part numbers: 17801 (M12), 265072 (M12, 24V), 97720 (M12-S)

Rated line pull: 12,000 Lbs., (5440 kg) single-line
Motor: Series wound

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 261:1

Clutch (freespooling): Rotating ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 3.5"/8.2" (9cm/21cm)

Rope: M12: 3/8" x 125' (9.5mm x 38m) steel,

M12-S: 3/8" x 100' (9.5mm x 30m) Spydura synthetic

Fairlead: M12: Roller, M12-S: Aluminum hawse

Recommended Battery: 650 CCA minimum for winching


Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat

Weight: M12: 133 lbs. (60 kg), M12-S: 102 lbs. (46 kg)

Warranty: Limited lifetime

DIMENSIONS



② 24.08" (612.0mm) ① 10.0" (254.0mm)

(204.8mm) (B) 10.53" (267.5mm) (E) 8.08" (204.8mm) (E) 9.79" (248.7mm) (E) 8.44" (214.4mm)

(D) 6.03" (153.2mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

FOR 24V PERFORMANCE SPECS GO TO WARN.COM

TRUCK & SUV WINCHES 29





WARN 9.0Rc

Compact, Lightweight Winch for Rock Sports

Competitive rock sports means tackling tough climbs, intense approach angles and tight turns. That's why rock rigs need a low-profile, lightweight winch like the WARN 9.0Rc that delivers maximum power in a compact, 54 lb. unit. The 9.0Rc is a winch built for rock crawlers looking for efficiency, reliability and legendary WARN performance.

- Short drum configuration and 50' of Spydura
- Ballistic nylon sliding sleeve that provides extra rope protection against abrasion and wear
- Exclusive multi-segment cam actuated brake for positive operator control during winching
- Best-in-class cone brake holds the winch's full-rated load
- Gloss red paint with primer undercoat gives superior corrosion resistance
- Industry-leading warranty: Limited lifetime (mechanical components); seven year (electrical components)

Specially designed for the rigors of rock sports, the 9.0Rc is the choice of champions.

71550 9.0Rc

50' of 3/8" synthetic rope combined with a 360-degree swivel hook

12V DC PERFORMANCE SPECS (first laver)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/mir	layer/Lbs. (kg)	
0	32 (9.75)	85 amps	1/9000 (4082)
2000	16 (4.88)	187 amps	2/7280 (3302)
4000	11.4 (3.47)	284 amps	3/6670 (3026)
6000	8.9 (2.71)	367 amps	4/6230 (2826)
8000	6.8 (2.07)	458 amps	
9000	5.6 (1.70)	408 amps	

SPECIFICATIONS

Part numbers: 71550 Rated line pull: 9,000 lbs. (4080 kg) single-line Motor: Series wound 12V

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Gear ratio: 216:1

Brake: Automatic mechanical cone

Drum diameter/Length: 2.75"/4.75" (7.0cm/12cm)


Rope: 3/8" x 50' (9.5mm x 15m) Spydura synthetic

Fairlead: Aluminum hawse

Recommended Battery: 650 CCA minimum for winching

Warranty: Limited lifetime

DIMENSIONS



Geartrain: 3-stage planetary

Clutch (freespooling): Sliding ring gear

Battery leads: 2 gauge, 72" (1.83m)

Finish: Gloss red paint over primer undercoating

Weight: 54 lbs. (25 kg)

competition-even in competition.

WARN 9.5xp AND 9.5xp-s

Fast, Powerful, and Reliable—For Extreme Conditions

The fast, powerful 9.5xp and 9.5xp-s winches are designed for the serious off-roader

who demands a winch that will perform under the most extreme conditions in the

world. With 9,500 lbs. of pulling power and the fastest line speed of any WARN

winch under load, the 9.5xp delivers extreme performance that eats up the

- High-output parallel series wound winch motor is the strongest and most durable in the industry • Delivers the fastest line speed of any WARN
- winch under load
- Extreme-duty winch sealing. Enables superior water resistance
- Best-in-class cone brake holds winch's full-rated load
- Remote-mount control box allows for various mounting options
- High gloss, chip-resistant powder coat finish. Provides superior corrosion resistance
- Industry-leading warranty: Limited lifetime (mechanical components); seven year (electrical components)
- · Available with either lightweight, easy-to-handle Spydura synthetic rope or durable steel rope

The 9.5xp and 9.5xp-s winches are classic pulling powerhouses designed for high performance, no matter the situation.

68500 9.5xp

100' of 5/16" diameter steel rope and roller fairlead

87310 9.5xp-s

100' of 3/8" Spydura synthetic rope and a polished aluminum hawse fairlead

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	37.5 (11.43)	71 amps	1/9500 (4313)
2000 (910)	16.6 (5.06)	169 amps	2/7773 (3526)
4000 (1810)	11.8 (3.60)	248 amps	3/6577 (2983)
6000 (2720)	9.3 (2.83)	328 amps	4/5700 (2585)
8000 (3630)	7.4 (2.25)	413 amps	5/5029 (2281)
9500 (4310)	6.2 (1.89)	482 amps	

SPECIFICATIONS

Part numbers: 68500 (9.5xp), 87310 (9.5xp-s)

Rated line pull: 9,500 Lbs., (4310 kg) single-line Motor: 12V 6 hp (4.48kw), High output parallel

series wound **Electrical controls:** Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear Brake: Automatic mechanical cone

Drum diameter/Length: 9.5xp: 2.5"/9.0" (6.4cm/23cm).

9.5xp-s: 2.625"/9.0" (6.6cm/23cm)

Rope: 9.5xp: 5/16" x 100' (8mm x 30m) steel.

9.5xp-s: 3/8" x 100' (9.5mm x 30m) Spydura synthetic

Fairlead: 9.5xp: Roller, 9.5xp-s: Aluminum hawse

Recommended Battery: 650 CCA minimum for winching


Battery leads: 2 gauge, 72" (1.83m)

Finish: High-gloss powder coat

Weight: 9.5xp: 97 lbs. (44 kg), 9.5xp-s: 79 lbs. (36 kg)

Warranty: Limited lifetime

DIMENSIONS



(D) 8.03" (204.0mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

32 TRUCK & SUV WINCHES TRUCK & SUV WINCHES 33



WARN XDS & XDSi

Long Time Best-Selling Winches

Long-time best sellers, the compact, low-profile XD9 and upright, durable XD9i offer up 9,000 lb. capacities, fast no-load retrieval speeds of 38 ft/min, and classic looks. Proven for years, these are among the most trusted winches in our lineup.

- XD9 features low-profile, compact design with removable control box
- XD9i has an integrated control box provides excellent protection to electronics
- Best-in-class cone brake holds the winch's full-rated load
- Chip-resistant, powder-coated finish for protection against the elements
- Industry-leading warranty:
 Limited lifetime (mechanical components);
 seven year (electrical components)

If you're looking for a tried-and-true, battle-tested winch, the XD9000 and XD9000i are excellent options.

28500 XD9


100' of 5/16" steel rope

27550 XD9i

125' of 5/16" steel rope and roller fairlead

104183 XD9i Multi-Mount

125' of 5/16" steel rope, steel hawse fairlead, Multi-Mount Carrier, and Quick Connect wiring




A 21.87" (555.5mm)	E 10.0" (254.0mm)
B 7.61" (193.2mm)	(F) 4.67" (118.6mm)
(C) 4.50" (114.3mm)	(G) 2.50" (63.5mm)

(D) 7.20" (182.9mm)

(C) 4.50" (114.3mm)

(D) 7.13" (181.1mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)



Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

(G) 2.50" (63.5mm)

Part numbers: 28500 (XD9), 27550 (XD9)

Rated line pull: 9,000 Lbs., (4080 kg) single-line

SPECIFICATIONS

Motor: Series wound 12V

Electrical controls: XD9: Contactor, XD9i: Solenoid

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 156:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: 2.5"/9.0" (6.4cm/23cm)

Rope: XD9: 5/16" x 100' (8mm x 30m) steel, XD9i: 5/16" x 125' (8mm x 38m) steel

Fairlead: Ro

Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat
Weight: XD9: 83 lbs. (38 kg), XD9i: 93 lbs. (42 kg)

Warranty: Limited lifetime

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	38 (11.58)	56 amps	1/9000 (4082)
2000 (910)	15 (6.8)	161 amps	2/7364 (3340)
4000 (1810)	10.3 (3.14)	252 amps	3/6231 (2826)
6000 (2720)	7.5 (2.29)	332 amps	4/5400 (2449)
8000 (3630)	5.1 (1.55)	423 amps	5/4765 (2161)
9000 (4080)	3.9 (1.19)	478 amps	



WARN MB AND MB-S Compact, Tough, and Reliable

The M8 and M8-S have been trusted by off-roaders for over 30 years. These 8,000 lb. capacity winches offer outstanding reliability and value. Their low-profile design allows for a variety of mounting options, making them perfect for most trucks, leeps, and SUVs.

- Low-profile design and separate control box allows for a wide range of mounting options
- Best-in-class cone brake holds the winch's full-rated load
- Durable 3-stage planetary gear train for smooth, reliable, operation
- Chip-resistant, powder-coated finish for protection against the elements
- Industry-leading warranty:
 Limited lifetime (mechanical components);
 seven year (electrical components)
- Available with lightweight, easy-to-handle Spydura synthetic rope or steel rope

The compact, capable M8 and M8-S are best sellers with thousands of units sold over the years. See why for yourself.

26502 M8

100' of 5/16" steel rope and a roller fairlead

87800 M8-S

100' of 3/8" Spydura synthetic rope and polished aluminum hawse fairlead

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	30.2 (9.20)	80 amps	1/8000 (3629)
2000 (910)	14.2 (4.33)	200 amps	2/6545 (2969)
4000 (1810)	9.9 (3.02)	285 amps	3/5538 (2512)
6000 (2720)	7.3 (2.22)	350 amps	4/4800 (2177)
8000 (3630)	4.8 (1.46)	435 amps	5/4235 (1921)

FOR 24V PERFORMANCE SPECS GO TO WARN.COM

SPECIFICATIONS

Part numbers: 26502 (M8), 265032 (M8, 24V), 87800 (M8-S)

Rated line pull: 8,000 Lbs., (3630 kg) single-line

Motor: Series wound: 12V 4.8 hp, 24V 2.1 hp

Electrical controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3-stage planetary

Gear ratio: 216:1

Clutch (freespooling): Sliding ring gear

Brake: Automatic mechanical cone

Drum diameter/Length: M8: 2.5"/9.0" (6.4cm/23cm), M8-S: 2.625"/9.0" (6.6cm/23cm)

Rope: XD9: 5/16" x 100' (8mm x 30m) steel, XD9i: 3/8" x 100' (9.5mm x 30m) Spydura synthetic

Fairlead: M8: Roller, M-8-S: Aluminum hawse


Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)

Finish: Argent gray powder coat
Weight: M8: 83 lbs. (38 kg), XD9i: 65 lbs. (29 kg)

Warranty: Limited lifetime

DIMENSIONS



(A) 21.043" (534.4mm)

E 10.0" (254.0mm)

(E) 7.61" (193mm) (F) 4.67" (118.6mm) (C) 4.50" (114.3mm) (G) 2.50" (63.5mm)

(D) 6.373" (161.8mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

34 TRUCK & SUV WINCHES 35





WARN M8274

Ultra-fast line speed AND strong pulling power with freshly updated features

The M8274 is evolving. We took our most iconic winch and added more performance and more features. It is still the fastest of any WARN winch and has the longest rope length (150'), but we've added more power courtesy of a 6hp motor, a 10,000 lb. capacity, contactor control, and available Spydura synthetic rope. The legend continues.

- Powerful, high-performance 6 hp series-wound motor provides fast line speeds
- Up to 50% faster line speed at rated load vs. previous M8274-50
- 10,000 lb. pulling capacity (up from 8,000 lbs.) ideal for today's larger, heavier rigs
- 150 ft. of 3/8" of lightweight, easy-to-handle Spydura synthetic rope and polished hawse fairlead or 125' durable 3/8" steel rope and roller fairlead
- IP68 waterproof Albright contactor replaces solenoids for increased reliability, efficiency
- Two Oilite® bushings installed on pinion gear assembly for improved wear resistance
- Bolt-and-washer secured brake shaft delivers enhanced durability
- Industry-leading warranty: Limited lifetime (mechanical components); seven year (electrical components)

(A) 16.9" (429.2mm)

(B) 15.3" (388.6mm) **©** 3.5" (88.9mm)

Mounting bolt pattern: 10.0" x 4.5" (254.0mm x 114.3mm)

(D) 8.5" (215.9mm)

(F) 4.5" (114.3mm)

(E) 10" (254mm)

106170 M8274

with 125' steel rope and roller fairlead

106175 M8274-S

with 150' synthetic rope and polished hawse fairlead

SPECIFICATIONS

mbers: 106175 - M8274-S (Synthetic Rope) 106170 - M8274 (Steel Rope)

Rated line pull: 10,000 lbs. (4536 kg) single-line

Motor: 12V DC, 6HP Series Wound

Electrical Controls: Contactor

Remote Control: Remote switch, 12' (3.7m) lead

Geartrain: 3 Stage Spur Gear

Gear ratio: 134:1

Clutch (freespooling): Sliding motor pinion gear

Brake: Automatic disc type

Drum Diameter/Length: 3.5"/8.5" (9cm/22cm)

Rope: M8274-S: 3/8" x 150' Spydura synthetic rope M8274: 3/8" x 125' Steel rope

Fairlead: M8274-S: Forged Hawse Fairlead M874: Roller Fairlead

Replacement Rope: Synthetic - 102343

Steel Rope - 106141 Recommended Battery: 650 CCA minimum for winching

Battery Leads: 2 gauge, 72" (1.83m)

Finish: Powder coat with clear coat

Electrical Warranty: 7 year


Weight: 90lb (40.8kg)

Mechanical Warranty: Limited lifetime

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0	76.15 (23.2)	67 amps	1/10000 (4535)
2000 (907)	23.63 (7.2)	203 amps	2/8378 (3800)
4000 (1814)	16.75 (5.1)	312.5 amps	3/7209 (3269)
6000 (2721)	12.69 (3.9)	415.5 amps	4/6327 (2869)
8000 (3628)	10.15 (3.1)	518.5 amps	5/5636 (2556)
10000 (4535)	7.78 (2.4)	623.5 amps	











WARN ASCENT FRONT BUMPERS


Winch-ready bumper for mid-frame winches up to 12,000 lbs. capacity

When a WARN Ascent™ Bumper rides on your truck, you open up a world of possibilities. You get the look you want, the rugged functionality you need. Precision angles and a unique low-profile design maximize approach angles and optimize off-road performance. Plus, the WARN Ascent Bumpers are pull-tested and come ready to fit the legendary WARN mid-frame winches—like the ZEON Platinum and a host of others.



- Winch ready—accepts most WARN mid-frame (foot-down) winches up to 12,000 lbs. (5443 kg): ZEON and ZEON Platinum, 9.5xp, XD9i, XD9, M8, and VR EVO winches
- Integrated dual light ports to mount auxiliary lights (lights not included)
- Welded recovery points, ready for D-shackles
- Accommodates oversize tires

- Durable black textured powder coat over 11-gauge steel withstands rigorous salt spray testing, delivering up to 2X corrosion protection
- Easy to install—Pre-drilled bolt holes and cutouts make it easy to mount a WARN winch
- Available with optional bolt-on grille guard tubes
- Made in the USA





Our newest Ascent Front Bumpers have a lower-profile style for a more compact look. Note that with this more hidden mount the winch must be installed before the bumper is mounted to the truck.



2017-21 Ford Super Duty F250, F350 100918 Ascent Front Bumper 100472 Baja Grille Guard Tube





2021 Ford F150 107638 Ascent Front Bumper 104825 Baja Grille Guard Tube





2017-19 Ford Raptor
99850 Ascent Bumper with integrated grille
guard tube (sold only with tube)



2019 Ford Ranger 103465 Ascent Front Bumper 104296 Baja Grille Guard Tube



2013-18 Ram 1500, 2019 Classic body style 100922 Ascent Front Bumper 100475 Baja Grille Guard Tube



2019-21 Ram 2500/3500 104256 Ascent Bumper 104825 Baja Bar



2015-19 GMC Sierra 2500 HD 99152 Ascent Front Bumper 100476 Baja Grille Guard Tube



2013-18 Ram 2500-3500, 2019 Classic body style (pictured above) 100923 Ascent Front Bumper 100473 Baja Grille Guard Tube

2019 Ram 2500/3500 (new body style) 104256 Ascent Front Bumper 104825 Baja Grille Guard Tube



2020-21 GMC Sierra 2500/3500 107545 Ascent Bumper 104825 Baja Bar



2016-18 GMC Sierra 1500 99464 Ascent Front Bumper 100477 Baja Grille Guard Tube



2015-19 Chevy Silverado 2500-3500 100921 Ascent Front Bumper 100473 Baja Grille Guard Tube



2016-18 Chevy Silverado 1500 100920 Ascent Front Bumper 100474 Baja Grille Guard Tube 2014-15 Chevy Silverado 1500 95800 Ascent Front Bumper 100473 Baja Grille Guard Tube



2020-21 Chevy Silverado 2500/3500 105969 Ascent Bumper 104825 Baja Bar



2019-21 Chevy Silverado 1500 105785 Ascent Bumper 104825 Baja Bar



2014-21 Toyota Tundra 99777 Ascent Front Bumper 100472 Baja Grille Guard Tube



2016-21 Toyota Tacoma 100927 Ascent Front Bumper 100476 Baja Grille Guard Tube



WARN ASCENT HD FRONT BUMPER

Heavy-duty, low-profile bumpers for the biggest, hardest-working trucks

- Heavy-duty construction made from stout 1/4" and 3/16" steel
- All bumpers pass testing to 18,000 lbs.
- Integrated winch mount will accommodate most mid-frame and all large-frame WARN winches up 18,000 lbs. in capacity
- State-of-the-art powdercoated finish with five-step pretreatment process provides excellent corrosion resistance. Stands up to rigorous salt-spray tests
- Ports for up to four 3" LED lights
- Available for most applications: choice of no grille guard, welded-on Baja Style Grille Guard Tube, or welded-on Full Grille Guard Tubes for maximum protection
- Tapered corners provide better approach angles and allow for larger tires
- Made in USA



2020-21 Ram 2500/3500/4500/5500 107003 Ascent HD Bumper with Baja **Grille Guard**



2020-21 Ram 2500/3500/4500/5500 107001 Ascent HD Bumper



2020-21 Ram 2500/3500/4500/5500 107002 Ascent HD Bumper with Full **Grille Guard**



2017-2021 Ford F450/F550 107181 Ascent HD Bumper



2017-2021 Ford F450/F550 107182 Ascent HD Bumper with Full Grille Guard



2017-2021 Ford F250/F350 106918 Ascent HD Bumper with Baja **Grille Guard**





2017-2021 Ford F250/F350 106914 Ascent HD Bumper with Full



2020-21 Chevy Silverado HD 2500/3500 107006 Ascent HD Bumper with Baja **Grille Guard**



2020-21 Chevy Silverado HD 2500/3500 107004 Ascent HD Bumper



2020-21 Chevy Silverado HD 2500/3500 107005 Ascent HD Bumper with Full **Grille Guard**



2020-21 GMC Sierra 2500/3500 107179 Ascent HD Bumper with Baja **Grille Guard**



2020-21 GMC Sierra 2500/3500 107177 Ascent HD Bumper



2020-21 GMC Sierra 2500/3500 107178 Ascent HD Bumper with Full **Grille Guard**





2021 Ford F150 107660 Ascent XP Bumper

2018-20 Ford F150 107282 Ascent XP Bumper



2017-20 Ford Raptor 107280 Ascent XP Bumper



2020 Chevy Silverado 2500/3500 107288 Ascent XP Bumper



2021 Chevy Silverado 1500 107276 Ascent XP Bumper



2019-21 Ram 1500

107278 Ascent XP Bumper

2019-21 Ram HD 2500/3500 107284 Ascent XP Bumper



2020-21 GMC Sierra HD 2500/3500 107286 Ascent XP Bumper

WARN ASCENT XP BUMPER

Non-winch bumper provides increased protection and style.

- Stout one-piece construction made from 11 gauge and 1/4" steel for exceptional durability.
- Built-in slot accommodates a 30" light bar
- Dual light ports to mount auxiliary flood or spot lights (lights not included)
- Welded-on Baja style grille guard tube provides extra front-end protection
- Durable black textured powder coat over 11-gauge steel withstands rigorous 408 hour salt spray testing, delivering up to 2X corrosion protection.
- Bumper may affect adaptive cruise control. Installation requires the removal of front tow hooks.
- Bumper accommodates oversize tires
- Made in USA



WARN ASCENT REAR BUMPERS

Wrap Your Truck In Rugged Protection

The WARN Ascent Rear Bumper is designed to sit high, maintaining maximum ground clearance and approach angles. The angled design with black finish offers a custom look, and delivers maximum off-road performance.

KEY FEATURES:

- Bumper features integrated light ports to mount auxiliary flood or spot sights (lights not included)
- Corner steps for easy access to truck bed and is parking sensor compatible
- Durable black textured powder coat over 11-gauge steel delivers maximum corrosion protection
- Laser-cut and CNC- formed for precise fit and
- Rear bumpers preserve park-assist sensors



104823 2019-21 Ram 1500




96445 2014-18 Ram 2500/3500 96440 2010-13 Ram 2500/3500



106619 2019-21 Ram 2500/3500









96550 2011-18 Chevrolet Silverado 1500 96550 2011-19 Chevrolet Silverado 2500/3500



106850 2020-21 Chevy Silverado and GMC Sierra 1500/2500/3500



96550 2014-18 GMC Sierra 1500 96550 2014-19 GMC Sierra 2500/3500



100360 2014-21 Tundra




98054 2016-21 Tacoma

TRANS4MER GEN III SYSTEM

Designed For The Newest Generation Of Trucks

The modular Trans4mer Gen III system features extra welds and fewer bolts for supreme durability and years of rattle-free service. This versatile system is constructed of heavy-gauge steel with a tough, state-of-the-art black powder-coated finish with a five-step pretreatment process to protect against corrosion. These kits can be tailored to fit your truck's needs. From just having a winch mount, to a full package with grille guards, brush guards, and more. Plus, Trans4mer Gen III are available for either WARN large and mid-frame winches, depending on the vehicle application, and is proudly made in the USA.





1. WINCH CARRIER

- Kit includes winch carrier
- Three options to choose from—large, mid-frame, or Series Industrial winch mounting trays (large frame and Series Industrial carriers are available for certain HD trucks only)
- Includes J-hooks to assist with vehicle recovery
- Also includes provisions to mount lights

2. WINCH MOUNTING BRACKETS

• Kit includes mounting brackets engineered to attach the winch tray to the truck's frame.

3. CENTER-ONLY TALL GRILLE GUARD

- Rugged protection for the OE bumper, winch, and vehicle grille
- Includes 2" tubular cross members; one with welded tabs to mount lights
- Replaceable rubber trim adds protection and style
- Optional part. Requires winch mounting kit

4. FULL GRILLE GUARD BUNDLE

- Includes welded upgrights and headlamp guards
- Offers increased protection for the OE bumper, winch, vehicle grille, headlights, and fender
- Constructed with 2" tubes and cross members; welded tabs allow for mounting of lights
- Replaceable rubber trim adds protection and style
- Optional part. Requires winch mounting kit



2021 Ford F150

107650 Mid frame carrier kitFits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

107653 Mounting bracket kit



2021 Ford F150

107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

107653 Mounting bracket kit

102957 Center-only tall grille guard



2021 Ford F150

107650 Mid frame carrier kit.Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

107653 Mounting bracket kit

107685 Full grille guard kit, including upgrights and headlamp guards

TRANS4MER GEN III SYSTEM (continued)



107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108002 Mounting bracket kit



107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8 108002 Mounting bracket kit

104255 Center-only tall grille guard



107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108002 Mounting bracket kit

103379 Full grille guard kit, including upgrights and headlamp guards



107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108001 Mounting bracket kit



107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108001 Mounting bracket kit

102957 Center-only tall grille guard



107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108001 Mounting bracket kit

103012 Full grille guard kit, including upgrights and headlamp guards



107651 Large frame carrier kit Fits 16.5ti, M15, M12, M8274

108001 Mounting bracket kit



107651 Large frame carrier kit Fits 16.5ti, M15, M12, M8274

108001 Mounting bracket kit

102957 Center-only tall grille guard



107651 Large frame carrier kit Fits 16.5ti, M15, M12, M8274

108001 Mounting bracket kit

103012 Full grille guard kit, including upgrights and headlamp guards

TRANS4MER GEN III SYSTEM (continued)



2020-21 Chevy Silverado 2500/3500

107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108003 Mounting bracket kit



2020-21 Chevy Silverado 2500/3500

107650 Mid frame carrier kit.

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108003 Mounting bracket kit

102957 Center-only tall grille guard



2020-21 Chevy Silverado 2500/3500

107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108003 Mounting bracket kit

106595 Full grille guard kit, including upgrights and headlamp guards



107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108004 Mounting bracket kit

2019-21 RAM HD

Fits 16.5ti, M15, M12, M8274

107651 Large frame carrier kit

108004 Mounting bracket kit



107650 Mid frame carrier kit Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108004 Mounting bracket kit

102957 Center-only tall grille guard



107650 Mid frame carrier kit

Fits ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8

108004 Mounting bracket kit

104821 Full grille guard kit, including upgrights and headlamp guards



107651 Large frame carrier kit Fits 16.5ti, M15, M12, M8274

108004 Mounting bracket kit

102957 Center-only tall grille guard



107651 Large frame carrier kit

Fits 16.5ti, M15, M12, M8274


108004 Mounting bracket kit

104821 Full grille guard kit, including upgrights and headlamp guards

TRANS4MER GEN II MOUNTING SYSTEM

Customize Your Mounting System With Optional Receiver, Lights And Guards

The Gen II winch tray bolts directly to the frame for a strong, durable place to mount your WARN winch. Trans4mer Gen II also provides the option to add lights, guards and a universal-fit, front-end receiver for a portable winch.



GEN II TRANS4MER COMPONENTS:

1) WINCH CARRIER (required)

- Fits mid-frame and large-frame winches
- Includes 2 tow hooks
- Available in black powder coat finish

2) MOUNTING BRACKET (required)

• Engineered to fit specific vehicles

3] GRILLE GUARD (optional)

- Engineered to fit specific vehicles
- Provides added protection for your grille
- Allows for mounting optional upgrades
 Available in black pounds, seet finish
- Available in black powder coat finish
- Available in short* and tall sizes

*Short sizes will not accommodate light bars or headlamp guards.

4) LIGHT BAR (optional)

- Bolts to grille guard, with 2 mounting options
- 2" tubular steel
- Available in black powder coat finish
- Can hold up to 4 lights

5) HEADLAMP GUARD (optional)

- Engineered to fit specific vehicles
- Bolts to grille guard
- 2" tubular steel
- Available in black powder coat finish


6) 2" RECEIVER (optional)

- Use with Warn multi-mount system or receiver shackle
- Universal fit
- Available in black powder coat finish

SEE APPLICATION CHARTS IN THE BACK OF THE CATALOG FOR SPECIFIC PART NUMBERS. GO TO WARN.COM FOR ADDITIONAL APPLICATION IMAGES.









Chevy Silverado HD equipped with the large frame winch carrier, grille guard tube, headlamp guards, and light bar



Ford F150, equipped with mid frame winch carrier and grille guard tube




Ram HD equipped with large frame winch carrier, grille guard tube, headlamp guards, and light bar



MULTI-MOUNT WINCH MOUNTING SYSTEM

Portable Configuration For Winching From The Front Or Rear

For those looking for added versatility with their winch, the WARN Multi-Mount system allows you to have a winch on the front or rear of the vehicle for maximum flexibility. Simply add the receiver to the front of the vehicle, and the Quick Connect wiring to the rear, and you're ready to go.



WINCH CARRIER

Mount your WARN winch to this carrier for a portable winch configuration. Pre-drilled to mount the ZEON 8 and 10, 9.5xp, XD9i, XD9, M8, VR8 and 10 winches (includes VR EVO). Carrier kit includes Quick Connect wiring for front of vehicle (winch and rear wiring sold separately).

107000 Winch carrier and wiring for front of vehicle. Winch sold separately



QUICK CONNECT POWER ACCESSORIES

A. 69847 Dust Cover (for Quick Connect plug)

B. 36080 Quick Connect and 28" (71cm) power lead. Connects to winch

C. 22680 Quick Connect plugs only, no power lead

D. 106077 Quick Connect and 7.5' (2.3m) power lead, for front mounting of portable winch

E. 26769 Quick Connect booster cable kit

QUICK CONNECTOR WIRING KITS FOR REAR OF VEHICLE

32963 20' (6.1m) connection for rear of vehicle. Includes Power Interrupt kit and dust cover

32966 24' (7.3m) connection for rear of vehicle. Includes Power Interrupt kit and dust cover



PORTABLE WINCH KITS

Complete Kits, Ready to Winch



104179 ZEON 10-S Multi-Mount. 10,000 lbs. (4536 kg) capacity with Spydura synthetic rope and polished aluminum hawse fairlead.

Kits include winch, remote control, winch carrier, 7.5' power lead with Quick Connect plug for front of vehicle and hawse fairlead.



104183 XD9i Multi-Mount. 9,000 lbs. (4082) capacity with steel rope and hawse fairlead.



SEMI-HIDDEN KITS FOR TRUCKS AND SUVs

Mount Your Winch Behind A Low-Profile, High-Performance Steel Bumper

Conceal your pulling power behind a Semi-Hidden steel bumper designed to provide aggressive, yet understated, front-end protection that won't clash with the look of the original equipment. Now available for the Tundra, Tacoma, 4Runner and Colorado.

KEY FEATURES:

- Fits all current WARN mid-frame winches (excluding M8274)
- Easy install-no need to relocate the winch control pack
- Built-in port for clutch lever access or lighting (except 3rd Gen Tacoma)
- Provides two recovery points for shackles
- Available with welded grille guard tube for added front-end protection
- Constructed of heavy-gauge steel with a durable black textured powder coated finish to protect against corrosion.
- Made in the USA



Semi-Hidden Kits feature open port for easy access to the winch clutch lever, and recovery points for mounting shackles (except Gen3 Tacoma)



2016-21 Tacoma
100044 Semi-Hidden Kit with grille guard tube



2012-15 Tacoma 102874 Semi-Hidden Kit with grille guard tube



2016-21 Toyota Tacoma

2012-15 Toyota Tacoma

106670 Semi-Hidden Kit without grille guard tube



2005-11 Tacoma
102876 Semi-Hidden Kit with grille guard tube



2005-11 Toyota Tacoma 106668 Semi-Hidden Kit without grille guard tube





2014-21 4Runner 100022 Semi-Hidden Kit with grille guard tube



2015-21 Chevy Colorado 106672 Semi-Hidden Kit without grille guard tube



2014-21 Toyota 4Runner
106254 Semi-Hidden Kit without grille guard tube







2014-21 Toyota Tundra
103209 Semi-Hidden Kit with grille guard tube



2014-21 Toyota Tundra
106674 Semi-Hidden Kit without grille guard tube



FORD SUPER DUTY HIDDEN KIT

Mount A WARN Winch, Maintain Factory Style

Some Ford Super Duty owners want the functionality of a winch, but without the winch visible on the front of the vehicle. For these folks, WARN offers the Hidden Kit Mounting System.

• Mount a WARN Heavy Weight series winch (M12, M15, 16.5ti)

· Uses factory frame holes while retaining the factory bumper

· The bumper extends out 8 inches

 Any gaps in the bumper are filled in Skirting Kit (sold separately)

• Winch's controls are accessed through the top of the bumper

· Made in the USA



The Hidden Kit extends the original equipment Ford bumper out 8 inches. Winch controls to are easily accessed through openings in the top of the bumper.



PN 98055 Hidden Kit - 2017-19 Ford Super Duty

PN 98336 Skirting Kit for Hidden Kit, 2017-19 Ford Super Duty

PN 107168 Hidden Kit – 2020 Ford Super Duty

PN 107190 Skirting Kit for Hidden Kit, 2020 Ford Super Duty

UNIVERSAL FLATBED WINCH MOUNTING PLATES

FOOT DOWN WINCH MOUNT

Kit includes winch mounting plate, solenoid mounting bracket and nuts and bolts kit. Pre-drilled to mount the ZEON, PowerPlant, 9.5cti, 9.5xp, XD9i, XD9, M8, and VR winches. 13942 Foot down winch mount kit 60368 Plate only

FOOT FORWARD WINCH MOUNT


Kit includes winch mounting plate with nuts and bolts kit. Pre-drilled to mount the ZEON, M12, 9.5xp, XD9, M8274, M8, and VR winches (not pictured).

11078 Foot forward winch mount kit (not pictured)

FOOT DOWN WINCH MOUNT FOR TRAILERS

Designed to be mounted to a trailer. The ends of the mounting plate are cut at an angle to accommodate the shape of a trailer tongue (other plates are square on the ends). Pre-drilled to mount the ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR, and the WARN 1700 and 4700 winches. Kit includes mounting plate and filler plate (filler plate is designed to mount WARN utility winch fairlead).

63885 Foot down winch mount kit



WARN ROCK CRAWLER BUMPERS

For the Ever-Popular 1989–95 Toyota 4WD Pickups



FRONT ROCK CRAWLER BUMPER

This bumper replaces the factory front bumper for increased off-road performance, durability, and style. These units showcase sloped vertical surfaces, which are tapered and welded. This is to maintain approach angles and not act like a plow in deep mud or snow. The bumper's sides continue around to match up with the vehicle's flares and style lines. Welded eyelets are ready for D-shackles and the winch mounting system is integrated and pull-tested for mid-frame winches up to 12,000 lbs. Made from 3/16" and 1/4" steel, and covered in a black powder-coated finish. Will mount the 9.5xp, XD9i, XD9, M8, and VR (does not fit ZEON). Not rated for tow-bar use.

68450 1992-95 4WD pickup (Excludes Tacoma) 68451 Grille Guard Tube (optional) 68450 1989-91 4WD pickup 68451 Grille Guard Tube (optional)

REAR ROCK CRAWLER BUMPER

The WARN Rock Crawler Rear Bumper for the Toyota Pickup is designed with off-road performance in mind. The bumper sits high and tight, and is sloped to maintain approach angles and ground clearance. Welded eyelets will mount D-shackles, creating anchor points to increase your vehicle's recovery

These bumpers are built from 3/16" and 1/4" laser-cut steel, which is CNC formed, and robotically welded for excellent fit and durability. These units come finished in a black powder coating, and are compatible with factory and aftermarket rear

68490 1989-95 4WD pickup (Excludes Tacoma)

64 MOUNTING SYSTEMS, BUMPERS, ARMOR MOUNTING SYSTEMS, BUMPERS, ARMOR 65



SEMI-HIDDEN KIT FOR SUBARU VEHICLES

Now Available For Crosstrek, Forester, And Outback

Warn now offers its Semi-Hidden Kit for multiple Subaru models including the '18-'20 Crosstrek, '19+ Forester, and '20+ Outback. For a superior Subaru, these low-profile setups maintain the factory style and add a strong winch mount, welded eyelets for recovery options, and an optional grill guard with tabs for auxiliary lights.

- · Easy to install with minimal cutting along lower plastic fascia. No metal cutting, welding, or grinding needed
- Compatible with winches up to 6.000 lbs.
- Made from sturdy 3/16" steel with state-of-the-art powder-coated finish stands up to 408-hour salt spray testing for years of corrosion resistance
- Compatible with airbag and driver-aid systems and sensors. Works with skid
- · Easy access to winch control

- Low-profile design improves approach angle and increases front-end protection while maintaining vehicle's original style
- Welded eyelets for D-rings (5/8" pin diameter) provides increased recovery
- Optional bolt-on grille guard tube with light mounting tabs for increased protection and provision for auxiliary
- A 20" light bar can be mounted in place of the winch if so desired



Semi-Hidden Kits for Subaru are compatible with winches up to 6,000 lbs. with mounting pattern of 3.0" x 6.59" (76.2mm x 167.4mm), such as the WARN AXON 45/55 and VRX 45 winches 101040 VRX 45-S

101155 AXON 55 101150 AXON 55-S 101145 AXON 45 101140 AXON 45-S 101045 VRX 45



106413 Semi Hidden Kit for 2019+ Subaru Forester 106236 Grille Guard Tube with Light Mounting Tabs



Semi-Hidden Kits for Subaru are compatible with winches up to 6,000 lbs. with mounting pattern of 3.0" x 6.59"



106221 Semi-Hidden Kit for 2018+ Subaru Crosstrek 106236 Grille Guard Tube with Light Mounting Tabs



106396 Semi Hidden Kit for 2020+ Subaru Outback 106398 Grille Guard Tube with Light Mounting Tabs



WARN ELITE SERIES FRONT BUMPERS FOR WRANGLER, GLADIATOR, AND BRONCO

Built For Life Off-Road

Whether you're on the trail, on an overland expedition, or just looking for a sturdy place for your WARN winch, the premium WARN Elite Series Front Bumpers are what you'll want on the front of your Jeep Gladiator, Wrangler JL and JK, and Ford Bronco. Designed, engineered, and made in the USA, the WARN Elite Series Front Bumpers offer the features owners need with a great new style that's perfect for the life off road. Available in a Full-Width version for maximum front-end protection or a Stubby

with Grille Guard Tube, Jeep JL and JT 101335 Elite Full-Width Front Bumper without Grille Guard Tube, Jeep JL and JT (not pictured)

101337 Elite Series Full-Width Front Bumper

version for maximum off-road performance.

101445 Lower bumper skid plate, JL and JT



FEATURES

- Advanced Bumper geometry designed specifically to increase approach angles and articulation. Will accommodate oversize tires.
- Integrated winch mount is engineered and tested for the high stresses of winching. Fits ZEON, ZEON Platinum, VR EVO, M8, XD9, XD9i, 9.ORc, and 9.5xp winches. Will not fit WARN PowerPlant, 9.5cti, M8274, or M12, M15, or 16.5ti
- Precision welded eyelets for shackles, allowing for increased recovery options
- Recessed light buckets for OE fog lights or aftermarket lights (Full-Width only)
- State-of-the-art flat black powder-coated finish features a five-step pretreatment process with zirconium nanotechnology. Stands up to 408 hour salt spray testing and excellent UV protection
- Integrated off-road jack points for easy access when jacking up your Jeep
- Optional integrated grille guard tube features a low-profile look. Bar is welded on and adds extra protection for both the vehicle and the WARN winch
- Lower bumper skid cover provides integrated look and protects critical components such as swaybar disconnects. Sold separately



101330 Elite Stubby Front Bumper with Grille Guard Tube, Jeep

101325 Elite Series Stubby Front Bumper Without Grille Guard Tube, Jeep JL, JT

101445 Lower bumper skid plate, JL and JT



101450 Elite Series Stubby Front Bumper

101410 Elite Series Stubby Front Bumper with Grille Guard Tube, without Grille Guard Tube, Jeep JK (not pictured) **101565** Lower bumper skid plate, JK

Full-Width Front Bumper with Grille Guard Tube, Jeep JK

101465 Elite Series 101420 Elite Series Full-Width Front Bumper without Grille Guard Tube, Jeep JK (not pictured)

101565 Lower bumper skid plate, JK







107870 Elite Front Bumper without Grille Guard Tube for Ford Bronco



89970 (Short kit 31") **89960** (Long Kit 78")

The Bronco's forward-facing camera will be blocked by the Grille Guard Tube and an upright mounted winch control box. However, you can retain the camera's functionality if you select the Elite Bumper Without Grille Guard Tube, and relocate the winch's control pack from atop the winch. Control box relocation hardware is available.



106011 78" extended cable kit for remote mounting of the VR EVO control pack

ELITE REAR BUMPER FOR JEEP GLADIATOR

Built for life off road

A great match for the WARN Elite Front Bumper, this rear bumper is made from thick steel and features welded eyelets for shackles. The entire bumper is covered in a durable powder-coated finish for superior corrosion resistance, and its design allows for increased departure angles.





- State-of-the-art flat-black powder-coated finish stands up to 408 hour salt spray testing and excellent UV protection
- Maintains factory receiver
- Welded eyelets for shackles increase your recovery options
- Bumper is rear parking and blind spot compatible

106300 Elite Rear Bumper - 2019-20 Jeep Gladiator JT

REAR TIRE DELETE PLATE FOR THE WRANGLER JL



Slim profile with reduced weight

- Removes the spare tire and tire carrier from stock location and replaces them with a mounting bracket
- Bracket provides the ability to mount the license plate, third brake light, backup camera, and license plate light
- Versatile auxiliary brackets allow for pod lights or antenna to be installed for added function (lights/antenna sold separately)



 Wears a state-of-the-art powder-coated finish with five-step pretreatment process for excellent corrosion resistance

104070 Rear Tire Delete Plate for the 2018-21 Jeep Wrangler JL

WARN ELITE SERIES REAR BUMPER FOR THE JEEP JL and JK WRANGLER

Easy-Open Tire Carrier Design Accommodates A Spare Tire Up To 40"

The perfect companion to the Elite Series Front Bumper is the Elite Series Rear Bumper. Available with or without a tire carrier, these bumpers are made in the USA from the same durable steel as the front bumpers, have high clearance corners for maximum off-road performance, and wear a durable, high-tech powdercoated finish to protect against corrosion and look great.

- State-of-the-art flat black powdercoated finish features a five-step pretreatment process with zirconium nanotechnology. Stands up to 408 hour salt spray testing and excellent UV protection
- · Maintains factory receiver
- Welded eyelets for shackles to increase your recovery options
- Optional tire carrier uses a chassis-mounted pivot and has a tailgatesynchronized swing-out design. It can be easily opened with one hand, and takes the weight off of the tailgate
- JL Bumper is rear parking, blind spot sensor compatible Also includes provision to relocate backup camera

Elite Rear bumper for the 2018-21 Jeep JL Wrangler

1022190 JL Rear Bumper (not compatible)

102295 JL Tire Carrier (holds up to a true 40" tire)
102668 Rotopax Mounting Bracket (for use with 102255 tire carrier)
102670 Hi-Lift Jack Mounting Bracket Only (for use with 102255 tire carrier)

102670 Hi-Lift Jack Mounting Bracket Only (for use with 102255 tire carrier)

102670 Hi-Lift Jack Mounting Bracket Only (for use with 102255 tire carrier)

102670 Hi-Lift Jack Mounting Bracket Only (for use with 102255 tire carrier)





70 MOUNTING SYSTEMS, BUMPERS, ARMOR

CRAWLER SERIES FRONT BUMPER FOR JEEP JL, JK AND JT

Extreme Off-Road Performance With High-Clearance, Tapered Ends, And Maximum Approach Angles.

The Crawler Series bumpers offer off-road performance and extreme durability in one rugged package. Available in full-width and stubby versions, these include a winch mount that sits atop the bumper to accommodate a wide range of WARN mid-frame winches up tp 12,000 lbs. (M8274 winch mount sold separately). With tapered corners and welded eyelets for shackles, the Crawler Series has everything Jeep owners need in a durable off-road bumper.

- Tapered corners for increased approach angles (Full-Width)
- Mid-frame winch mount (included) positions winch on top of bumper for easy use
- Accepts factory driving lights
- Available with or without welded-on grille guard tube
- Welded eyelets accommodate shackles for increased recovery options



102705 M8274 mounting plate (sold separately)

- Built-in tabs for off-road jacks
- State-of-the-art flat black powdercoated finish. Stands up to 408 hour salt spray testing and excellent UV protection
- Optional skid plate for further front-end protection
- One SKU for both JL, JK and JT models



102146 JL, JK and JT Full-Width Crawler Bumper With Grille Guard Tube 101445 Skid Plate for Jeep JL and JT



102145 JK, JL & JT Full-Width Crawler Bumper Without Grille Guard Tube



102510 JK, JL & JT Stubby Crawler
Bumper Without Grille Guard Tube



102520 JK, JL & JT Stubby Crawler Bumper With Grille Guard Tube

101565 Skid Plate for Jeep JK 101445 Skid Plate for Jeep JL and JT



WARN CRAWLER SERIES REAR BUMPER FOR THE JEEP JL WRANGLER

Heavy-Duty Steel For All Conditions

This extremely durable, ready-for-rock steel bumper reinforces your rig's rear end and delivers maximum performance and utility on and off the trail. This rugged bumper is built to take the abuse that impacting rocks, trees and the earth can inflict on your vehicle.

 State-of-the-art flat black powdercoated finish features a five-step pretreatment process with zirconium nanotechnology. Stands up to 408 hour salt spray testing and excellent UV protection

- Tapered design improves departure angle and accommodates larger tires
- Welded eyelets for shackles add recovery options
- Rear parking and blind spot sensor compatible. Also includes provision to relocate backup camera
- · License plate mounting brackets included
- Integrated jack points to better accommodate off-road jacks






72 MOUNTING SYSTEMS, BUMPERS, ARMOR 73

WARN ROCK CRAWLER BUMPERS

Maximum Off-Road Performance for Jeep TJ, YJ, and CJ

For those looking to equip their classic Jeep for serious rock crawling, WARN offers its Rock Crawler Bumpers. The full-width Rock Crawler Bumper has high-clearance tapered ends for increased approach angles. The narrower Stubby version allows for maximum approach for increased off-road ability (Stubby is available for the TJ only). Whichever you choose, you're going to get an extremely durable place to mount your WARN winch and increased performance in the rocks.

- · Rock Crawler Bumpers available for TJ, YJ, and CJ
- Laser-cut, CNC-formed, and robotically welded steel construction for maximum durability
- Welded eyelets to accommodate D-shackles
- · Black powder-coated finish resists corrosion
- Full width Rock Crawler Front Bumper features pre-drilled holes for auxiliary lights



• Stubby Bumper features recessed jack points for increased recovery options

· Available with or without bolt-on grille guard tube

· Winch plate for Rock Crawler Bumper is sold separately; winch plate for Stubby Bumper is included



87700 Rock Crawler Stubby Bumper for 1997-06 TJ





61856 Rock Crawler Bumper for 1987-95 YJ 21390 Winch Mounting Plate

ROCK CRAWLER REAR BUMPER FOR JEEP JK, TJ, YJ AND CJ

High Clearance And The Ability To **Securely Carry A Heavier Tire**

This tough, durable bumper gives maximum off-road performance, thanks to its tapered ends for increased approach angles. For increased recovery options on Jeep JK, TJ, YJ, and CJ, there's an integrated 2" receiver hitch to mount your portable winch or shackle bracket (not rated for towing). The Rear Rock Crawler JK Bumper features welded eyelets for D-shackles and a cutout for the factory receiver hitch.







The WARN Tire Carrier for the Rock Crawler Rear Bumper is designed to carry a heavier wheel and tire, up to 37" in diameter. The carrier pivots on a robust 1–1/2" solid steel shaft pin that comes up through the bumper into the frame carrier. The shaft itself is welded – not bolted. Structural T-joint welds (vs. corner welds) will make this unit stand the test of time. A polyurethane pad reduces rattling. Includes frame reinforcing brackets.

FRONT AND REAR ROCK CRAWLER BUMPER PART NUMBERS

ROCK CRAWLER FRONT BUMPER (Full width)

61853 '97-06 TI

61856 '87-95 YJ

61859 '76-86 CJ

ROCK CRAWLER FRONT BUMPER (Stubby)

87700 '97-06 TJ

GRILLE GUARD TUBE

61855 '98-06 TI

(Requires winch plate PN 37170, bumper PN 61853)

61861 '76-86 CI

(Requires winch plate PN 13910 or 11310)

ROCK CRAWLER REAR BUMPER (will not accept tire carrier)

61857 '97-06 TJ

61857 '87-95 YJ

61860 '76-86 CI

ROCK CRAWLER BUMPER FOR TIRE CARRIER

(designed to accept tire carrier)

74300 '07-17 JK

65508 '97-06 TJ

62947 '76-86 CJ7

TIRE CARRIER (carrier only – bumper sold separately)

63253 (For use with PN 62947)

64337 (For use with PN 65508, PN 65509)

74299 (For use with PN 74300)

Note: M8274 winch is not compatible with TJ Stubby Bumper

74 MOUNTING SYSTEMS, BUMPERS, ARMOR MOUNTING SYSTEMS, BUMPERS, ARMOR 75



JL AND JT RUBICON BUMPER ACCESSORIES

Extra Protection And Functionality For The Jeep Rubicon JL and JT's Factory Winch-Ready Bumper

If you have the Jeep Rubicon's factory-optional steel winch-ready bumper and would like to add more style and functionality, we offer products that'll help you go prepared when venturing off road.

1.) WINCH CARRIER

Accommodates WARN ZEON, ZEON Platinum, VR, M8, XD9, and Mopar Rubicon winches.

- · Engineered and certified to withstand 12,000 lbs. pulls
- · Positions winch to improve airflow and delivers zero interference with grille
- Constructed of 6mm-thick steel
- Easy to install with no cutting, grinding, or drilling
- Manufactured in the USA

2.) HOOK STAY

Available in red or black, the WARN Hook Stay is made from durable powder-coated metal and provides a convenient place to put your winch hook when not in use. Plus. it covers up the gap around the bumper's fairlead and includes license plate mounting bracket.

102300 Red 102222 Black

3.) RECOVERY POINT

These multi-purpose load-bearing recovery points allow you to add shackles to your Rubicon bumper. In addition, these can be used as jack points for an off-road jack. Sold as a pair.

102370

4.) GRILLE GUARDS

These grille guards provide increased front end protection and are available in low, mid, and stinger

- Sturdy 2" tube bolts to the factory bumper, providing rugged style and additional protection to the Jeep's grille
- Easy bolt-on installation—no cutting, drilling, or grinding
- Durable powder-coated finish guards against corrosion and looks great





102346 Stinger Grille Guard Tube



102350 Mid Grille Guard Tube



102355 Low Grille Guard Tube

WINCH MOUNTING PLATES FOR JEEP VEHICLES

For Use With Rock Crawler Or Factory Bumper

Jeep owners have multiple options for mounting a WARN winch on a Jeep JL, JK, TJ, YJ, or CJ. This includes mounting plates that pair with stock bumpers, WARN bumpers with separate mounting plates, and full-on winch bumpers with integrated mounting plates and grille guard tubes. No matter which option you choose, you get product that's engineered to work with the extreme forces of winching, exceptional durability that's been designed and tested for life off road, and no-compromise quality that will last for years.



GRILLE GUARD TUBE FOR IEEP TI STOCK BUMPER

Black, powder-coated steel tube for the Jeep Wrangler TJ factory bumper. Accommodates all current WARN winches (except M8274).

Note: WARN winch plate is required





Winch mounting plate for JEEP TJ WRANGLER For mounting M8274 Winch

except M8274 (not pictured)

Winch mounting plate for JEEP TJ WRANGLER For all current WARN mid-frame winches, except M8274

Winch mounting plate for JEEP CJ WRANGLER For all current WARN midframe winches, except M8274

Winch mounting plate for JEEP YJ WRANGLER For all current WARN mid-frame winches, except M8274



SEE APPLICATION CHARTS IN THE BACK OF THE CATALOG FOR SPECIFIC PART NUMBERS.

WARN ELITE TUBE DOORS FOR THE JEEP JL AND JT

Get Closer To The Action

Replacing the original doors with rugged tube doors delivers maximum visibility while crawling over rocks and riding trails. Few vehicles can match a Wrangler's total convertibility, so take advantage of removable doors and get that wide-open, bold look for epic summers on and off the trail.

- Unique double tube design adds comfort and strength
- Lockable for added security
- Opens from both sides for easy in and out
- Powder coated flat black for a long-lasting finish
- Designed to fit 97-06 Wrangler mirrors · Adjustable hinge positioning for a perfect fit
- Threaded hinge shaft is Torx fastener compatible
- Easy to install, remove and store





103101 Front Tube Doors (pair)

ROCK SLIDERS FOR JEEP JL AND JT

Added armor for the toughest trails

Designed to protect against boulders, stumps, or other trail hazards, WARN Rock Sliders add muchneeded armor for the toughest trails. These Rock Sliders are made from thick steel and wear a durable powder-coated finish to protect against corrosion for years of service and great looks. They're also designed to accept the optional bolt-on step kit for easy access to the cab. Mounting hardware included.

- · Double tube-style construction made from thick steel, designed to protect the JL/JT's rocker panels from trail hazards
- State-of-the-art powder-coated finish stands up to 408 hour salt spray testing for years of corrosion resistance



BOLT-ON STEP KIT FOR JL/JT ROCK SLIDERS

Removable steps give you easier cab access and functional rock sliders

The Bolt-On Step Kit lets you attach steps to your WARN JL/ JT Rock Sliders. When it's time to hit the trail, the steps can be unbolted using a wrench for maximum ground clearance an fully functioning sliders.

- Simple installation for better access to Jeep's cab, and easily removed with a wrench for fully functioning rock sliders
- Durable metal construction with corrosion-resistant powder-coated finish for years
- · Non-slip step pad for secure footing
- For use with WARN JL / JT Rock Sliders only

102254 Bolt-on steps for WARN Rock Sliders, 2018-21 Jeep JL/JT (sold as a pair)



WARN BODY ARMOR FOR JEEP VEHICLES

Built To Absorb Whatever Nature Dishes Out



Tube style rock sliders for the Wrangler JK

'07-17 JK, two door

'07-17 JK, four door

WARN ROCK SLIDERS FOR THE 2007-17 IEEP WRANGLER

Take on the toughest trails with WARN Rock Sliders. These rugged parts are designed to guard against damage from rocks and boulders, keeping your vehicle looking and performing at its best. Thick steel construction and black powder-coated finish ensure durability and good looks. For the TJ the steel plate bolts right to the Jeep's body. For Wrangler JK tube-style sliders use support brackets to bolt to the frame/subframe. Mounting hardware is included.



WARN OIL PAN SKID PLATE FOR THE JEEP TJ WRANGLER

Bolt-on design with a frame attachment bracket that allows drive shaft travel. It also means easy conversion from a stock to lifted vehicle. Made from 1/8" 11-gauge steel and black powder-coated

65020 '97-03 Jeep TJ

(6-cylinder. Excludes Rubicon and Unlimited models)



WARN STEERING BOX SKID PLATE FOR THE IEEP WRANGLER

Provides maximum protection and clearance. Large holes allow for debris clearance without sacrificing structural support. Made from 3/16" steel and black powder-coated.

64250 Jeep TJ '97-06 (includes Rubicon)

WARN DIFFERENTIAL SKID PLATE Provides full protective coverage. Slides over objects and won't snag or hang up. Made from 3/16" steel. Available in black powder-coat. 65443 (Dana 30, black) 65447 (Dana 44, black) **WARN FUEL TANK SKID** PLATE FOR THE JEEP WRANGLER

Bolts directly onto the frame using the existing factory attachment points. On the TJ model, the skid plate has a dropped center relief for proper fuel pump clearance and protection. Both plates feature drain holes to keep the plate free of debris. Durable black powder-coat finish fights off rust.

67820 Jeep TJ 66550 Jeep YJ

78 MOUNTING SYSTEMS, BUMPERS, ARMOR





EPIC SIDEWINDER

REPLACES HOOK AND SHACKLE FOR FAST, EASY, MORE DIRECT LINKAGE TO RECOVERY POINTS.

When you need to take a challenge head on, rely on the all new Epic Sidewinder. Built with an ultra-durable forged aluminum body and forged steel pins, this direct-connect rigging system is easy and fast to set, giving you the ultimate in secure anchor-point attachments. When you find yourself in a tough spot, you can find your way out of it with the Sidewinder.

- Replaces winch's hook and shackle to provide faster, easier, more direct link to recovery point and rigging accessories
- Quickly attaches to most bumper recovery points, D-ring shackles, recovery straps, rope extensions, and soft shackles
- Directly attaches to bumper D-ring mount tabs with at least 1-3/8" clearance from face to center hole
- Corrosion, impact, salt, weather, and UV-resistant for long-lasting good looks
- Body made from ultra-durable forged 6061-T6 billet aluminum; screw pin is forged steel
- Optional polyurethane isolator prevents debris from damaging pin shaft and is available in black or red.
- Compatible for winches up to 18,000 lbs.; minimum 64,000 lb. ultimate breaking strength





Black **100770**



Isolator (black) 102050 Isolator (red) 101550 Sold separately

EPIC HYPERLINK

MULTIPURPOSE DUAL-PIN SHACKLE FOR FASTER, EASIER RIGGING.

The Epic Hyperlink™ is a shackle reimagined the WARN way—tough, versatile, and with no detail overlooked. A forged aluminum body with two forged steel pins give it unmatched strength. And an intelligent design allows it to quickly and easily connect to other recovery accessories. While some shackles tie you down, the Hyperlink is engineered to help set you free.

- Unique multipurpose dual-pin shackle allows for direct attachment to other recovery accessories for fast, easy rigging
- Quickly attaches to most hooks, straps, snatch blocks, rope extensions, shackle mount links and thimbles, shackles, and soft shackles
- Directly attaches to bumper D-ring mount tabs with at least 1-3/8" clearance from face to center hole
- Body made from ultra-durable forged 6061-T6 billet aluminum; screw pin is forged steel
- Compatible with winches up to 18,000 lbs. (36,000 lb. working load limit); minimum 72,000 lb. ultimate breaking strength
- Available in polished or type III hard-anodized black or gunmetal corrosion-resistant finishes
- · Hyperlink is sold individually



Rlack 100630



Gunmetal 100625

Optional polyurethane isolator (sold separately) protects your bumper's finish by preventing direct contact with Hyperlink and prevents debris from damaging pin shaft. Available in black or red. Sold in pairs.

Isolator (red) 102045 Isolator (black) 102120





HUB WIRELESS RECEIVER

SMART-DEVICE ENABLED WINCH CONTROLLER

This state-of-the-art wireless control system allows users to operate their winch using the Bluetooth connection on their smart device. The IP68 waterproof HUB Wireless Receiver connects to the winch, and then our free custom-developed app for either iOS or Android communicates with the receiver via Bluetooth signal. The smart device will be able to operate the winch from up to 100' away and monitor the vehicle's battery voltage.

- Control a contactor-equipped winch from up to 100' away without delay using the Bluetooth connection on a smart device and our free app
- Works with most WARN and other brands of truck/SUV winches
- Easy plug-and-play setup
- When paired, HUB lets users control their winch and provides voltage info
- Multi-color LED indicates receiver status

- Mounts to any tube or flat surface with built-in mounting features and includes
- Rugged construction features fully potted and sealed electronics. IP68 and IP69K sealed
- 6' wiring harness allows receiver to be mounted up under the hood for security

Note: HUB is not compatible with ZEON Platinum winches. The thermometric indicator on 9.5cti and 16.5ti is disabled with HUB system



103945 HUB Receiver for WARN Truck/SUV winches (excluding ZEON Platinum)



103955 HUB Receiver for Smittybilt Gen 2 XRC and Gen 2 X20 winches



103950 Universal HUB Receiver—can be wired to any truck winch with contactor control

HAWSE FAIRLEADS

Add durability and rugged style to your WARN winch with our new Epic and Premium fairleads. These forged, 6061-T6 billet aluminum fairleads are bold and built to last. Also available in standard-duty cast iron and polished aluminum for select winches.

EPIC FAIRLEADS

- Available in 1"and 1.5" thicknesses to fit a variety of bumpers and mounting systems
- Corrosion, impact, salt, weather, and UV-resistant for long-lasting good looks
- Large radius opening minimizes rope wear
- Styling matches other WARN Epic accessories
- Available in type III hard-anodized black and gunmetal finishes

Epic 1.0 Fairlead—Gunmetal 100650

Epic 1.0 Fairlead—Black 100655

Epic 1.5 Fairlead—Gunmetal 100725

Epic 1.5 Fairlead—Black 100730



PREMIUM FAIRLEADS

- Forged billet 6061 T6 Billet aluminum
- Corrosion, impact, salt, weather, and UV-resistant for long-lasting good looks
- Large radius opening minimizes rope wear
- Available in 1" thickness polished aluminum or type III hard-anodized black finishes

Premium Fairlead - Black 100333

Premium Fairlead - Polished 100334



STANDARD AND REPLACEMENT FAIRLEADS

 Black fairleads are made of rugged cast iron and are for winches with a 6,000 lbs capacity or higher, designed for wire or synthetic rope

 Polished-aluminum fairleads are for synthetic rope only, designed to minimize the possibility of fraying



Polished aluminum hawse fairlead replacement for 9.0Rc (synthetic only) 73852

SHACKLES

Shackles are a key component to winching and are used for connecting the looped ends of cables, straps and snatch blocks.

EPIC SHACKLE

Made of forged steel with an e-coat and powder coat finish for enhanced resistance to abrasion and corrosion.

3/4" [20 mm] with 7/8" [22 mm] pin diameter. 18,000 lbs. [8165 kg] capacity 92093



STANDARD SHACKLE

Rugged and made to last a lifetime with a threaded pin for easy removal.

3/4" [20 mm] with 7/8" [22 mm] pin diameter. 18,000 lbs. [8165 kg] capacity 88999



RECEIVER SHACKLE BRACKET

Turns any standard, 2" (15.9 mm) class III hitch receiver into a reliable recovery point. Hitch pin and clip not included, but sold separately if needed.

Receiver shackle bracket 29312

Hitch pin and clip for class III receiver. 5/8" (15.9 mm) in diameter 63063



SPYDURA NIGHTLINE SOFT SHACKLE

Our soft shackles are made with flexible, heavy-duty UHMWPE (ultra-high-molecular-weight polyethylene) fibers and are lightweight, easy to pack, and easy to use.

- 1/2" Soft Shackle
- Dual color weave with a light-activated reflective strand for enhanced visibility
- 36,000 lbs. minimum breaking strength

102559



SPYDURA SOFT SHACKLE

Our soft shackles are made with flexible, heavy-duty UHMWPE (ultra-high-molecular-weight polyethylene) fibers and are lightweight, easy to pack, and easy to use.

- 3/8" Soft Shackle
- 25,110 lbs. minimum breaking strength

102556



ROLLER FAIRLEAD

Reduces wire rope wear, especially on pulls at severe angles. Zinc plated finish.

For winches over 6,000 lbs. (2722 kg) capacity (except M15 and 16.5ti) 5742

For M15 and 16.5ti winches, includes black powder coated frame 69394



FAIRLEAD COVER

Roller fairlead covers are made of high-strength ABS co-laminate and attach easily to a roller fairlead.

Fits the Trans4mer and Jeep mounting kits 60390

Fits the WARN Hidden Kit (Sierra & Super Duty) 25580



TOW HOOKS

Secured properly to your vehicle's frame, tow hooks provide an attachment point for wire hooks, straps and chains, increasing your recovery options. Mounting hardware is included. Rated to 8,000 lbs. (3,629 kgs) capacity. Sold individually.

Black **13230**

Chrome **13200**



WINCH HOOKS

They are designed for hooking and pulling loads when attached to the end of a rope and are equipped with a safety latch, or gate, to prevent the disengagement of the wire or synthetic rope when attached to a load.

STANDARD WINCH HOOK

This rugged, standard-duty steel hook is is ideal for standard-capacity winches and recreational off-roaders of all types. 98426 (Fits all mid frame winches. See warn.com for other winch replacement hooks.)



Made with forged steel, this ultra-rugged hook is E-coat/powder coated for maximum protection against wear and abrasion and features a beefier gate, a deeper-than-standard throat (can handle larger shackles) and a built-in bottle opener that will never be misplaced.

For 18,000 lb. (8165 kg) capacity winches and under **92091**

For 12,000 lb. (5443 kg)capacity winches and under 92090

For 5,000 lb. (2268 kg)capacity winches and under 92089



A hook strap is essential for proper handling of the hook. Use it to easily unspool the rope and to help keep your fingers away from the fairlead during re-spooling. Always wear gloves. 69645

HOOK STRAP



TREE TRUNK PROTECTORS

When you're stuck and need to use a tree as an anchor point, use a WARN tree trunk protector. These rigging straps are designed to protect trees against permanent damage that chains and rope can cause. Use these rugged, nylon straps along with a shackle to securely connect your winch rope to a wide variety of anchor points. A red warning marker encased in the webbing indicates damage and/or excessive wear.



1" x 8' and rated to 6,400 lbs. (2.5 cm x 2.4 m, rated 2903 kg) 88896



EPIC TREE TRUNK PROTECTORS

Featuring forged steel ring connectors that are e-coated for durability

4" x 8' and rated to 30,000 lbs. (10 cm x 2.4 m, rated 13,608 kg) 92096

2" x 8' and rated to 14,400 lbs. (5 cm x 2.4 m, rated 6532 kg) 92095

1" x 8' and rated to 7,200 lbs. (2.5 cm x 2.4 m, rated 3266 kg) 92094



RECOVERY STRAPS

Use a recovery strap to "snatch" or pull out a stuck vehicle. Nylon webbing absorbs the shock of heavy pulls, while the elastic rebound energy aids in quick recovery. Constructed of tough, high quality nylon webbing. Red warning marker encased in the strap indicates damaged webbing. End loops are reinforced with abrasion-resistant wear pads. Note: you should never use a recovery strap in a winching operation. For winching operations use a tree trunk protector strap or choker chain.

PREMIUM RECOVERY STRAPS

Featuring an 18-inch (45.7 cm), nylon, sliding sleeve to help prevent excessive wear cause by sharp or rough objects and surfaces.

3" x 30' and rated to 21,600 lbs. (8 cm x 9 m, rated to 9797 kg) 88924

2" x 30' and rated to 14,400 lbs. (5 cm x 9 m, rated to 6532 kg) 88922



STANDARD RECOVERY STRAPS

3" x 30' and rated to 21,600 lbs. (8 cm x 9 m, rated to 9797 kg) 88913

2" x 30' and rated to 14,400 lbs. (5 cm x 9 m, rated to 6532 kg) **88911** - not pictured





SNATCH BLOCKS

When used properly, snatch blocks can double the pulling power of your winch or change your pulling direction to avoid damaging the winch rope. Snatch blocks also reduce amp draw and winch overheating.

EPIC SNATCH BLOCKS

Featuring durable forged construction, these blocks feature a grease port for a long service life, and are e-coated for enhanced resistance to abrasion and corrosion.

For winch capacities up to 18,000 lbs. (8165 kg) **93195**

For winch capacities up to 12,000 lbs. (5443 kg) 92188



HEAVY DUTY SNATCH BLOCKS

Featuring a grease ports and powder-coated steel.

For winch capacities up to 16,500 lbs. (7484 kg) with 7/16" (11 mm) wire rope **63490**

For winch capacities up to 12,000 lbs. (5443 kg) with 3/8" (9.5 mm) wire rope **15640**



STANDARD SNATCH BLOCK

Standard steel with grease port.

For winch capacities up to 10,000 lbs. (4536 kg) with 5/16" (8 mm) wire rope **88899**



RECOVERY/ACCESSORY KITS

Maximize the Capability of Your Winch with Essential Gear and Accessories

Recovery kits are a must-have item whenever you use a winch. You need special gloves to protect your palms, straps that wrap around anchor points, snatch blocks that can increase your pulling power, and shackles to connect it all together. It's all about going prepared, and these recovery kits are key to helping yourself, or others, get out of a jam when far from civilization.

EPIC RECOVERY KIT-MEDIUM DUTY For Winch Capacities Up To 12,000 lbs. (5443 kg)

97565 Includes:

• Forged 3/4" (20mm) Epic shackles (2) with an e-coat/powder coat finish. For use with 18,000 lbs. (8165 kg) capacity winches and under

• Epic tree trunk protector featuring forged loops with an e-coat/powder coat finish. 2" x 8' rated to 14,400 lbs (5 cm x 2.4 m rated to 6532 kg)

· Epic snatch block with grease port and an e-coat/powder coat finish. For use with 12,000 lbs. (5443 kg) capacity winches and under

- Premium recovery strap, 2" x 30' and rated to 14,000 lbs. (5 cm x 9.1 m, rated to 6532 kg)
- · Winching gloves with synthetic leather and Kevlar® on the palms
- Rugged, modular Epic backpack is designed for the secure, hands-free carrying of the entire kit. This versatile pack is also sold separately 95510



Backpack carrying case is made from ballistic material for maximum durability

hold the kit's components.

Modular interior is designed to securely

EPIC RECOVERY KIT—HEAVY DUTY For Winch Capacities Up To 18,000 lbs. (8165 kg)

97570 Includes:

- Forged 3/4" (20mm) Epic shackles (2) with an e-coat/powder coat finish. For use with 18,000 lbs. (8165 kg) capacity winches and under
- Epic tree trunk protector featuring forged loops with an e-coat/powder coat finish. 4" x 8' rated to 30,000 lbs (10 cm x 2.4 m rated to 13,608 kg)
- Epic snatch block with grease port and an e-coat/powder coat finish For use with 18,000 lbs. (8165 kg) capacity winches and under
- Premium recovery strap, 3" x 30' and rated to 21,600 lbs. (7.6 cm x 9.1 m, rated to 9798 kg)
- Winching gloves with synthetic leather and Kevlar® on the palms
- Rugged, modular Epic backpack is designed for the secure, hands-free carrying of the entire kit. This versatile pack is also sold separately 95510




MEDIUM DUTY ACCESSORY KIT

For Winch Capacities Up To 10,000 lbs. (4536 kg)

88900 Includes:

- 3/4" (20mm) D-shackles (2)
- Tree trunk protector, 2" x 8' and rated to 14,400 lbs. (5 cm x 2.4 m, rated to 6532 kg)
- 20,000 lbs. (9072 kg) maximum-capacity snatch block with grease port



• Durable, modular duffle with shoulder strap and grab handles is easy to pack, easy to carry



MEDIUM DUTY ACCESSORY KIT

For Winch Capacities Up To 10,000 lbs. (4536 kg)

62858 Includes:

- 3/4" (20mm) D-shackles (2)
- Tree trunk protector, 4" x 8' and rated to 30,000 lbs. (10 cm x 2.4 m,
- 20,000 lbs. (9072 kg) maximum-capacity snatch block with grease port
- Standard recovery strap, 3" x 30' and rated to 21,600 lbs. (8 cm x 9 m, rated at 9797 kg)
- Winching gloves
- Soft, top-loading camouflage nylon bag with grab handles is easy to pack, easy to stash. This storage bag is also sold separately 29491



HEAVY DUTY ACCESSORY KIT For Winch Capacities Up To 12,000 lbs. (5443 kg)

29460 Includes:

- 3/4" (20mm) clevis D-shackle (1)
- Tree trunk protector, 4" x 8' and rated to 30,000 lbs. (10 cm x 2.4 m, rated to 13608 kg)
- 24,000 lbs. (10886 kg) heavy-duty snatch block with grease port
- Recovery strap, 3" x 30' and rated to 21,600 lbs. (8 cm x 9 m, rated at 9797 kg)
- Winching gloves
- Soft, top-loading camouflage nylon bag with grab handles is easy to pack, easy to stash. This storage bag is also sold separately 29491



WIRELESS WINCH CONTROL SYSTEM

The WARN Wireless Control System lets you remotely control your WARN winch from up to 50' (15.2m) away. The new system is plug-and-play: It simply plugs in where you'd normally attach your corded remote-no wiring, no hassle. Weatherproof transmitter has two large buttons making it easy to operate, even while wearing gloves.

- Two-color LED provides clear operator feedback
- Control your winch from up to 50' (15.2m) away
- Easy plug-and-play installation
- Sealed for protection against the elements
- Activation sequence guards against accidental power-ups
- Kit includes wireless transmitter, receiver, holster, lanyard and mounting hardware

For truck and utility Winches. Works with all five-wire truck and VR EVO winches (excludes 2000 DC Utility and ZEON Platinum winches) 90287



Receiver plugs in where you'd normally attach your corded remote





Winch Remote Control

Remote control stands up to rough treatment offroad. Rubberized, ergonomic pistol-grip handle. Ultraweather/mud resistant thanks to improved sealing. Simple, intuitive operation. 12' (3.7m) lead. Compatible with previous generation of WARN truck winches.

Standard Remote (works with all current WARN Truck/SUV winches, except ZEON Platinum, PowerPlant, 9.5ti,16.5ti and VR EVO) 83665

Remote for PowerPlant 83653 Remote for 9.5cti, and 16.5ti 83658 Remote kit for VR EVO 104218

Advanced Wireless Control Window Mount

FOR ZEON PLATINUM WINCHES

Mount the wireless remote to your windshield, or other smooth, flat, non-porus surface.

Advanced Wireless Winch Control

FOR ZEON PLATINUM WINCHES

Replacement control for ZEON Platinum winches (not compatible with other winches).

93043

Control Pack Relocation Kit

Certain bumpers have space constraints that require a low-profile winch configuration. All ZEON, ZEON Platinum and VR EVO winches

variety of relocation kits.

89970 ZEON, Short kit (31") 89960 ZEON, Long kit (78") 89970ZEON Platinum, Short kit (31") **92193** ZEON Platinum, Long kit (78") **106011** VR EVO, Long kit (78")

Additional Wiring For **ZEON Platinum** (optional)

93373 Light harness kit (short 6') 93375 Light harness kit (long 20')







Winch Rope Cover

Customize your ZEON or ZEON Platinum winch's look and protect the winch rope with this durable cover.

Slotted design 87555 Solid design 89775





SPYDURA NIGHTLINE SYNTHETIC ROPE

For WARN Winches With Up To 12,000 lbs. [5443 kg] Pulling Capacity

Spydura Nightline Synthetic Rope features 3M lightactivated reflective strands for high visibility and is constructed with an Ultra-High Molecular Weight Polyethylene [UHMWPE] material that provides tremendous tensile strength and abrasion resistance. This rope is made with a dual-color weave and is coated with a protective, high-temperature urethane.

- Strong abrasion-resistant UHMWPE construction with EVA coating to guard against heat
- Nomex heat sleeve protects rope's vital first layers
- Durable, heavy-duty gusseted rope thimble; includes forged hook

3/8" x 100' [9.5 mm x 30.5 m] diameter Spydura Nightline 102558 3/8" x 80' [9.5 mm x 24.4 m] diameter Spydura Nightline 102560



Spydura Nightline Synthetic Rope Extension

- Made with dual color weave with 3M light-activated reflective strands for high visibility
- Strong abrasion-resistant UHMWPE construction with EVA coating to guard against heat

3/8" x 50' (15.2 m x 9.5 mm) Spydura Nightline Extension 102557





SPYDURA SYNTHETIC ROPE

For WARN Winches With Up To 12,000 lbs. (5443 kg) Pulling Capacity

Spydura® Synthetic Rope is constructed with an ultra-high molecular weight polyethylene (UHMWPE) material that provides tremendous tensile strength and abrasion resistance, and is coated with a protective, high-temperature urethane.

3/8" (9.5mm) x 100' (30.5m) synthetic rope **87915** 3/8" (9.5mm) x 80' (24.4m) synthetic rope **88468**

Red Heat Resistant Sleeve
This end-of-rope warning sleeve
also protects the first layer of rope
from high winch drum temperature

Patented Self-Tightening Anchoring System
Our unique rope attachment is 10-times
stronger than the competition

Ballistic Nylon Sleeve
Sliding sleeve helps guard
the rope from abrasion when
winching over an object

Forged Winching Hook
Rugged, easy to use,
and replaceable

Spydura Synthetic Rope Extension

- Loops on both ends allowing you to easily extend the reach of your winch
- Reinforced "soft" eyes are rugged and easy to use
- Ballistic-nylon sliding sleeve provides protects against wear and abrasion

3/8" (9.5mm) x 25' (7.62m) 93118

3/8" (15.24m) x 50' (9.5mm) 93119



Protective Urethane Coating Shields against UV, dirt and debris, and helps prevent the rope from splitting and fraying

SPYDURA PRO SYNTHETIC ROPE

For WARN Winches With Up To 16,500 lbs. (7484 kg) Pulling Capacity

Spydura Pro synthetic rope is 38% stronger than standard Spydura, yet is still lightweight and easy to handle. Plus it has up to twice the breaking strength of the competition.

Made with a heat-treated fiber that delivers maximum tensile strength.

3/8" (9.5mm) X 100' (30.5m) Spydura Pro **96040**

3/8" (9.5mm) X 80' (24.4m) Spydura Pro **93120**

7/16" (11.1mm) x 100' (30.5m) Spydura Pro **91820**



Spydura Pro Synthetic Rope Extension

- \bullet Loops on both ends allow you to easily extend the reach of your winch.
- Reinforced "soft" eyes are rugged and easy to use.
- Ballistic-nylon sliding sleeve provides protects against wear and abrasion.
- Made with a heat treated fiber that delivers maximum tensile strength.

For Winches with 12,000 lb. (5443 kg) pull rating or less:

3/8" (9.5mm) x 25' (7.6m) 93121

3/8" (9.5mm) x 50' (15.2m) **93122**

For Winches with 18,000 lb. (8165 kg) pull rating or less:

7/16" (11mm) x 50' (15.2m) **93326**





REMOVABLE ROPE **ABRASION SLEEVE**

When winching in abrasive environments, the Rope Abrasion Sleeve can help protect your rope from trail hazards that can damage rope. This can extend the life of your synthetic rope and keeps you on the trail.

- Helps to protect synthetic rope against abrasion
- Reflective printing for increased visibility
- Made from double-layered durable ballistic nylon
- Hook-and-loop enclosure secures sleeve over rope
- Limited 1 year warranty

100330





WARN WINCH DAMPER

failure. While rope failure does not happen often, this damper will help the rope fall to the ground if such an event were to occur. Made from durable vinyl, the WARN Winch Damper also features a pocket for rigging accessories, a rubber-coated center section to prevent it from sliding down the line, and a reflective strip for increased visibility. The product also complies with 4WD competition damper regulations.

- Rubber-coated center section guards against sliding
- Durable vinyl construction
- Pocket for accessory storage
- Reflective strip for increased visibility
- Complies with 4WD competition damper requirements

91575



REPLACEMENT ROPES:

					STANDARD	SYNTHETIC	SPYDURA
WINCH MODEL	WINCH PN	LENGTH	DIAMETER	WIRE	DUTY	SPYDURA	PRO
9.5xp	68500	100' (30.4m)	5/16" (7.9mm)	38314			
9.5xp-s	87310	100' (30.4m)	3/8" (9.5mm)			87915	
9.5cti	97550	125' (38.1m)	5/16" (7.9mm)	38312			
9.5cti Multi-Mount	85760	125' (38.1m)	5/16" (7.9mm)	38312			
9.5cti-s	97600	100' (30.4m)	3/8" (9.5mm)			87915	
9.0Rc	71550	50' (15.2m)	3/8" (9.5mm)			71717	
16.5.ti	68801	90' (27.4m)	7/16" (11.1mm)	61950			
16.5ti-s	97740	80' (24.4m)	3/8" (9.5mm)				93120
Endurance 12.0	73010	80' (24m)	3/8" (9.5mm)	74313			
M8274	106170	125' (38.1m)	3/8" (9.5mm)	106141			
M8274-S	106175 - S	125' (38.1m)	3/8" (9.5mm)			102343	
	38631 - 12V						
M8274-50	375832 - 24V	150' (45.7m)	5/16" (7.9mm)	38311			
M8	26502	100' (30.4m)	5/16" (7.9mm)	38314			
M8-s	87800	100' (30.4m)	3/8" (9.5mm)			87915	
M12	17801 - 12V 265072 - 24V	125, (20**)	2/0"/0.Fmm\	38423			
M12		125' (38m)	3/8" (9.5mm)	38423		07045	
M12-S	97720	100' (30.4m)	3/8" (9.5mm)			87915	
M15	47801 - 12V 478022 - 24V	90' (27m)	7/16" (11mm)	61950			
M15-S	97730	80' (24.4m)	3/8" (9.5mm)				93120
PowerPlant 9.5	91800	125' (38.1m)	5/16" (7.9mm)	38312			
PowerPlant 12	91801	80' (24.3m)	3/8" (9.5mm)	74313			
VR EVO 8	103250	94' (28.6m)	5/16" (7.9mm)	38314			
VR EVO 8-S	103251	90' (27.4m)	3/8" (9.5mm)		104232		
VR EVO 10	103252	80' (24.4m)	3/8" (9.5mm)	74313	10 1222		
VR EVO 10-S	103253	90' (27.4m)	3/8" (9.5mm)		104232		
VR EVO 12	103254	80' (24.4m)	3/8" (9.5mm)	74313	10 1232		
VR EVO 12-S	103255	90' (27.4m)	3/8" (9.5mm)	7 15 15	104232		
VR8	96800	94' (28.6m)	5/16" (7.9mm)	38314	10 1232		
VR8-S	96805	90' (27.4m)	3/8" (9.5mm)	30314		87915	
VR10	96810	80' (24.4m)	3/8" (9.5mm)	89213		0/313	
VR10-S	96815	90' (27.4m)	3/8" (9.5mm)	03213		87915	
VR12	96820	80' (24.4m)	3/8" (9.5mm)	89213		כוכיים	
VR12-S	97035	90' (27.4m)	3/8" (9.5mm)	03213		87915	
XD9000	28500	100' (30.4m)	5/16" (7.9mm)	38314		כוכיים	
XD9000i	27550	125' (38.1m)	5/16" (7.9mm)	38312			
			5/16 (7.9mm)	38312			
XD9000i Portable	37441	125' (38.1m) 100' (30.4m)					
ZEON 8	88980	, ,	5/16" (7.9mm)	89212			
ZEON 8 Multi-Mount	90260	100' (30.4m)	5/16" (7.9mm)	89212		07045	
ZEON 8-S	89305	100' (30.4m)	3/8" (9.5mm)			87915	
ZEON 8-S Multi-Mount	90330	100' (30.4m)	3/8" (9.5mm)			87915	
ZEON 10	88990 - 12V 90665 - 24V	80' (24.4m)	3/8" (9.5mm)	89213			
ZEON 10 Multi-Mount	90340	80' (24.4m)	3/8" (9.5mm)	89213			
ZEON 10-S	89611	100' (30.4m)	3/8" (9.5mm)			87915	
ZEON 10-S Multi-Mount	90360	100' (30.4m)	3/8" (9.5mm)			87915	
	89120 - 12V	/	\				
ZEON 12	90666 - 24V	80' (24.4m)	3/8" (9.5mm)	89213			02455
ZEON 12-S	95950	80' (24.4m)	3/8" (9.5mm)	0			93120
ZEON Platinum 10	92810	80' (24.4m)	3/8" (9.5mm)	89213			
ZEON Platinum 10-S	92815	100' (30.4m)	3/8" (9.5mm)			87915	
ZEON Platinum 12	92820	80' (24.4m)	3/8" (9.5mm)	89213			
ZEON Platinum 12-S	95960	80' (24.4m)	3/8" (9.5mm)				93120

Replacement Wire Rope

Damaged wire rope must be replaced to safely operate any winch. Constructed of aircraft wire rope and galvanized to help resist corrosion. Includes swaged loop on one end, and wire rope terminal on the other.

Wire terminal

ROPE PART NUMBERS SYNTHETIC



Wire Rope Extension

Galvanized aircraft wire rope with loop on both ends allows you to extend the reach of your winch.

5/16" x 50' (7.9mm x 15.2m) **25430** 3/8" x 75' (9.5mm x 22.9m) 25431



Winching Gloves

These gloves are designed to help protect your hands from the sharp barbs and abrasion that may occur when handling winch rope. Mandatory equipment when working with winch rope.

- Durable synthetic leather with Kevlar reinforcement resists abrasion
- Extra reinforcements provide superior knuckle and fingertip protection
- Shock absorbing palm
- Terry cloth sweat wipe, neoprene wrist and pull strap, ID tag



96 ACCESSORIES ACCESSORIES 97

STEALTH SERIES WINCH COVERS

Added protection for your Warn winch

The all-new fade-proof Stealth line of WARN winch covers are the ultimate way to protect your winch from the elements. Made from durable, premium materials, such as marine-grade vinyl, these covers fit right, are weather resistant.



ZEON, ZEON Platinum 102639



VR8, VR10, VR12 107765



M8, XD9, 9.5xp, VR8000, VR10000, VR12000 (Cover designed to fit these winches with control pack mounted in original location) 102641








Stealth winch covers feature mesh backing for ventilation, a front flap that opens to allow access the winch drum, and a zipper that provides access to the clutch handle and remote socket.

SOFT WINCH COVERS


WARN soft winch covers are made of durable nylon-backed vinyl, and hold securely with elastic bungee cord fasteners.






Fits 9.5cti, 9.5ti, XD9i, and winches mounted on the Trans4mer, Multi-Mount and Flatbed Mount 13917


Fits 9.5xp, XD9, M8, (with control pack mounted behind winch motor), mounted on the Trans4mer, Multi-Mount and Flatbed Mount




Fits the 16.5ti, M15 and M12 winches mounted on the Trans4mer, and Flatbed Mount 15639



Fits the M8274 series winches **8557**



For the 9.5xp, XD9, and M8 winches, mounted the Trans4mer 13916



Fits 9.5ti and XD9i mounted on the Classic Bumper **18250**





WARN EPIC WHEELS

Made for life on the trail with an aggressive style and off-road-ready design.

The leader in winches is now offering class-leading wheels for Jeep Wrangler JL, JK, and Gladiator JT. Packed full of the durability, performance, and style you expect from Warn Industries, these all-new wheels are designed for life off road. With three designs, two finishes, and two WARN hub-style centercaps to choose from, these wheels fit your rig's individual style and offer a perfect fit, no matter which Jeep you drive.

- 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset perfect for Jeep Wrangler JK, JL, and Gladiator JT fitments
- Three distinct designs: Jackhammer, Diamond Cutter, and Moonsault, all available in black or gunmetal
- Unique centercaps are a nod to the classic WARN hub: Standard gold finish or optional black/red style
- Compatible with TPMS and factory lug nuts
- Tested to meet rigorous J2530 certification
- Lifetime structural warranty



106683 Optional black & red centercap with black body



106684 Optional black & red centercap with gunmetal gray body





106690 JACKHAMMERGunmetal gray, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset



106686 MOONSAULTGunmetal gray, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset



106688 DIAMOND CUTTERGunmetal gray, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset



106689 JACKHAMMER Black, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset



106685 MOONSAULTBlack, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset



106687 DIAMOND CUTTERBlack, 17x8.5 diameter, 5x5 (5x127) bolt pattern, 0 offset


PREMIUM LOCKING HUBS FOR FORD SUPER **DUTY TRUCKS 2005 AND NEWER**

The Super Duty Has Met Its Match

With heat-treated gears, and all-metal cap and dial, our premium locking hubs are designed to handle the stress that modified rigs with bigger tires can dish out. The corrosion-resistant stainless steel hardware will keep them looking good for years. These hubs are easy to instal, easy to turn and easy to maintain. They're just incredibly hard to break.

95060 (Black) **95070** (Chrome)







28751

PREMIUM MANUAL HUBS

This no-compromise premium hub is designed for the hardcore off-roader who demands high-performance parts.

The ZA Alloy dial on these premium hubs require a full 9/10ths of a turn to ensure positive engagement of the inner drive gear to the clutch ring. A thick, internal wave spring and heavy dial detents ensures that they stay engaged.

A rugged, all-metal build promises years of reliable service, a promise we back up with an industry-leading, limited lifetime warranty. Simply find your vehicle on the following page to locate the correct part number.

STANDARD MANUAL HUBS

WARN standard hubs are the ideal choice for factory hub replacement, these are the same hubs that we have supplied to OEMs around the world and have many of the features found on our premium hubs, including a 4140 steel clutch ring, inner drive gear and a precision-cast hub body.

Standard hubs are available in three mount styles to fit most 4WD vehicles; Internal mount, external mount and flange mount. Simply find your vehicle on the following page to locate the correct part number.

4WD HUBS APPLICATIONS CHEVROLET/GMC	Year	Footnotes	Spline Count	Standard Manual PN	Premium Manual PN	Spindle Nut Kit Std/Prem	Std	RVICE KIT Prem
Blazer, Jimmy, Suburban						32720		2082
/2 Ton Pickup								
1/4 Ton Pickup								
3/4 Ton Pickup								
Ton Pickup								
Ton Pickup, V-Series Crew Cab Geo/Chevrolet Tracker								
DODGE/RAM	69-00	J	20		34361			/30
/2 Ton Pickup	'57-68		19		9072			730
/2 Ton Pickup & Ramcharger								
/2, 3/4 Ton Pickup & Ramcharger								
8/4 Ton Pickup	'90-93		30	11690	38826		11714	
1/4 Ton Pickup								
Ton Pickup	'90-93		30	11690	38826		11714	
FORD								
Bronco II, Ranger	'83-89	E, D	23	29070		27988	39128	
xplorer								
Ranger								
Bronco	'66-96	B, G, H	19	9790	20990	32720	11967	2082
/2 Ton Pickup								
8/4 Ton Pickup	'59-75		19	9790	20990		11967	2082
1/4 Ton Pickup, Light Duty	'77.5-97	H	19	9790	20990	32720	11967	2082
3/4 Ton Pickup, Heavy Duty								
3/4 Ton Pickup, Heavy Duty								
Ton Pickup								
Super Duty (F-250/350; Excursion)								
Super Duty (F-250/350/450/550)	'05–19	M	35	95060				9508
Super Duty (F-250/350/450/550)	'05-19	N	35	95070				9508
NTERNATIONAL HARVESTER								
cout								
Scout II, Terra, Traveler								
/2 Ton Pickup, Travelall	′68-75		19	9790	20990		11967	2082
/2 Ton, 3/4 Ton Pickup SUZU	56-/2		19		90/2			/30
Trooper II	'07_02		17		61205			6160
Rodeo								
EEP								
I, Universal, M38A1, Willys	'71 ⊊ Drior	٨	10		29062			720
I, Universal (6 bolt)								
], Universal Scrambler (5 bolt)								
eepster C101 Commando								
eepster C104								
Gladiator, Wagoneer, Pickup	'73 & Prior.		10		29062			730
Full size Wagoneer, Cherokee.								
-10 Pickup. Commander	'74-91	G	19	9790	20990		11967	2082
-20 Pickup (heavy axle)								
-20 Pickup	'77-87		19	9790	20990		11967	2082
eep Station Wagon, Pickup	'65 & Prior.		10		29062			730
MAZDA								
Pickup Navajo								
NISSAN	50-54	Ε	27	230/1		32/20		
	100 5 00		27		20720			200
Pickup, Pathfinder								
Pickup, 4 cylinder Pickup (incl. Frontier). 4 cyl								
Pickup (incl. Frontier), Pathfinder, 6 cyl Kterra								
GUZUKI								
Samurai, Sierra								
idekick, X-90, Vitara, Escudo	'89–01	J	26		34581			730
ГОУОТА		_						
Pickup, Hilux, 4-Runner, with ADDandcruiser								
anacruiser Pickup, Hilux, 4-Runner								
лскир, ниих, 4-киппет								
100, W/ADD								
/an, Previa								
Facoma (w/factory man. hubs)								
Hilux Int'l with Torsion bar susp								
•								
.USTUM APPLICATIONS		1						_
CUSTOM APPLICATIONS Dana 60 axle with 35 spline outer shafts (fror	nt only)		35		62672			1171

FOOTNOTES:

- A Very early vehicles may require that the threaded axle end be cut off.
- B Will not fit '87-early '88 model vehicles, flange mount (Dealer item only, See Ford parts o service).
- C When replacing automatic huhs with manual huhs, you must also purchase Spindle Nut Conversion Kit #27988 for '83-'89 vehicles: Conversion Kit #32720 for '90-'97.
- D Very early '90 vehicles with 23 tooth axle spline require 1989 model hubs.
- E When replacing factory automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83-'89 vehicles;
- F Will not fit vehicles with factory optional chrome
- G Vehicles with full-time 4WD will require a transfer case conversion kit.
- H When replacing automatic 3 hole cap screw hubs with manual hubs, you must spindle nut conversion kit ner annlication chart.
- I Hub Set includes Stud Kit (PN 38003).
- Not for front axle
- K Will not fit factory dual wheel application.
- L. International only: will not fit vehicle produced in North America.
- M Black finish
- N Chrome finish

106 WHEELS & 4WD HUBS







Groundbreaking Technology Meets Unmatched Reliability

With the all-new AXON™ lineup, Warn has taken winching to the next level by combining a powerful motor and first-of-its-kind digital contactor into one unit called a Motactor™. The WARN Motactor increases performance, drops installation time, and provides never-before-seen levels of performance and feedback to the user. Tech is nothing without durability, so we made AXON the most durable powersports winch ever. All-metal construction, IP68 waterproof sealing, and increased structural rigidity are made for extreme environments. It's smart, tough, and perfect for a wide range of powersports vehicles. Available in 3,500, 4,500, and 5,500 pulling capacities, with a choice of steel or Spydura® synthetic rope.

- Motactor (motor + digital contactor) dramatically simplifies winch installation—reducing install time by up to 50%
- · Advanced digital controls allow for monitoring of voltage, load, and motor temperature
- Built-in load limiter prevents damage from overloading winch
- All-metal, IP68 waterproof construction is exceptionally durable and keeps the elements out
- All-new modular controls allow for expandability
- Robust new clutch design based on legendary WARN 4WD hub lock know-how
- Limited lifetime warranty (mechanical), 3 year warranty (electrical)

AXON 55 Controls

Includes rockerbar digital control switch and digital corded

AXON 45 Controls

Includes rockerbar digital control switch and digital corded

AXON 35 Controls

control switch with handlebar mount adaptor. (Remote sold separately)



AXON LINE-UP

101155 AXON 55

50' of 1/4" steel rope, roller fairlead, Rockerbar digital control switch, and digital corded remote

101150 AXON 55-S

50' of 1/4" Spydura synthetic rope, Epic hawse fairlead, Rockerbar digital control switch, and digital corded remote

101145 AXON 45

50' of 1/4" steel rope, roller fairlead, Rockerbar digital control switch, and digital corded remote

101140 AXON 45-S

50' of 1/4" Spydura synthetic rope, Epic hawse fairlead, Rockerbar digital control switch, and digital corded remote

101240 AXON 45RC

Short drum design is optimized for mounting in the tight space required with some UTVs. 27' of 1/4" Spydura synthetic rope, Epic hawse fairlead, Rockerbar digital control switch, and digital corded remote

101135 AXON 35

50' of 7/32" steel rope, roller fairlead, Rockerbar digital control switch with handlebar mount

101130 AXON 35-S

50' of 3/16" Spydura synthetic rope, Epic hawse fairlead, Rockerbar digital control switch with handlebar mount adaptor









SPECIFICATIONS



AXON 55 AND 55-S

SPECIFICATIONS

Part number: 101155 (AXON 55), 101150 (AXON 55-S)

Rated line pull: 5,500 Lbs. (2495 kg) single-line

Motor: Motactor with 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel

Rope: AXON 55: 50' x 1/4" (15m x 6.3mm) steel, AXON 55-S: 50' x 1/4" (15m x 6.3mm) Spydura synthetic

Hook: Black powder coat Fairlead: AXON 55: Roller,

AXON 55-S: Epic hawse fairlead

Primary control: Rockerbar digital control switch

Remote control: Digital corded remote

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year

AXON 45 AND 45-S

Part number: 101145 (AXON 45),

101140 (AXON 45-S)

Rated line pull: 4,500 Lbs. (2041 kg) single-line

Motor: Motactor with 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel

Rope: AXON 45: 50' x 1/4"(15m x 6.3mm) steel,

AXON 45-S: 50' x 1/4" (15m x 6.3mm) Spydura synthetic

Hook: Black powder coat

Fairlead: AXON 45: Roller,

AXON 45-S: Epic hawse fairlead

Primary control: Rockerbar digital control switch

Remote control: Digital corded remote

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year

AXON 45RC (SHORT DRUM)

SPECIFICATIONS

Part number: 101240 (AXON 45RC)

Rated line pull: 4,500 Lbs. (2041 kg) single-line

Motor: Motactor with 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel Rope: AXON 45RC: 27' x 1/4"(8m x 6.3mm)

Spydura synthetic

Hook: Black powder coat

Fairlead: AXON 45RC: Epic hawse fairlead

Primary control: Rockerbar digital control switch


Remote control: Digital corded remote

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year


Note: No rock sleeve on the 45RC synthetic rope.



- (A) 15.0" (381.8mm) (C) 5.19" (132mm) **B** 4.82" (122.5mm) **(1)** 5.02" (127.6mm)
- Mounting bolt pattern: 3.0" x 6.59" (76.2mm x 167.4mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	15.8 (4.8)	28 amps	1/5500 (2495)
500 (227)	13.4 (4.1)	49 amps	2/4582 (2078)
1000 (454)	11.5 (3.5)	71 amps	3/3926 (1781)
1500 (680)	10.0 (3.0)	92 amps	4/3434 (1558)
2000 (907)	8.8 (2.7)	114 amps	
2500 (1134)	8.0 (2.4)	135 amps	
3000 (1361)	7.3 (2.2)	155 amps	
3500 (1588)	6.8 (2.1)	176 amps	
4000 (1814)	6.3 (1.9)	196 amps	
4500 (2041)	5.9 (1.8)	216 amps	
5000 (2268)	5.4 (1.6)	235 amps	
5500 (2495)	4.8 (1.5)	254 amps	




- **(A)** 15.0" (381.8mm) **(B)** 4.82" (122.5mm)
- © 5.19" (132mm) **(1)** 5.02" (127.6mm)

Mounting bolt pattern: 3.0" x 6.59" (76.2mm x 167.4mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	16.3 (5.0)	33 amps	1/4500 (2041)
500 (227)	13.8 (4.2)	48 amps	2/3749 (1700)
1000 (454)	11.8 (3.6)	68 amps	3/3212 (1457)
1500 (680)	10.3 (3.1)	91 amps	4/2810 (1275)
2000 (907)	9.1 (2.8)	114 amps	
2500 (1134)	8.3 (2.5)	136 amps	
3000 (1361)	7.7 (2.4)	156 amps	
3500 (1588)	7.3 (2.2)	174 amps	
4000 (1814)	7.0 (2.1)	191 amps	
4500 (2041)	6.7 (2.0)	208 amps	

DIMENSIONS



- (A) 13.31" (338.1mm)
- © 3.47" (88.3mm) (B) 3.30" (83.9mm)
- Mounting bolt pattern: 3.0" x 4.87" (76.2mm x 123.7mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	16.3 (5.0)	28 amps	1/4500 (2041)
500 (227)	14.0 (4.3)	49 amps	2/3696 (1676)
1000 (454)	12.1 (3.7)	69 amps	3/3135 (1422)
1500 (680)	10.7 (3.2)	88 amps	4/2722 (1235)
2000 (907)	9.6 (2.9)	108 amps	
2500 (1134)	8.8 (2.7)	126 amps	
3000 (1361)	8.2 (2.5)	145 amps	
3500 (1588)	7.9 (2.4)	163 amps	
4000 (1814)	7.7 (2.3)	181 amps	
4500 (2041)	7.5 (2.3)	198 amps	



AXON 35 AND 35-S

SPECIFICATIONS

Part number: 101135 (AXON 35),

101130 (AXON 35-S)

Rated line pull: 3,500 Lbs. (1588 kg) single-line Motor: Motactor with 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary Fasteners: All stainless steel

Rope: AXON 35: 50' x 7/32"(15m x 6.3mm) steel, AXON 35-5: 50' x 3/16" (15m x 4.8mm) Spydura synthetic

Hook: Black powder coat

Fairlead: AXON 35: Roller, AXON 35-S: Epic hawse fairlead

Primary control: Rockerbar digital control switch


with handlebar mount adaptor

Remote control: Sold separately

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year



- **(A)** 13.31" (338.1mm) **B** 4.80" (122mm)
- © 3.47" (88.3mm) **(D)** 3.30" (83.9mm)
- Mounting bolt pattern: 3.0" x 4.87" (76.2mm x 123.7mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	20.2 (6.2)	35 amps	1/3500 (1588)
500 (227)	17.8 (5.4)	58 amps	2/2934 (1331)
1000 (454)	15.8 (4.8)	81 amps	3/2525 (1145)
1500 (680)	14.2 (4.3)	105 amps	4/2216 (1005)
2000 (907)	12.9 (3.9)	129 amps	5/1975 (896)
2500 (1134)	11.8 (3.6)	154 amps	
3000 (1361)	10.7 (3.2)	178 amps	
3500 (1588)	9.5 (2.9)	204 amps	









Impressive Lineup Takes Performance And Value To Levels Never Before Seen In A Powersports Winch

Whether you're on the job or on the trail, WARN VRX winches work as hard as you do thanks to all-metal construction, a clutch based on the legendary WARN 4WD hublock design, an ultra-durable all-metal gear train, and full IP68 waterproof sealing to take on the elements. VRX is available in 2,500, 3,500, and 4,500 lb. capacities and is perfect for a variety of vehicles and any job-big or small.

- Full IP68-rated waterproof sealing keeps the elements out
- Durable all-metal construction
- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how
- Black powder-coated finish for corrosion
- Load-holding brake for great control
- Smooth and reliable all-metal three-stage planetary gear train
- Limited lifetime warranty (mechanical), 3 year warranty (electrical)

VRX 45 Controls Includes dash-mounted control switch and



VRX 35 Controls

Includes handlebar mini-rocker control switch. (Remote sold separately.)



VRX 25 Controls

Includes handlebar mini-rocker control switch. (Remote sold separately.)



50' of 1/4" steel rope, roller fairlead, dashmounted control switch, and corded remote

101040 VRX 45-S

50' of 1/4" synthetic rope, cast aluminum hawse fairlead, dash-mounted control switch, and corded remote

101035 VRX 35

50' of 7/32" steel rope, roller fairlead, and handlebar mini-rocker switch

101030 VRX 35-S

50' of 3/16" synthetic rope, cast aluminum hawse fairlead, and handlebar mini-rocker switch

101025 VRX 25

50' of 3/16" steel rope, roller fairlead, and handlebar mini-rocker switch

101020 VRX 25-S

50' of 3/16" synthetic rope, cast aluminum hawse fairlead, and handlebar mini-rocker switch









SPECIFICATIONS



VRX 45 AND 45-S

SPECIFICATIONS

Part number: 101045 (VRX 45), 101040 (VRX 45-S)

Rated line pull: 4,500 Lbs. (2041 kg) single-line

Motor: 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel **Rope:** VRX 45: 50' x 1/4" (15m x 6.3mm) steel,

VRX 45-S: 50' x 1/4" (15m x 6.3mm) synthetic

Hook: Zinc plated

Fairlead: VRX 45: Roller,

VRX 45-S: Cast aluminum hawse

Primary control: Dash-mounted rocker

Remote control: Corded remote

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime Electrical Warranty: 3 year

VRX 35 AND 35-S

Part number: 101035 (VRX 35),

101030 (VRX 35-S)

Rated line pull: 3,500 Lbs. (1588 kg) single-line

Motor: 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel

Rope: VRX 35: 50' x 7/32" (15m x 5.5mm) steel,

VRX 35-S: 50' x 3/16" (15m x 4.8mm) synthetic

Hook: Zinc plated

Fairlead: VRX 35: Roller,

VRX 35-S: Cast aluminum hawse

Primary control: Handlebar-mounted rocker switch

Remote control: Sold Separately

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year

VRX 25 AND 25-S SPECIFICATIONS

Part number: 101025 (VRX 25),

101020 (VRX 25-S)

Rated line pull: 2,500 Lbs. (1134 kg) single-line

Motor: 12V DC permanent magnet

Sealing: IP68-rated waterproof

Gear train: 3-stage planetary

Fasteners: All stainless steel

Rope: VRX 25: 50' x 3/16" (15m x 4.8mm) steel, VRX 25-S: 50' x 3/16" (15m x 4.8mm) synthetic

Hook: Zinc plated

Fairlead: VRX 25: Roller,

VRX 25-S: Cast aluminum hawse

Primary control: Handlebar-mounted rocker switch


Remote control: Sold Separately

Brake: Mechanical Brake

Mechanical Warranty: Limited lifetime

Electrical Warranty: 3 year

Note: No rock sleeve on the VRX 25-S synthetic rope.




- (380.2mm)
 - **(101.4mm)** 3.99" (101.4mm)
- **B** 4.74" (120.5mm) **E** 5.02" (127.6mm)
- © 3.15" (80 mm) **(F)** 5.19" (132mm)

Mounting bolt pattern: 3.0" x 6.59" (76.2mm x 167.4mm)

12V DC PERFORMANCE SPECS (first layer)


ine Pull	Line Speed	Motor	Pull by layer:
bs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
	16.2 (4.9)	20 amps	1/4500 (2041)
00 (227)	14.1 (4.3)	44 amps	2/3749 (1700)
000 (454)	12.2 (3.7)	69 amps	3/3212 (1457)
500 (680)	10.5 (3.2)	94 amps	4/2810 (1275)
000 (907)	9.0 (2.7)	119 amps	
500 (1134)	7.7 (2.3)	145 amps	
000 (1361)	6.5 (2.0)	171 amps	
500 (1588)	5.6 (1.7)	198 amps	
000 (1814)	4.9 (1.5)	225 amps	
500 (2041)	4.3 (1.3)	252 amps	



- **B** 4.74" (120.5mm) **(E)** 3.30" (83.9mm)
- **©** 3.07" (78 mm)
- **(F)** 3.48" (88.3mm)
- Mounting bolt pattern: 3.0" x 4.87" (76.2mm x 123.7mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	15.8 (4.8)	20 amps	1/3500 (1588)
500 (227)	13.4 (4.1)	41 amps	2/2934 (1331)
1000 (454)	11.2 (3.4)	60 amps	3/2525 (1145)
1500 (680)	9.3 (2.8)	79 amps	4/2216 (1005)
2000 (907)	7.6 (2.3)	100 amps	5/1975 (896)
2500 (1134)	6.2 (1.9)	124 amps	
3000 (1361)	5.0 (1.5)	155 amps	
3500 (1588)	4.0 (1.2)	192 amps	



- **(**335.3mm) **B** 4.74" (120.5mm)
- ① 3.94" (100.2mm) **(E)** 3.30" (83.9mm)
- © 3.07" (78 mm)
- **(F)** 3.48" (88.3mm)
- Mounting bolt pattern: 3.0" x 4.87" (76.2mm x 123.7mm)

12V DC PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min.	Current	layer/Lbs. (kg)
	(M/min.)		
0	17.5 (5.3)	20 amps	1/2500 (1134)
500 (227)	14.3 (4.3)	45 amps	2/2141 (971)
1000 (454)	12.0 (3.6)	71 amps	3/1872 (849)
1500 (680)	9.9 (3.0)	98 amps	4/1663 (754)
2000 (907)	8.0 (2.4)	128 amps	5/1496 (679)
2500 (1134)	6.8 (2.1)	159 amps	



CHOOSING THE RIGHT WINCH: VRX VS. AXON

Whether it's a hard-working ATV or a dune-hopping UTV, different vehicles—and different tasks—require different winches. Warn offers its powersports winches in capacities ranging from 2,500 lbs. (1134 kg) all the way up to a massive 5,500 lbs. (2495 kg), with ultra-durable steel or lightweight, easy-to-handle synthetic rope.

But no matter which winch you choose, you'll get IP68-rated waterproofing to keep the water and elements out; all-metal construction for the ultimate in durability; a three-stage planetary gear train for smooth and reliable operation; and an easy-to-turn clutch dial based on decades of WARN 4WD hub-lock know-how.

PRODUCT LINE COMPARISON

FEATURES	VRX	AXON
Available capacities (lbs.)	2,500, 3,500, 4,500	3,500, 4,500, 5,500
Suitable Vehicles	ATVs and 2 person UTVs	Large ATVs and 2 person and 4 person UTVs
Anchoring System	Through-drum technology	Through-drum technology
Motor Type	Standard-duty permanent magnet	WARN patented Motactor — integrated high-performance motor and contactor
Contactor	External, remotely mounted contactor	WARN patented Motactor — integrated high-performance motor and contactor
Remote Control	VRX 25 — handlebar switch VRX 35 — handlebar switch VRX 45 — dash rocker and wired remote	AXON 35 — Rockerbar digital control switch and handlebar mount adaptor AXON 45 — Rockerbar digital control switch and digital wired remote AXON 55 — Rockerbar digital control switch and digital wired remote
Performance Sensors	None	Actively monitors winch load, temperature, and vehicle battery condition
Clutch Mechanism	Hub-lock based, easy-grip, protected clutch design	Hub-lock based, easy-grip, protected clutch design
Wiring	4 - + & -, battery to contactor, contactor to winch	2 - +&-, battery to winch
Synthetic Rope	Standard-duty synthetic rope	Spydura synthetic rope
Hawse Fairlead	Cast aluminum hawse	Epic premium aluminum hawse
Brake system	Integrated compact spring brake	Integrated compact spring brake
Winch structural bracing	Tie rods	Tie plate
Final point of assembly	WARN facility in Oregon, USA	WARN facility in Oregon, USA
Sealing	IP68	IP68
Corrosion resistance	240 hour salt spray	408 hour salt spray
Fasteners	All stainless steel	All stainless steel
Warranty Mechanical	Limited Lifetime	Limited lifetime
Warranty Electrical	3 years	3 years





STEEL VS. SYNTHETIC WINCH ROPE.

WARN AXON and VRX winches are available with either steel rope or synthetic rope. But which one is right for you? Let's look at some of the features and benefits of both.

Steel rope is extremely durable, abrasion resistant, and is good for utility applications where the line may contact objects like stumps, rocks, and other things that rub against the rope. Of course it's still a good choice for vehicle recovery, and has been used for decades by enthusiasts and workers alike. However, steel rope is heavier and less flexible than synthetic line. Steel rope is less expensive than synthetic rope.

Synthetic rope is strong, lightweight, easy to handle, and it'll even float on water making it great for vehicle recovery. Synthetic rope is more prone to damage by abrasion, and requires the use of the included abrasion sleeve when the rope comes into contact with an object. Additionally, synthetic rope should be inspected regularly for ultraviolet (UV) wear and is more expensive than steel rope. However, it's a great choice for those who are looking to keep weight down, push the limits with their vehicle, and use the winch frequently.

WINCH SPECIFICATIONS: AXON VS. VRX

	VRX 25 VRX 25-S	VRX 35 VRX 35-S	VRX 45 VRX 45-S	AXON 35 AXON 35-S	AXON 45 AXON 45-S AXON 45RC	AXON 55 AXON 55-S
Pulling Capacity	2,500 lbs	3,500 lbs	4,500 lbs	3,500 lbs	4,500 lbs	5,500 lbs
Finish	Semi-gloss black powdercoat	Semi-gloss black powdercoat	Semi-gloss black powdercoat	Satin black powder coat	Satin black powder coat	Satin black powder coat
Mechanical Warranty	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime	Limited lifetime
Electrical Warranty	3 year	3 year	3 year	3 year	3 year	3 year
Weight	VRX 25 - 17.3 lbs VRX 25-S - 14.7 lbs	VRX 35 - 18.8 lbs VRX 35-S - 15.1 lbs	VRX 45 - 21.7 lbs VRX 45-S - 17.0 lbs	AXON 35 - 23.3 lbs AXON 35-S - 19.7 lbs	AXON 45 - 25.8 lbs AXON 45-S - 21.1 lbs AXON 45RC - 20.0 lbs	AXON 55 - 25.8 lbs AXON 55-S - 21.1 lbs
Winch Dimensions (WxDxH)	13.1" x 4.7" x 4.7"	13.4" x 4.7" x 4.7"	15.0" x 4.7" x 4.7"	13.3" x 4.6" x 4.8"	AXON 45, 45-5 - 15.0" x 4.6" x 4.8" AXON 45RC - 13.3" x 4.6" x 4.8"	15.0" x 4.6" x 4.8"
Mounting pattern	3.0" x 4.87"	3.0" x 4.87"	3.0" x 6.59"	3.0" x 4.87"	AXON 45, 45-5 - 3.0" x 6.59" AXON 45RC - 3.0" x 4.87"	3.0" x 6.59"
Rope type	VRX 25 - 3/16" x 50' wire VRX 25-5 - 3/16" x 50' synthetic rope	VRX 35 - 7/32" x 50' wire VRX 35-5 - 3/16" x 50' synthetic rope	VRX 45 - 1/4" x 50' wire VRX 45-S - 1/4" x 50' synthetic rope	AXON 35 - 7/32" x 50' wire AXON 35-S - 3/16" x 50' Spydura synthetic rope	AXON 45 - 1/4" x 50' wire AXON 45-5 - 1/4" x 50' Spydura synthetic rope AXON 45RC - 1/4" x 27' Spydura synthetic rope	AXON 55 - 1/4" x 50' wire AXON 55-S - 1/4" x 50' Spydura synthetic rope
Winch Structural Bracing	Zinc plated tie-rods	Zinc plated tie-rods	Zinc plated tie-rods	Tie plate	Tie plate	Tie plate
Hook	Zinc plated	Zinc plated	Zinc plated	Black powder coat	Black powder coat	Black powder coat
Fairlead	VRX 25 - Roller VRX 25-S - Cast aluminum hawse	VRX 35 - Roller VRX 35-S - Cast aluminum hawse	VRX 45 - Roller VRX 45-S - Cast aluminum hawse	AXON 35 - Roller AXON 35-S - EPIC Pre- mium Hawse Fairlead	AXON 45 - Roller AXON 45-S, 45RC- EPIC Premium Hawse Fairlead	AXON 55 - Roller AXON 55-S - EPIC Pre- mium Hawse Fairlead
Clutch	Hub-lock based, easy-grip, recessed clutch design	Hub-lock based, easy-grip, recessed clutch design	Hub-lock based, easy-grip, recessed clutch design	Hub-lock based, easy-grip, recessed clutch design	Hub-lock based, easy- grip, recessed clutch	Hub-lock based, easy- grip, recessed clutch
Winch Controls	Handlebar mini-rocker	Handlebar mini-rocker	Dash-mounted rocker Wired remote	Rockerbar digital control switch and handlebar mount adaptor	Rockerbar digital control switch and digital wired remote	Rockerbar digital control switch and digital wired remote
Fasteners	All stainless steel	All stainless steel	All stainless steel	All stainless steel	All stainless steel	All stainless steel
Gears	Powdered metal	Powdered metal	Powdered metal with bushings	Powdered metal	Heat treated powdered metal with bushings	Heat treated powdered metal with bushings
Geartrain	3-stage planetary	3-stage planetary	3-stage planetary	3-stage planetary	3-stage planetary	3-stage planetary
Gear ratio	153:1	153:1	198:1	168:1	239:1	239:1
Brake	Integrated compact spring brake	Integrated compact spring brake	Integrated compact spring brake	Integrated compact spring brake	Integrated compact spring brake	Integrated compact spring brake
End housing	Die-cast aluminum	Die-cast aluminum	Die-cast aluminum	Die-cast aluminum	Die-cast aluminum	Die-cast aluminum
Durability	1100+ cycles	1100+ cycles	1100+ cycles	1100+ cycles	1100+ cycles	1100+ cycles
Corrosion resistance	240 hour salt spray	240 hour salt spray	240 hour salt spray	408 hour salt spray	408 hour salt spray	408 hour salt spray
Sealing	IP68	IP68	IP68	IP68	IP68	IP68
No Load Line Speed	17.5 ft/min	15.8 ft/min	16.2 ft/min	20.2 ft/min	16.3 ft/min	15.8 ft/min
Full Load Line Speed	6.8 ft/min	4.0 ft/min	4.3 ft/min	9.5 ft/min	AXON 45, 45-S - 6.7 ft/min AXON 45RC - 7.5 ft/min	4.8 ft/min
No Load Current Draw	20 A	20 A	20 A	35 A	AXON 45, 45-S - 33 A AXON 45RC - 28 A	28 A
Full Load Current Draw	159 A	192 A	252 A	204 A	AXON 45, 45-S - 208 A AXON 45RC - 198 A	254 A

120 POWERSPORTS 121

WINCH MOUNTING SYSTEMS

FOR ATVS AND UTVS

WARN mounting systems are made to withstand the rigors of winching and the incredible forces that come with it. Plus, they have that just-right fit because they're designed and built with precision. Laser cut to the vehicle's exact dimensions, shaped on a computer controlled press brake, and robotically welded for consistent results. **For older models, please see warn.com.**



106720 2019-21 Kawasaki Mule Pro MX plow mount kit





102102 2020 Kawasaki TERYX KRX 1000 - mounting kit **106576** 2020 Kawasaki TERYX KRX 1000 - plow mount kit

106204 2020 Polaris RZR Pro XP - mounting kit



WARN BUMPERS FOR UTVS

PROTECTION AND A BOLD, CUSTOMIZED LOOK

WARN Bumpers are designed, engineered, and built tough because we know they'll be pushed to their limits. Made to fit your UTV and your lifestyle, these bumpers have the off-road durability you want and the rugged functionality you need. Made from ultrastrong steel and wrapped in a durable corrosion-resistant powder-coated finish, these bumpers not only stand up to 408 hour salt spray testing, but they'll stand up to the most extreme recovery duty, thanks to an integrated winch mount.

- Angled design sits high to maintain maximum ground clearance and approach angles
- Winch ready accepts the AXON and VRX models
- Integrated light port to mount auxiliary lights
- Welded recovery points ready for D-shackles
- Durable black textured powder coat over steel construction
- Bumper accommodates oversize tires
- Easy to install—Pre-drilled bolt holes and cutouts make it easy to mount a WARN winch, even after bumper install



106308 2020 Polaris RZR Pro XP



104300 2018 Honda Talon



101698 2016-19 Honda Pioneer 700



106612 2020 Kawasaki TERYX KRX 1000



101712 2018-19 Yamaha Wolverine



103420 2018-19 Polaris RZR XP Turbo S



101702 2015-19 Polaris RZR 900



HUB WIRELESS RECEIVER

SMART-DEVICE-ENABLED WINCH CONTROLLER

This state-of-the-art wireless control system allows you to operate your powersports winch using the Bluetooth connection on your smart device. The IP68 waterproof HUB Wireless Receiver connects to your winch, and then our free custom-developed app for either iOS or Android communicates with the receiver via Bluetooth signal. Your smart device will be able to operate the winch from up to 100' away and monitor your vehicle's battery voltage. AXON versions will also let you observe the winch's load and motor temperature so you know exactly what's going on during a recovery.

- Control your WARN AXON, VRX, ProVantage, and Vantage winch wirelessly from up to 100' away using the Bluetooth connection on your smart device and our free app
- Easy plug-and-play setup
- When paired, HUB lets you control your winch and provides voltage info. AXON winches also display load and motor temperature information
- VRX, Provantage, and Vantage versions are wired directly to the winch's contactor
- Mounts to any tube or flat surface with built-in mounting features
- Multi-color LED indicates receiver status
- Rugged construction features fully potted and IP68 sealed electronics
- VRX, Provantage, and Vantage versions include 6' wiring harness allowing receiver to be mounted up under the hood for security.



For WARN VRX, ProVantage, Vantage, or other brands of contactor-controlled winches







EPIC TRAIL GEAR FOR YOUR RIG

You've got your winch and your recovery kit, but what else? The new line of Epic Trail Gear tactical bags features Integrated MOLLE compatible PALS webbing that attaches directly and securely to your off-road vehicles and lets you customize the way you store, and access, the things you need.

STORAGE BAGS

Available in multiple configurations for a variety of locations, these bags are UV-stable, weather-resistant, and built tough with marine-grade vinyl, premium zippers, straps, and fabrics.



STANDARD-DUTY ROLL BAR FIRE EXTINGUISHER HOLDER

Securely holds 1 lb., 2.5 lb., and 5 lb. extinguishers with three hook-and-loop straps 102656

PREMIUM ROLL BAR FIRE EXTINGUISHER HOLDER

Equipped with stretch material to securely hold and protect extinguisher. Accommodates 2.5 lb. units

PASSENGER GRAB HANDLE BAG

Attaches to passenger-side grab handle

102646 Slim **102644** Full-Size



124 POWERSPORTS

MULTI-MOUNT PORTABLE WINCH SYSTEM

FOR ATVS AND UTVS

If your ATV or UTV has a 11/4" or 2" Class I front or rear receiver, then the Multi-Mount carrier is a versatile way to mount a WARN winch. Plus, it allows you to quickly remove the winch whenever you want.

The Multi-Mount works by simply bolting a WARN winch to the carrier, installing the Quick Connect wiring kit, and inserting the carrier into the receiver.



HOW TO ORDER You'll need three items:



ATV WITH A 11/4" RECEIVER:

- 1. Choose a VRX 25 or VRX 35 winch.
- 2. Winch carrier designed to fit 11/4" receiver 70925
- 50 amp Quick Connect wiring kit for both front and back of vehicle. Includes 20" winch lead, 48" front battery lead and 96" rear battery lead 70918

UTV WITH A 11/4" RECEIVER:

- 1. Choose a VRX 25 or VRX 35 winch.
- 2. Winch carrier designed to fit 11/4" receiver 70925
- 50 amp Quick Connect wiring kit for both front and back of vehicle. Includes 20" winch lead, 48" front battery lead, and 120" rear battery lead 70928

ATV WITH A 2" RECEIVER:

- 1. Choose a VRX 25 or VRX 35 winch.
- 2. Winch carrier designed to fit 2" receiver 70917
- 50 amp Quick Connect wiring kit for both front and back of vehicle. Includes 20" winch lead, 48" front battery lead, and 120" rear battery lead 70928

UTV WITH A 2" RECEIVER:

- 1. Choose a VRX 45 winch.
- 2. Winch carrier designed to fit 2" receiver 70919
- 175 amp Quick Connect wiring kit for both front and back of vehicle. Includes 20" winch lead, 48" front battery lead, and 120" rear battery lead 70920

MULTI-MOUNT ACCESSORIES AND REPLACEMENT PARTS

POWER LEADS WITH QUICK CONNECT PLUG
50 amp-for use with Powersports winches, 3500 lbs.

20" winch lead **70939**48" battery lead **72886**96" battery lead **72888**120" battery lead **70927**

Quick Connect plugs only 22681

capacity and less

175 amp-for use with Powersports winches 4,000 lbs. capacity and higher

28" winch lead 36080 48" battery lead 70926 90" battery lead 106077 120" battery lead 70717 Quick Connect plugs only 22680

STEEL RECEIVER SHACKLE BRACKET

Utilizes a 1¼" Class I receiver as a recovery or pulling point.

62041

37509

(Includes bracket, hitch pin and shackle).

88998 (Shackle only) For 2" receivers use **29312**

Hitch CoverFor 2" receiver (black rubber).



Dust Caps For Quick Connect Plugs

60917 for 50 amp plugs. **69847** for 175 amp plugs.



EPIC HAWSE FAIRLEADS

Constructed of forged billet aluminum with a hard anodized gunmetal finish. Designed with a large opening radius to help minimize rope wear. For use with synthetic rope only.

Epic Hawse Fairlead (short), replacement for AXON 35 and 45RC, upgrade for VRX 25 and 35, ProVantage 2500 and 3500, and Vantage 2000 and 3000 winch lines. 100967

Epic Hawse Fairlead (long), replacement for AXON 45 and 55, upgrade for VRX 45, ProVantage 4500, and Vantage 4000 winch lines. 100968



REPLACEMENT HAWSE FAIRLEADS

Designed to be used with synthetic rope, and to decrease the possibility of fraying. Replacements available for VRX, ProVantage and Vantage powersports winches.

Replacement fairlead for Vantage 4000-S. Cast aluminum construction with durable black powdercoat finish. 7.37" wide. **94244**

Replacement fairlead for Vantage 2000-S and 3000-S. Cast aluminum construction with durable black powdercoat finish. 6.25" wide. 94242

ROLLER FAIRLEAD

Reduces excessive wear on your winch rope and aids in angled pulls



Replacement for VRX 25, and Vantage 2000 and 3000 **28929**

Replacement for VRX 35 and AXON 35 100965

Replacement for VRX 45, AXON 45 and 55, Vantage 4000 100966

Replacement for ProVantage 2500 and 3500 **69373**Replacement for ProVantage 4500 **82550**

REPLACEMENT ROPE FOR POWERSPORTS WINCHES

Strong, lightweight, and easy-to-handle synthetic, or durable long lasting steel winch rope. Available in a variety of lengths and diameters. Synthetic ropes include sliding wear sleeve.

WINCH MODEL ProVantage 2500 ProVantage 2500-s	PART NUMBER 90250	LENGTH	DIAMETER	WIRE	SYNTHETIC
		EQ. (45.2.)			
ProVantage 2500-s		50' (15.2m)	3/16" (4.8 mm)	60076	
	90251	50' (15.2m)	3/16" (4.8 mm)		72128
ProVantage 3500	90350	50' (15.2m)	3/16" (4.8 mm)	60076	
ProVantage 3500-s	90351	50' (15.2m)	3/16" (4.8 mm)		72128
ProVantage 4500	90450	55' (15.2m)	7/32" (5.6 mm)	68851	
ProVantage 4500-s	90451	55' (16.8m)	7/32" (5.6 mm)		77835
Vantage 2000	89020	50' (15.2m)	5/32" (3.9 mm)	69336	
Vantage 2000-s	89021	50' (15.2m)	5/32" (3.9 mm)		72495
Vantage 3000	89030	50' (15.2m)	3/16" (4.8 mm)	60076	
Vantage 3000-s	89031	50' (15.2m)	3/16" (4.8 mm)		72128
Vantage 4000	89040	55' (15.2m)	7/32" (5.6 mm)	68851	
Vantage 4000-s	89041	55' (16.8m)	7/32" (5.6mm)		77835
VRX 25	101025	50' (15.2m)	3/16" (4.8 mm)	60076	
VRX 25-S	101020	50' (15.2m)	3/16" (4.8 mm)		72128
VRX 35	101035	50' (15.2m)	7/32" (5.6 mm)	100972	
VRX 35-S	101030	50' (15.2m)	3/16" (4.8 mm)		72128
VRX 45	101045	50' (15.2m)	1/4" (6.35mm)	100973	
VRX 45-S	101040	50' (15.2m)	1/4" (6.35mm)		100975
AXON 35	101135	50' (15.2m)	7/32" (5.6 mm)	100972	
AXON 35-S	101130	50' (15.2m)	3/16" (4.8 mm)		72128
AXON 45	101145	50' (15.2m)	1/4" (6.35mm)	100973	
AXON 45-S	101140	50' (15.2m)	1/4" (6.35mm)		100975
AXON 45RC	101240	27' (8.23m)	1/4" (6.35mm)		100976
AXON 55	101155	50' (15.2m)	1/4" (6.35mm)	100973	
AXON 55-S	101150	50' (15.2m)	1/4" (6.35mm)		100975



SYNTHETIC ROPE CONVERSION KITS

For use with WARN Powersports winches with aluminum drums. All kits include synthetic rope, rock guard sleeve and fairlead.

Epic Hawse Fairlead (short) and 50' of Spydura synthetic rope for AXON 35 and 45RC, upgrade for VRX 25 and 35, ProVantage 2500 and 3500, and Vantage 2000 and 3000 winch lines. 100969

Epic Hawse Fairlead (long) and 50' of Spydura synthetic rope for AXON 45 and 55, upgrade for VRX 45, ProVantage 4500, and Vantage 4000 winch lines. 100970

For ProVantage 2500 and 3500, Vantage 2000 and 3000. Includes 50' of 3/16" diam. rope with roller fairlead 72128

77835 For ProVantage 4500, and Vantage 4000. Includes 50' of 7/32" diam. rope with roller fairlead

SYNTHETIC ROPE EXTENSION

Includes lightweight 1/4" diameter rope, which attaches to the winch cable for an additional 50' of distance. 4,000 lb. single line capacity.

69069



126 POWERSPORTS 127

WARN EPIC ACCESSORIES

Featuring a WARN-exclusive 12-stage coating process, utilizing e-coat and powder coatings, these market-leading accessories deliver visual appeal, improved impactresistance, and a longer wear cycle than standard winch accessories.

EPIC TREE TRUNK PROTECTOR

The WARN Epic Tree Trunk Protector is designed to help protect a live tree from damage during winching operations and self-recovery situations. The strap is constructed of premium quality nylon with an encased red warning marker to indicate damaged webbing. Plus, end loops are reinforced with durable ring connectors and e-coated and powder coated for premium protection against wear and abrasion. The 1" x 8' Tree Trunk Protector is rated to 7,200 lbs.



ing the looped ends of cables, straps, and snatch blocks. The shackle's pin is threaded to allow easy removal. Rated for 5,000 lb. capacity winches and under.





The Epic Shackle provides a means for connect-

EPIC SNATCH BLOCK

EPIC WINCH HOOK

capacity winches and under.

For 5,000 lb. (2268 kg) capacity

winches and under 92089

Able to accept both wire and synthetic rope, the Epic Snatch Block is reliable, durable, and ready for action. When used properly, the multi-purpose snatch block can double the pulling power of any winch or change your pulling direction without

The WARN Epic Winch Hook provides maximum

It's also been uniquely designed with a built-in

beverage opener. The hook is rated for 5,000 lb.

protection and reliability against wear and abrasion.

damaging the rope. It also helps to reduce heat buildup and amp draw during recovery. Rated for 5,500 lb. winch capacities and under.

Rated for 5,500 lbs. (2495 kg) winch capacity and under 92097



TOOL ROLL RECOVERY KIT

This compact recovery kit offers must-have Powersports winching accessories in one convenient tool roll. The kit includes:

- A tool roll, two 1/2" (12.7mm) shackles, a tree strap, and winching gloves
- The tool roll is constructed of durable ballistic nylon with secure hook-and-loop enclosure that firmly attaches to ATV racks or Side x Side roll bars
- Includes additional storage space for other accessories and tools
- Tool roll doubles as a winch line damper for increased safety during recovery









LIGHT DUTY WINCHING ACCESSORY KIT

Double your pulling power, change your pulling direction, and keep your winch in proper working order. Accessory Kit includes 1/2" (12.7mm) shackle, 9,000 lbs. (4082 kg) maximum capacity snatch block, and two 1"x 8' (25.4mm x 2.4m) tree trunk protectors and WARN winching gloves. It all comes in a heavyweight denier carry bag. 88915



TREE TRUNK PROTECTOR

1" x 8' (25mm x 2.4m) load strap. Rated to 6,400 lbs. (2903 kg) 88896



Assists in double-lined and angled pulls. Rated for 4,500 lb. (2041 kg) winches and under.

88898



For 4,500 lbs. (2041 kg) capacity winches and under. 1/2" (12.7mm) shackle with 5/8" (15.9mm) diameter pin. 88998

WINCH HOOK BUMP STOP FOR **POWERSPORTS WINCHES**

- Extends the life of your WARN winch
- · Prevents winch hook from bottoming out
- · Prolongs hook and winch life
- Split design for easy installation
- Rubber construction

99944

REPLACEMENT CONTACTORS

Standard Duty Contactor For VRX 2500, 2500-S, 3500. 3500-S. 4500.

100995

For VRX, ProVantage, and Vantage 4000/4000-S 107568



Replacement Contactor For Vantage 3000, Vantage 3000-S,

RECEIVER SHACKLE BRACKET

Utilizes a 11/4" Class I receiver as a recovery or pulling point.

Includes bracket, hitch pin and shackle. 62041 Shackle only. 88998



ILLUMINATED DASH ROCKER SWITCH KIT

Illuminated dash-mounted switch is designed to operate your WARN winch. Kit includes illuminated dash-mounted switch, socket for corded remote, and all required wiring.

WINCH HOOK AND STRAP

AXON replacement hook and strap

VRX replacement hook and strap



REMOTE CONTROL REPLACEMENT AND UPGRADE KIT

64259 Everything needed to add a hand-held remote control to your Vantage, ProVantage, and VRX winches. Includes remote control, socket, and wiring.

64849 Replacement remote only. For Vantage, ProVantage, and VRX winches. Works with PN 64259 and PN 99897.

100963 Everything needed to add a hand-held remote control to your AXON winch. Includes remote control, socket, and wiring.

100964 Replacement remote only For AXON winches only.

100962 Replacement dash switch. For AXON winches only.

107491 Replacement handlebar switch. For VRX winches only.

89587 Replacement dash rocker switch. For Vantage and ProVantage winches only.

WIRELESS CONTROL SYSTEM

- · Control your winch from up to 50' away
- Easy plug-and-play installation
- Sealed for protection against the elements
- · Activation sequence guards agains accidental power-ups
- Kit includes wireless transmitter, receiver, holster, lanyard and mounting hardware

90288 For Powersports Winches. Works with WARN ProVantage, Vantage, and VRX winches.





Heavy Duty Contactor and 4500-S



Vantage 2000, Vantage 2000-S

89564









WARN PROVANTAGE PLOW SYSTEM FOR ATVS

HIGH PERFORMANCE, EXCEPTIONAL CONTROL, AND OUTSTANDING DURABILITY

The stable, wide plow bases and durable, extra-large plow skids deliver exceptional performance.



CHOICE OF FRONT OR CENTER MOUNT DESIGN



Long-lasting, large diameter pivot assemblies rotate the blade smoothly, precisely, and reliably, for years of service.

The plow blade trips forward when striking an immovable object, helping protect the plow assembly from damage Plows lift up high to clear the tallest curbs.

The blade can be optimized for varying conditions with an adjustable attack angle and spring tension system.

A special low-friction powder-coated finish helps keep material off the blade.

Made from thick-gauge steel with reinforcing ribs, a center cross member, and a sturdy boxed design.



Tall blade heights push

HOW TO ORDER:









ORDER YOUR ATV PLOW MOUNTING PLATE


Mounting plates vary by ATV make and model (see app chart for part number). Or use the Universal Plow Mount 91810



CHOOSE YOUR PLOW BLADE RAISING MECHANISM

Winch or ProVantage Plow Lift.

PROVANTAGE FRONT-MOUNT ATV PLOW SYSTEM



FRONT-CONNECTION ADVANTAGES:

- Easy-on, easy-off rapid connection system is located at the front of the vehicle-no need to crawl under the ATV
- No need to remove mount during nonplowing seasons; no reduction in ground clearance
- Front-mount systems offer the highest blade lifting capability



- 1 Straight Plow Blade*
 78950 50" Blade
 78954 54" Blade
- 2 Plow Base/Push Tube Assembly (front mount)

78960 60" Blade

- Plow mounting kit
 See application charts
 for part numbers
- (4) WARN winch (Optional. Choose from winch or Plow Lift)
- (Optional part. Increase the durability of your mounting points)
 - 85243 (Standard mount) 85244 (Offset mount)
- 6 Plow HD Wear Bar (Optional. Wear-form

(Optional. Wear-form steel construction lasts up to 30% longer) 84054 54" 84060 60"


Blade Side Wall(Optional. For tapered blade. Control snow run off)

8 Plow Markers

(Optional. 2' high antenna) 67679

* Tapered blade is also compatible with the front-mount system: 80954 (54"), 80960 (60")

PROVANTAGE CENTER-MOUNT ATV PLOW SYSTEM



CENTER-CONNECTION ADVANTAGES:

- Center-mount adds rigidity and extra stability to the ATV during plowing operations
- Designed for high ground clearance and quick installation or removal



- 1 Straight Plow Blade*
- 78950 50" Blade 78954 54" Blade 78960 60" Blade
- 2 Plow Base/Push Tube Assembly (center mount) 78100
- **3 Plow mounting kit** See application charts for part numbers
- 4 WARN winch (Optional. Choose from winch or Plow Lift)
- 5 Plow Pulley
 (Ontional Provides bette

(Optional. Provides better control of plow blade by doubling the lifting advantage)

84526

- 6 Snow Control Flap (Optional. Controls snow kick back)
- 67870
- 7 Plow HD Wear Bar

(Optional. Wear-form steel construction lasts up to 30% longer)

84050 (50") **84054** (54") **84060** (60") (Optional. For straight blade. Control snow run off) 80607

8 Blade Side Wall

- Plow Markers
 (Optional. 2' high antenna)
 67679
- * Tapered blade is also compatible with the center-mount system: **80954** (54"), **80960** (60")


134 PLOWS

ATV ALL-IN-ONE PLOW SYSTEM

ONE PART NUMBER, ONE GREAT VALUE

This fully integrated plow system includes everything you need to get your ATV ready to move some material. Ideal for occasional, light-duty work, the universal kit fits about 90%* of ATVs on the market and comes with a mounting plate, push tubes, and blade in one package. Whether it's snow, mulch, sand, or dirt, this versatile plow system is ready to get to work.

- Complete easy-to-install system in one box (winch/plow lift sold separately)
- 5 position blade angle
- Round tube steel chassis
- 48" blade, push tubes and universal under body plow mount
- Includes plow gravel skids
- Blade can be lifted with winch or Provantage Plow Lift (PN 84600)





PROVANTAGE UTV PLOW SYSTEM



Optional Accessories and Upgrades For Your UTV Plow System

Plow Markers 2' high antenna 67679



Blade Side Wall Control snow run off



8' of durable synthetic rope. Temporarily replaces your wire rope for plow season and saves wear and tear



Plow HD Skids Wear-form steel construction

Outlast standard skids by up to 30% 85368 (for 72" blade)

Standard Skids

• Replacement part.



Plow Slack Control

• Extend the life of your plow system and winch rope

 Eliminates winch overrun when lowering the plow (also corrects cable tangles) 85888 (for UTV)



Plow Limit Control

Extends plow system life

· Protects your vehicle from impact and stops "over raised" conditions Allows you to fine tune system for a variety of stop positions

85950 (for UTV)



Plow HD Wear Bar

• Wear-form steel construction

• Lasts up to 30% longer than standard wear bars **85287** (72")


Steel Wear Bar

Replacement part for standard steel wear bar **72047** (72")



Roller Fairlead For Plow Lifting

Larger diameter roller reduces wear on rope 82550 (fits WARN winches 4000–4500 lbs)





WARN CORDED PULLZALL

Portable Lifting And Pulling Tool

- Lifts or pulls up to 1,000 lbs. (454 kg)
- Replaces old-fashioned come-a-longs and chainfalls
- AC version perfect for use where power is available

When you're in the shop and have access to a power source, just plug in PullzAll and let it help you tackle those labor-intensive chores. Move heavy machinery. Hoist an engine block. Lift a load precisely into place, then nail it, weld it, whatever it. You think up the task, and PullzAll revolutionizes the amount of work one person can do.

885000 (120V) **885001** (120V CSA)

SPECIFICATIONS

Switch: Forward/reverse Trigger: Variable speed Power: AC 120V / 230V Wattage: 1200w

Load indicator: Electronic, with LED Clutch: None

Brake: Dynamic

Steel rope: 7/32" X 15' (6mm X 4.6m)

Weight: 15 lbs. (6.8 kg)

20" L. x 12.50" W. x 13.25" H. (.50m L. x .31m W. x .33m H.)

WARN CORDLESS PULLZALL

DC Powered Lifting And Pulling Tool

- Lifts or pulls up to 1,000 lbs. (454 kg)
- Cordless 24V version is great for use in the field
- Includes two rechargeable battery packs (with charger)

When work takes you to more remote locations, bring the mechanical muscle of the portable, cordless PullzAll with you. From tough tasks like pulling pipe to stretching wire fence, you'll come to count on PullzAll to get the job done quickly and effortlessly. Comes with two batteries.

885005

SPECIFICATIONS

Switch: Forward/reverse Trigger: Variable speed

Power: 24 volt DC

Wattage: 7200w

pack (with rapid charger)

Load indicator:

Battery: Rechargeable NiMH battery

Electronic, with LED

Clutch: None

Brake: Dynamic

7/32" X 15' (6mm X 4.6m)

Weight: 18 Lbs. (8.2 kg)

20" L. x 12.50" W. x 13.25" H. (.50m L. x .31m W. x .33m H.)







Rigging Kit 🤏 🥃

• Carry bag to hold Drill Winch and rigging items • 5/8" D-shackles

• Two load anchor straps

685014

140 UTILITY



WARN 5000 DC

Heavy Puller For Trailers and General Load-Moving

The 5000 DC boasts a ready-for-anything attitude. Bring on the big loads, the big jobs no one wants to tackle. Couple 60' of wire rope with the powerful 3-stage planetary gear train and you've got a peerless load-mover. Pulls up to 5,000 lbs, no problem.

99963

SPECIFICATIONS

Capacity: 5,000 lbs. (2268 kg) single-line **Steel rope:** 1/4" x 60' (6.4mm x 18.3m) Power: 12V DC **Motor:** Permanent magnet, 3.0" diameter **Fairlead:** Hawse **HP:** 1.9 hp

Controls: Remote with 12' (3.7 m) lead

Gear train: 3-stage planetary Gear Ratio: 216:1

Clutch (Freespool): Lever -

Brake: Dynamic and mechanical braking Warranty: Limited one year

Drum Diameter: 2.5" (63.5mm) Electrical leads: 2-6' (1.8 m) x 6

Gauge cable

Duty Cycle: Intermittent Mounting Bolt Patten: 4 holes - 4.5" x

4.26" (114.3mm x 108.3mm) **Length:** 14.83" (376.8mm)

Weight: 42 Lbs. (19.1 kg) Replacement Steel Rope: 71297

WARN 4000 DC


Versatile and Powerful. **Great For Trailers or the Jobsite**

The new 4000 DC has heavy-duty pulling power; perfect for loading a heavy vehicle onto a trailer or winching the big loads at work. With durable steel rope, a roller fairlead, and a sturdy remote control, this winch is ready to go to work.

SPECIFICATIONS

Capacity: 4000 lbs. (1814 kg) single line **Steel Rope:** 7/32" x 43' (5.6mm x 13.1m) Power: 12V DC **Drum Diameter:** 2.375" (6.03 cm) **Motor:** Permanent magnet, 3.0" diameter **Fairlead:** Roller **HP:** 1.9 hp Electrical Leads: 2 - 6' (1.8 m) x 6 gauge cable Controls: Remote with 12' (3.7 m) lead **Duty Cycle:** Intermittent **Gear train:** 3-stage planetary Mounting Bolt Patten: 3 holes - 3.1" x Gear Ratio: 176:1 2.5" (78.7mm x 63.5mm) Clutch (Freespool): Lever -**Length:** 15.87" (403.1mm)

DIMENSIONS



PERFORMANCE SPECS (first layer)

(A) 14.8" (376mm) **B** 7.25" (184.15mm)

Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)	
0 (0)	13.8 (4.2)	40 Amps	1/5000 (2268)	
1000 (453.6)	10.9 (3.3)	81 Amps	2/4280 (1941)	
2000 (907.2)	9.3 (2.8)	118 Amps	3/3750 (1701)	
3000 (1360.8)	8.1 (2.5)	152 Amps	4/3341 (1515)	
4000 (1814.4)	6.8 (2.1)	188 Amps	5/3020 (1369)	
5000 (2268)	5.4 (1.6)	220 Amps		

A 15.90" (404.0mm) **B** 6.79" (172.5mm) **(C)** 4.98" (126.6mm)

Weight: 36 lbs. (16.3 kg)

Replacement Wire Rope: 78987

- **1** 8.82" (224.0mm)
- **(E)** 3.59" (91.3mm) **(F)** 3.49" (88.7mm)

PERFORMANCE SPECS (first layer)

Brake: Dynamic and mechanical braking

Warranty: Limited one year

Line Pull	Line Speed	Motor	Pull by layer:
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)
0 (0)	7.2 (2.2)	6.7 Amps	1/4000 (1814)
500 (226.8)	6.8 (2.1)	24.1 Amps	2/3410 (1547)
1000 (453.6)	5.7 (1.7)	44.7 Amps	3/3170 (1438)
2000 (907.2)	10.9 (3.3)	180 Amps	4/2950 (1338)
3000 1360.8)	8.9 (2.7)	210 Amps	
4000 (1814.4)	6.9 (2.1)	240 Amps	

WARN 2000 DC

Ideal For Use On Trailers or Hitch Mounts

The compact yet powerful WARN 2000 DC utility winch is great for a variety of tasks, whether it's loading a vehicle onto a trailer or simply moving a heavy load at the jobsite. With 2,000 lbs. of pulling capacity, a new easy-to-use clutch lever, and a corded remote, this light-duty winch is big on features and value.

92000

Clutch (Freespool): Pull and Turn


Brake: Self braking transmission Warranty: Limited one year

SPECIFICATIONS		
Capacity:	Steel Rope: 3/16" x 35' (4.8mm x 10.7m)	
2,000 lbs. (907 kg) single-line	Drum Diameter: 1-1/4 in. (31.8 mm)	
Power: 12 volt DC	Fairlead: Hawse	
Motor: Permanent magnet, 3.0" diameter	Electrical Leads: 2 – 6' (1.8 m) x 8 gauge cable	
HP: 1.6 hp	Duty Cycle: Intermittent	
Controls: Remote with 12' (3.7 m) lead	Mounting Bolt Patten: 2 Holes on 3.1"	
Gear Train: Split Ring Gear	(78.7 mm) center	
Gear Ratio: 153:1	Length: 13.26" (336.8mm)	

Weight: 18 lbs. (8.2 kg.)




DIMENSIONS



- **(**336.7mm)
- **B** 6.08" (154.4mm) **(C)** 4.29" (109.0mm)
- **①** 7.30" (158.3mm)
- **(E)** 2.45" (62.2mm) **(F)** 3.51" (89.2mm)

PERFORMANCE SPECS (first layer)

	•	, .		
Line Pull	Line Speed	Motor	Pull by layer:	
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)	
0 (0)	7.2 (2.2)	6.7 Amps	1/2000 (907)	
500 (226.8)	6.8 (2.1)	24.1 Amps	2/1504 (682)	
1000 (453.6)	5.7 (1.7)	44.7 Amps	3/1348 (612)	
1500 (680.4)	4.8 (1.5)	72.0 Amps	4/1222 (554)	
2000 (907.2)	4.2 (1.3)	80.0 Amps	5/1117 (507)	







WARN 3000 ACI

A Plug-In Pulling Powerhouse

With a 3,000 lbs. pulling capacity, a TEFC induction AC motor for a long duty cycle and 100' of 5/16" wire rope, the 3000 ACI is just what you need when you need a heavy-hauling AC-powered winch. The perfect fixed-mount station winch.

WARN 1500AC Extra Muscle For The Bigger Shop Chores

The WARN 1500AC delivers 1,500 lbs. (680kgs) of AC-powered pulling capacity. A powerful 0.8-horsepower permanent magnet motor, industrial planetary gearing, and all-metal housing provide smooth, reliable pulling power. A vented motor end cap and externally serviceable brushes provide improved motor cooling, extended run time and motor life. Includes a 10-foot (3m) power cord, 43-feet of 3/16" diameter steel rope, and a sealed pendant remote with 10-foot (3m) lead.

85330

SPECIFICATIONS

Capacity: 3,000 Lbs. (1361 kg) single lin
Power: 120/230 volt
Motor: TEFC induction AC motor
HP: 0.7 hp 56C
Controls: Drum switch/station type
Gear train: 3-stage planetary
Gear Ratio: 216:1

Clutch (freespool): Lever

Brake: Dynamic and mechanical braking

Warranty: Limited one year

SPECIFICATIONS

Capac					
1,500	lbs.	(680	kg)	single	-l

Power: 120V AC, GFCI **Motor:** 120V AC, permanent magnet

HP: 0.8 hp (600W)

Controls: Pendant remote with 10' (3m) lead

Gear train: Planetary, differential planetary

Gear ratio: 261:1

Clutch (freespool): Pull and turn

Brake: Self braking transmission

Warranty: Limited one year

Rope: Galvanized steel, 3/16" x 43' (4.8mm x 13.1 m)

Drum diameter: 2.0" (52mm)

Fairlead: Roller

Electrical leads: Power Cord - 10' (3m)

Duty cycle: Intermittent


Mounting Bolt Patten: 4 holes -

3.1" x 2.5" (78.8mm x 63.5mm) **Length:** 15.42" (39.2cm)

Weight: 28 lbs. (12.7 kg)

Replacement steel rope: 82654

DIMENSIONS



(A) 24.4" (620mm)

Steel rope: 5/16" x 100' (7.9mm x 30.5m)

Drum Diameter: 2.5" (63.5mm)

Mounting Bolt Patten: 4 holes -

4.5" x 4.0" (114.3mm x 102mm)

Replacement steel rope: 38314

Duty Cycle: Intermittent

Length: 24.45" (621mm)

Weight: 76 lbs. (34.5 kg)

Fairlead: None
Electrical leads: None

B 7.7" (196mm) **C** 6.9" (175mm)

① 14.5" (368mm)

PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor	Pull by layer:	
Lbs. (kg)	Ft./min. (M/min.)	Current	layer/Lbs. (kg)	
0(0)	12.2(3.7)	9.1 Amps	1/3000(1361)	
1000(453.6)	8.8(2.7)	11.0 Amps	2/2700(1225)	
1500(680.4)	8.8(2.7)	12.7 Amps	3/2460(1116)	
2000(907.2)	8.6(2.6)	14.8 Amps	4/2250(1021)	
2500(1134)	8.5(2.6)	17.7 Amps	5/2070(939)	
3000(1360.8)	8.1(2.5)	20.9 Amps		

PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor Current	
Lbs. (kg)	FT./min (M/min.)	(At 120V AC)	
0 (0)	10.9 (3.3)	.7 Amps	
250 (113.4)	8.8 (2.7)	1.9 Amps	
500 (226.8)	8.0 (2.4)	3.3 Amps	
750 (340.2)	6.9 (2.1)	4.8 Amps	
1000 (453.6)	6.1 (1.9)	6.5 Amps	
1250 (567)	5.5 (1.7)	8.2 Amps	
1500 (680.4)	4.9 (1.5)	9.9 Amps	
Above performance specs are based on first layer of drum			

WARN 1000AC

AC Pulling Power For Shops And Indoor Worksites

Ideal for use anywhere 120-Volt AC power is available, the WARN 1000AC winch delivers 1,000 lbs. of pulling capacity. 43' of wire rope, a long duty cycle and legendary WARN durability make this a tool you can rely on to get the job done. 80010



SPECIFICATIONS

1,000 lbs. (454 kg) single-line
Power: 120V AC, GFCI
Motor: 120V AC, permanent mag
HP: 0.8 hp (600W)

Controls: Pendant remote with 10' (3m) lead

Gear train:

Planetary, differential planetary

Gear ratio: 261:1

Clutch (freespool): Pull and turn
Brake: Self braking transmission

Warranty: Limited one year

Rope: Galvanized steel wire, 3/16" x 43' (4.8mm x 13.1 m)

Drum diameter: 2.0" (52mm)

Fairlead: Hawse

Electrical leads: Power Cord - 10' (3m)

Mounting bolt pattern: 3.1" x 2.5" (78.8mm x 63.5mm)

Duty cycle: Intermittent

Length: 15.42" (392mm)

Weight: 26.5 lbs (12.0 kg)
Replacement steel rope: 82654

PERFORMANCE SPECS (first layer)

Line Pull	Line Speed	Motor Current	
Lbs. (kg)	FT./min (M/min.)	(At 120V AC)	
0 (0)	9.6 (2.9)	.6 Amps	
250 (113.4)	8.4 (2.6)	1.6 Amps	
500 (226.8)	7.6 (2.3)	2.8 Amps	
750 (340.2)	6.7 (2.0)	4.1 Amps	
1000 (453.6)	6.1 (1.9)	5.4 Amps	
Above performance specs are based on first layer of drum			



PULLZALL ACCESSORIES



- Carry bag designed to hold PullzAll and rigging items
- 5/8" D-shackles
- Two load anchor straps



24V NiMH pack for the cordless PullzAll. Perfect for use as a spare and as a direct-replacement unit.

Pullzall 12V Charger

For use with cordless PullzAll, this product plugs into the accessory/ cigarette lighter of your automobile and will charge the 24V NiMH battery.





UTILITY WINCH ACCESSORIES

Wireless Winch Control System

The WARN Wireless Control System lets you remotely control your WARN winch from up to 50' (15.2m) away. The new system is plug-and-play: It simply plugs in where you'd normally attach your corded remote-no wiring, no hassle. Weatherproof transmitter has two large buttons making it easy to operate, even while wearing gloves.

- Two-color LED provides clear operator feedback
- Control your winch from up to 50' (15.2m) away
- Easy plug-and-play installation
- Sealed for protection against the elements
- Kit includes wireless transmitter, receiver, holster, lanyard and mounting hardware

90287 Works with 4000 DC, and 5000 DC utility winches

Utility Winch Rigging Kit • Snatch block, rated to 7,000 lbs. (3175 kg)

• 5/8" (16mm) D-shackles

14,400 lbs. (6532 kg)

• Nylon soft carrying case

70792

• Load/anchor strap rated to



Quick Connect Plugs

Portable Anchor Plate

• Allows the winch to be portable and

anchored to a variety of objects

• Mounting platform for WARN Utility winches

• Allows for convenient connect disconnect to the battery power source





0-0-0-0

Remote Control

• Replacement remote control for WARN 4000 and 4700 winches with a 30' (9.1m) lead

• Assists in guiding the wire rope onto the winch

• Upgrade for WARN 1700/4700 winches





HUB WIRELESS RECEIVER

SMART-DEVICE ENABLED WINCH CONTROLLER

Operate your contactor-controlled utility winch using the Bluetooth connection on your smart phone from up to 100' away. Custom app provides easy, convenient control anywhere you have your smart device.

• Wires directly to contactor

• Works with WARN 5000 DC, 4000 DC, and other contactor-equipped winches

• Free app is available for Android or iOS through Google Play or the Apple App Store











WIRELESS RECEIVER

• Extends wire rope life

Roller Fairlead

64952



Hitch Adaptor

- Use to mount WARN Utility winches
- Mounts to 2" Class III receiver
- Black powder-coat finish







SERIES G2

A NEW BREED OF WORKHORSE FOR ANY INDUSTRIAL APPLICATION

The new WARN Series G2 represents the latest in the WARN Industrial planetary gear winch lineup. All-new modular configurations, improved levels of performance, and best-ever durability are features that allow you to work smarter. These winches are available in capacities ranging from 9,000 lbs. to 18,000 lbs. (4,082 kg to 8,165 kg) in electric or hydraulic configurations-including Severe Duty versions. No matter how they're spec'd, these winches might be the hardest worker you'll ever employ.

Note: Fairleads are not to be directly mounted to the winch. Images are showing optional accessories.



SERIES G2 HYDRAULIC

THE LATEST HARD WORKER FOR ANY HYDRAULIC APPLICATION

Jobs in the towing industry require your winch to be turning all day long. So we've given the Series G2 hydraulic winches a more robust and serviceable design with a stronger gear train for increased performance. Less maintenance and less downtime means more work and more money made.



SERIES G2 9 HYD

105330 (CCW, Manual Clutch) 105331 (CCW, Air Clutch) 105335 (CW Manual Clutch) 105336 (CW, Air Clutch)

SERIES G2 12 HYD

105440 (CCW, Manual Clutch) **105441** (CCW, Air Clutch) 105445 (CW Manual Clutch) **105446** (CW, Air Clutch)

SERIES G2 15 HYD

105550 (CCW, Manual Clutch) **105551** (CCW, Air Clutch) 105555 (CW Manual Clutch) 105556 (CW. Air Clutch)

SERIES G2 18 HYD

105660 (CCW, Manual Clutch) **105661** (CCW, Air Clutch) 105665 (CW Manual Clutch) **105666** (CW, Air Clutch)

SERIES G2 DC ELECTRIC

THE NEXT GENERATION OF DC ELECTRIC INDUSTRIAL **WINCHES IS READY TO GET TO WORK**

Ideal for first responders, utility vehicles, and other applications where an electric winch is preferred. New levels of performance, durability, and efficiency help get the job done quickly and reliably time after time.



SERIES G2 9 DC

104320 (CCW, 12V) 104325 (CW, 12V) **104909** (CCW, 12V, Spydura Pro Rope) 104340 (CCW, 24V) 104345 (CW, 24V)

SERIES G2 12 DC

104420 (CCW, 12V) 104425 (CW. 12V) **104912** (CCW, 12V, SpyduraPro Rope) 104440 (CCW, 24V) 104445 (CW, 24V)

SERIES G2 15

 (CCW, 12V) 104525 (CW, 12V) (CCW, 12V, SpyduraPro) (CCW, 12V, Spydura ProMax) (CCW, 24V) 104545 (CW, 24V)

SERIES G2 18

104640 (CCW, 24V), 104645 (CW, 24V)

SERIES G2 SEVERE DUTY

ALL-NEW TOUGH-AS-NAILS WINCHES FOR THE WORLD'S **MOST EXTREME CONDITIONS**

This is the ultimate winch for the most demanding conditions worldwide. Ideally suited to military applications, these winches have unique features that make them highly durable no matter the extreme situation.



SERIES G2 SEVERE DUTY 12 DC, 24V

104740 (CCW. 24V. 6.5" Drum)

SERIES G2 SEVERE DUTY 18 DC, 24V 104840 (CCW, 24V)

Go to warn.com for full product line and specs

SERIES XL WINCHES

THE TIRELESS WORKERS OF THE WARN LINEUP

Whether you're winching heavier vehicles onto your flat bed, or hauling wrecks out of ditches, WARN Series XL Winches rise to the top. They form the core of the hydraulic winch line, with long duty cycles, long or short drum specs, hardened aircraft grade nickel chromoly two-stage planetary geartrains and big-time capacity: up to 30,000 lbs.



Go to warn.com for full product line and specs

SERIES 30XL

For heavy tow, utility and trailer applications.

77880 (Standard Drum, Manual Clutch) 77900 (Standard Drum, Air Clutch) 77890 (Long Drum, Manual Clutch)

75990 (Long Drum Air Clutch)

SERIES 20XL

Great for carriers, trailers, or severe-duty applications.

74750 (Standard Drum, Air Clutch) 77550 (Standard Drum, Manual Clutch) 77560 (Long Drum, Air Clutch)

77570 (Long Drum, Manual Clutch) **SERIES XL-LP WINCHES**

For systems that operate below 3,000 psi.

78970 (20XL-LP. Standard Drum. Air Clutch)

78980 (20XL-LP, Standard Drum, Manual Clutch) **79210** (20XL-LP, Long Drum, Air Clutch)

79220 (20XL-LP, Long Drum, Manual Clutch) 80508 (30XL-LP, Standard Drum, Air Clutch)

80509 (30XL-LP, Standard Drum, Manual Clutch)

80510 (30XL-LP, Long Drum, Air Clutch) 80511 (30XL-LP, Long Drum, Manual Clutch)

SERIES 30XL 2-SPEED

Fast no-load line retrieval. Winching capacity up to 30,000 lbf. (13608 kgf)

81617 (Long Drum, Air Clutch, Low-Pressure, 2-speed) 82710 (Long Drum, Air Clutch, 2-speed)

PLANETARY GEAR HOISTS

WARN Industrial hoists combine the performance of heavy duty motors with hardened steel planetary gear trains to provide optimum power in lifting operations. DC electric hoists are available with 12V and 24V motors while hydraulic hoists work with all hydraulic systems. All WARN hoists comply with the most stringent standards.

DC4000

DC electric hoist lifts up to 4,000 lbf. (1815 kgf) 89833 (12V Motor) 90124 (24V Motor)

DC3000

DC electric hoist lifts up to 3,000 lbf. (1361 kgf) 85251 (12V Motor)

63897 (12V Anti-Clockwise) 85252 (24V Motor)

DC2500

DC electric hoist lifts up to 2,500 lbf. (1134 kgf) 74396 (12V Motor) 78355 (12V Motor, Anti-Clockwise) **DC2000 LF** DC electric hoist lifts up to

2,000 lbf. (907 kgf) 70469 (12V Motor) **85160** (24V Motor)

DC2000 MF

Mid-frame DC electric hoist lifts up to 2,000 lbf. (907 kgf) 63899 (12V Motor)

85190 (24V Motor)

DC1600

DC electric hoist lifts up to 1,600 lbf. (726 kgf) 33503 (12V Motor) 85159 (24V Motor)

DC1200

Midsize hoist lifts up to 1,200 lbf. (544 kgf) 64254 (12V Motor) **85250** (24V Motor)

DC1000

DC electric hoist lifts up to 1,000 lbf. (454 kgf)

82469 (12V Motor) 84350 (12V Short Drum) 82970 (24V Motor)

Compact hoist lifts up to 800 lbf. (363 kgf) 82467 (12V Motor)

82468 (24V Motor)

HY3000

DC800

Hydraulic hoist lifts up to 3,000 lbf. (1361 kgf) 36949

36948 (Anti-Clockwise)

HY2000

Compact hydraulic hoist lifts up to 2,000 lbf. (907 kgf)

68032

TRUCK/SUV PRODUCT APPLICATIONS BY VEHICLE MAKE AND MODEL

Application listing is current as of MAY 2021. Warn Industries is constantly developing new applications. If you can't find your vehicle listed here, call WARN customer service for the latest applications. In North America call 1-800-543-9276. Customers outside of North America can call 1-503-722-3008. Or check our website warn.com.

CONTENTS:

Chevrolet/GMC	. 154-155	Isuzu	159	Subaru	162
Dodge/Ram	.156-157	Jeep	160-161	Suzuki	162
Ford	. 157–159	Mazda	162	Toyota	163
International Harvester	159	Nissan	162		



CHEVROLET/GMC

MOUNTING SYSTEMS

MO	UNTING SYSTEMS
F00	TNOTES:
(L)	20'/6m Power Lead (I

32963) or 24'/8m Power Lead (PN 32966) required for winching from rear

(M) Not compatible when installing M8274-50 winch

(AI) Not compatible with (AJ) Not compatible with Dual

Exhaust models (AK) Not Compatible with

blind spot monitoring
(AN) Max Winch Capacity 12,000 lbs

'19-21 SILVERADO 1500, 2WD & 4WD	
Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) (AI)	105705
Baja Grille Guard Tube	
Ascent rear bumper (AJ) (AK)	
Ascent XP front bumper (Non-Winch) (AI)	
Gen II Trans4mer	
Winch Mount Plate: Mid-Frame: Black	
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	
Bracket Kit (Required)	
Grille Guard Kit, Black	
Headlamp Guard Kit, Black Light Bar Kit, Black (M)	
Receiver Kit, Black	
'16-18 SILVERADO 1500, 2WD & 4WD (AND 2019 LEGACY	
Ascent front bumper	,
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	100920
Baja Grille Guard Tube	
Ascent rear bumper	96550
Gen II Trans4mer	
Winch Mount Plate; Mid-Frame; Black	00240
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	
Grille Guard Kit, Black	
Headlamp Guard Kit, Black	
Light Bar Kit, Black (M)	
Receiver Kit, Black	
'14-15 SILVERADO 1500, 2WD & 4WD	
Ascent front humper	
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	
Baja Grille Guard Tube	100473
Baja Grille Guard Tube Ascent rear bumper	100473 96550
Baja Grille Guard Tube	100473 96550
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame	100473 96550
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W	100473 96550
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame	100473 96550 D107000
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front humper	100473 96550 D
Baja Grille Guard Tube	100473 96550 D 107000
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube	100473 96550 D 107000 105969 104825
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK)	100473 96550 D107000 105969 104825 106850
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK) Ascent XP front bumper (Non-Winch)	100473 96550 107000 105969 104825 106850
Baja Grille Guard Tube Ascent rear bumper	100473 96550 107000 105969 104825 106850
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK) Ascent XP front bumper (Non-Winch)	100473 96550 107000 105969 104825 107004
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent XP front bumper (Non-Winch) Ascent XP front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (With Baia Grille Guard)	100473 96550 107000 105969 104825 106850 107288 107004
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK) Ascent YP front bumper (Non-Winch) Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	100473 96550 107000 105969 104825 106850 107288 107004
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK) Ascent TP front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (With Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Cen Ill Trans4mer	100473 96550 107000 105969 104825 106850 107004
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent rear bumper (AK) Ascent TP front bumper (Non-Winch) Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame	10047396550 107000105969104825106850107288107004107005
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent YP front bumper (Non-Winch) Ascent XP front bumper (Non-Winch) Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8)	10047396550 107000107000105969104825107885107004107005107006
Baja Grille Guard Tube Ascent rear bumper	10047396550 107000105969104825106850107004107005107006
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent YP front bumper (Non-Winch) Ascent XP front bumper (Non-Winch) Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8)	100473107000107000105969104825107888107004107005107006
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5tt), 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent Par bumper (Non-Winch) Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (With Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8) Bracket Kit (Required) (AN) Bolt-On Center-Only Tall Grille Guard, Black Bolt-On Full Grille Guard Kit, incl. upgrights and guards, Black	100473107000107000105969104825107888107004107005107006
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L). '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent XP front bumper (Non-Winch). Ascent XP front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8) Bracket Kit (Required) (AN) Bolt-On Center-Only Tall Grille Guard, Black Bolt-On Full Grille Guard Kit, incl. upgrights and guards, Black. '15-19 SILVERADO 2500 & 3500 HD, 2WD & 4WD	10047396550 107000107969104825107288107004107005107006107650108003102957106595
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L). '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent XP front bumper (Non-Winch). Ascent XP front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8) Bolt-On Center-Only Tall Grille Guard, Black Bolt-On Full Grille Guard Kit, incl. upgrights and guards, Black. '15-19 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	10047396550107000107000105969104825107288107004107005107006107650108003102957106595
Baja Grille Guard Tube Ascent rear bumper '03-06 SILVERADO 1500 HD, 2500 (NON-HD) 2WD & 4W Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L). '20-21 SILVERADO 2500 & 3500 HD, 2WD & 4WD Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube Ascent XP front bumper (Non-Winch). Ascent XP front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Gen III Trans4mer Winch Carrier; Mid Frame (VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8) Bracket Kit (Required) (AN) Bolt-On Center-Only Tall Grille Guard, Black Bolt-On Full Grille Guard Kit, incl. upgrights and guards, Black. '15-19 SILVERADO 2500 & 3500 HD, 2WD & 4WD	100473107000107000105969104825107288107004107005107006107650108003102957106955

Gen			

Bracket Kit (Required).

Receiver Kit, Black..

Ascent rear bumper.

Baja Grille Guard Tube ..

Ascent rear bumper (AK) .. Ascent XP front bumper (Non-Winch)..

Grille Guard Kit, Black

Headlamp Guard Kit, Black. Light Bar Kit, Black (M)

'14-15 SIERRA 1500, 2WD & 4WD

Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)

Ascent HD front bumper (No Grille Guard)

'20-21 GMC SIERRA 2500 HD & 3500, 2WD & 4WD

Gen II Trans4mer	
Winch Carrier Kit; Large Frame; Black (16.5ti, M15, M12, M8274-50)	90110
Winch Carrier Kit; Mid Frame; Black	
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9)	
Bracket Kit (Required)	
Grille Guard Kit; Black	
Short Grille Guard Kit; Black (M)	
Headlamp Guard Kit; Black	
Light Bar Kit; Black (M)	
Receiver Kit; Black	80149
'11-14 SILVERADO 2500HD & 3500, 2WD & 4WD	
Ascent rear bumper (2014 only)	96550
Gen II Trans4mer	
Winch Carrier Kit; Large Frame; Black (16.5ti, M15, M12, M8274-50)	90110
Winch Carrier Kit: Mid Frame: Black	
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	88240
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9)	91405
Bracket Kit (Required)	
Grille Guard Kit; Black	
Short Grille Guard Kit; Black (M)	
Light Bar Kit; Black (M)	
Receiver Kit; Black	80149
'01-02 SILVERADO 2500HD AND 3500, 2WD & 4WD	
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)	107000
'99-02 SILVERADO, '00-06 SUBURBAN, 3/4 TON ONLY, 2WD & 4WD; '01-02 1500HD CREW CAB	
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)	107000
'15-20 COLORADO	
Semi-Hidden Mount Kit with Grille Guard	
Semi-Hidden Mount Kit no Grille Guard	106672
'20-21 GMC SIERRA 1500, 2WD & 4WD	
Ascent rear bumper (AJ)(AK)	106850
Gen III Trans4mer	
Winch Carrier; Mid Frame	
(VR EVO, ZEON, ZEON Platinum, 9.5cti, 9.5xp, XD9i, XD9, and M8)	107650
Bracket Kit (Required) (AN)	
'16-18 SIERRA 1500, 2WD & 4WD	06550
Ascent rear bumper	96550
Gen II Trans4mer	
Winch Mount Plate; Mid-Frame; Black	00240
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	8824U

..98400

.92001 98855

.80143

80149

. 96550

..107545

..104825 .106850

..107286

MOUNTING SYSTEMS (CONTINUED)

CHEVROLET/GMC

(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	107177
Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	107178
Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	
Gen III Trans4mer	
Winch Carrier; Mid Frame (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8)	107650
Bracket Kit (Required) (AN)	
Center Grille Guard for Kit (Optional)	
Full Grille Guard Kit (Optional)	
·	104021
'15-19 GMC SIERRA 2500HD & 3500, 2WD & 4WD	
Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	00153
	33132
Raia Grille Guard Tube	100476
Baja Grille Guard Tube	
Ascent rear bumper	
Ascent rear bumper	96550
Ascent rear bumper	96550 90110 88240 91405
Ascent rear bumper	96550 90110 88240 91405 94036
Ascent rear bumper	96550 90110 88240 91405 94036 85495
Ascent rear bumper	96550 90110 88240 91405 94036 85495 84785
Ascent rear bumper	96550 90110 88240 91405 94036 85495 84785

OCEEU
.96550
9011
. 88241
9140!
9016
. 8549
8478
8014
. 80149
. 9655
6 4WD
10700
10700
10700

'88-99 CHEV/GMC K-SERIES 4X4 PICKUP 1/2, 3/4, 1 TON, '92-99 4X4 BLAZER, YUKON, SUBURBAN, TAHDE (EXCLUDES R/V 1 TON & 2WD C3500 HD, NEW DESIGN '99 SILVERADO)

Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)

Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)...

MOUNTING SYSTEMS

FOOTNOTES: (L) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear

(M) Not compatible when installing M8274-50 winch

(AN) Max Winch Capacity

4WD HUBS

Vehicle Model	Year	Cautionary	· · · · ·	Standard Premium		Spindle Nut Kit	Hub Service Kit	
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Blazer, Jimmy, Suburban	'69-91	G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'69-87	G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'60-76	G	19		9072			7302
3/4 Ton Pickup	'77-87	G, H	19	9790	20990	32720	11967	20825
1 Ton Pickup	'76-87	Н	30	11690	38826	32721	11714	
1 Ton Pickup, V-Series Crew Cab	'88-90	Н	30	11690	38826	32721	11714	
Geo Tracker	'89-00	J	26		34581			7309

4WD HUBS FOOTNOTES:

. 107000

- (G) Vehicles with full-time 4WD will require a transfer case conversion kit
- (H) When replacing automatic 3 hole cap screw hubs with manual hubs, you must purchase corresponding spindle nut conversion kit per application chart
- (J) Not for front axle disconnect systems

CUSTOM APPLICATIONS

4WD HUBS

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit	Hub Ser	vice Kit
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Dana 60 axle with 35 spline outer shafts (front only)	N/A		35		62672			11714

DODGE/RAM TRUCKS

MOUNTING SYSTEMS

MOUNTING SYSTEMS FOOTNOTES:

(L) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear.

(M) Not compatible when installing M8274-50 winch

(N) Will not retain factory tow hooks

(AM) Not compatible with EcoDiesel Model (AO) Max Winch Capacity 18,000 lbs

'19-21 RAM 1500 2WD & 4WD (NEW BODY STYLE)	
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AM)	10363
Baja Grille Guard Tube	10047
Ascent XP front bumper (Non-Winch)	10727
Ascent rear bumper	
$^{\prime}$ 09-18 RAM 1500 2WD & 4WD (INCLUDES '19 CLASSIC B	ODY)
Ascent front bumper ('13-18 only) (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	10003
Baja Grille Guard Tube ('13-18 only)	10032 100 <i>1</i> 7
Ascent rear bumper ('10-17 only)	
Gen II Trans4mer	
Winch Carrier Kit, Mid Frame, Black (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	9974
Bracket Kit (Required)	
Grille Guard Kit, Black	
Short Grille Guard Kit, Black	
Headlamp Guard Kit, Black	
Light Bar Kit, Black	
Receiver Kit, Black	8014
'19-21 RAM HD 2500 & 3500 2WD & 4WD (NEW BODY S	TYLE)
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	10/175
Baja Grille Guard Tube	
Ascent XP front bumper (Non-Winch)	
Ascent HD front humner (No Grille Guard)	
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) Ascent HD front bumper (Full Grille Guard)	10700
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	
Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	10700
Ascent rear bumper	
Gen III Trans4mer	
Winch Carrier; Mid Frame (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8)	10765
Winch Carrier; Large Frame (16.5ti, M15, M12, M8274)	
Winch Carrier: Series	
(Fits Foot-down Series G1 & Series G2 electric winches with 10" drums)	
Bracket Kit (Required) (A0)	
Center Grille Guard for Kit (Optional)	
Full Grille Guard Kit (Optional)	
'19-21 RAM HD 4500 & 5500 2WD & 4WD (NEW BODY S	TYLE)
Ascent HD front bumper (No Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	10700
Ascent HD front bumper (Full Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	10700
Ascent HD front bumper (with Baja Grille Guard) (fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti)	
Ascent rear bumper	10661
Gen III Trans4mer	
Winch Carrier; Mid Frame	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8)	
Winch Carrier; Large Frame (16.5ti, M15, M12, M8274)	10765
Winch Carrier; Series (Fits Foot-down Series G1 & Series G2 electric winches with 10" drums)	10765
Bracket Kit (Required) (A0)	
Center Grille Guard for Kit (Optional)	
Full Grille Guard Kit (Optional)	

'11-18 DODGE RAM HD 4500 & 5500	
Gen II Trans4mer	
Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50)	90110
Winch Carrier Kit, Mid Frame, Black	00040
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	
Winch Carrier kit; Industrial; Black (Series 15, 12, 9)	
Bracket Kit (Required)	
Grille Guard Kit, BlackShort Grille Guard Kit, Black (M)	
Headlamp Guard Kit, Black	
Light Bar Kit, Black (M)	
Receiver Kit, Black	
	00143
'13-18 RAM HD 2500 & 3500 2WD & 4WD	
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	100923
Baja Grille Guard Tube	
Ascent rear bumper ('14-18 only)	
Ascent rear bumper (2013 only)	
Gen II Trans4mer	
Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50)	90110
Winch Carrier Kit Mid Frame Black	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	
Winch Carrier kit; Industrial; Black (Series 15, 12, 9)	
Bracket Kit (Required)	
Grille Guard Kit, Black	
Short Grille Guard Kit, Black	
Headlamp Guard Kit, Black	
Light Bar Kit, Black Receiver Kit, Black	
Receiver Kit, Didck	00143
'10-12 RAM HD 2500 & 3500 2WD & 4WD	
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	100022
Baja Grille Guard Tube	
Ascent rear bumper	
·	
'03-05 DODGE RAM HD 2500 & 3500 2WD & 4WD (EXCL "SPORT" PACKAGE)	NNE2
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)(N)	107000
'94-02 DODGE RAM 3/4, 1 TON 2WD & 4WD; '94-01 RAM TON 2WD& 4WD (EXCLUDES '02 RAM 1/2 TON NEW BOI EXCLUDES '99-02 "SPORT" PACKAGE)	I 1/2 DY STYLE;

Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L).....

DODGE/RAM TRUCKS

4WD HUBS

Vehicle Model	Year	Cautionary Footnotes	Spline Count	Standard		Spindle Nut Kit	Hub Sei	vice Kit
				Manual PN		Std/Prem	Std	Prem
1/2 Ton Pickup	'57–68		19		9072			7302
1/2 Ton Pickup & Ramcharger	'69-74		19	9790	20990		11967	20825
1/2, 3/4 Ton Pickup & Ramcharger	'80-93		19	9790	20990		11967	20825
3/4 Ton Pickup	'90-93		30	11690	38826		11714	11714
3/4 Ton Pickup	'57–74		19		9072			7302
1 Ton Pickup	'90-93		30	11690	38826		11714	11714

FORD

MOUNTING SYSTEMS

'21 BRONCO (2WD & 4WD)	
Elite Bumpers	_
Elite Front Bumper (with Baja Bar)1078	56
Elite Front Bumper (No Grille Guard)1078	
'17-21 SUPER DUTY, F-250, F-350 (2WD & 4WD)	
Ascent front bumper	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	18
Baja Grille Guard Tube1004	172
Ascent XP front bumper (Non-Winch) (AL)1072	90
Ascent HD front humner (No Grille Guard)	
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) (AL)1065	316
Ascent HD front bumper (Full Grille Guard)	11/
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) (AL) 1069 Ascent HD front bumper (with Baja Grille Guard)	114
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) (AL) 1069	318
Ascent rear bumper980	
·	—
Gen III Trans4mer	
Winch Carrier; Mid Frame (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8) (AL)1076	รก
Winch Carrier; Large Frame (16.5ti, M15, M12, M8274) (AL)	
Winch Carrier: Series	,,,
(Fits Foot-down Series G1 & Series G2 electric winches with 10" drums) (AL)1076	552
Bracket Kit (Required) (AO)(AL)	
Center Grille Guard for Kit (Optional)1029	357
Full Grille Guard Kit (Optional)1030)12
Gen II Trans4mer	_
Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50) (AL) 90	110
Winch Carrier Kit, Mid Frame, Black (PowerPlant 9.5 & 12, ZEDN, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL) 882	
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9) (AL)914	
Bracket Kit (Required)	
Grille Guard Kit, Black980	
Short Grille Guard Kit, Black (M)	
Headlamp Guard Kit, Black980	
Light Bar Kit, Black (M)801	
Receiver Kit, Black801	
	_
Hidden Mount 2020-2021 Models (brackets)(P)	
Skirting Kit (required for above kit)	
Hidden Mount 2017-2019 Models (16.5ti, M15, M12) (AL)(P)	
Skirting Kit (required for above kit)	_
Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12) (AL)	
	196
Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12) (AL)993	395
	-

'17-21 SUPER DUTY, F-450, F-550 (2WD & 4WD)	
Ascent front bumper	10001
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	
Ascent XP front bumper (Non-Winch) (AL)	
Ascent HD front bumper (No Grille Guard)	10/231
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) (AL)	10718
Ascent HD front bumper (Full Grille Guard)	40740
(fits mid-frame or large-frame winches up to 18k lbs. including 16.5ti) (AL)	
Ascent rear bumper	9805
Gen III Trans4mer	
Winch Carrier; Mid Frame	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8) (AL)	
Winch Carrier; Large Frame (16.5ti, M15, M12, M8274) (AL)	10765
Winch Carrier; Series (Fits Foot-down Series G1 & Series G2 electric winches with 10" drums) (AL).	10765
Bracket Kit (Required) (AO)(AL)	
Center Grille Guard for Kit (Optional)	
Full Grille Guard Kit (Optional)	
Gen II Trans4mer	
Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50) (A	L) 90111
Winch Carrier Kit, Mid Frame, Black (PowerPlant 9.5, 12, ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (A	1) 88741
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9) (AL)	
Bracket Kit (Required)	
Grille Guard Kit, Black	
Short Grille Guard Kit, Black (M)	
Headlamp Guard Kit, Black	
Light Bar Kit, Black (M)	8014
Receiver Kit, Black	8014
Hidden Mount 2020-2021 Models (brackets)(P)	10716
Skirting Kit (required for above kit)	
Hidden Mount 2017-2019 Models (16.5ti, M15, M12) (AL)(P)	
Skirting Kit (required for above kit)	
Heavy Duty Bumper With Grille/Brush Guard, Black (16.5ti, M15, M12) (AL)	0020
(10.3U, 1913, 1912) (AL)	וככככו

Heavy Duty Bumper Without Grille/Brush Guard, Black (16.5ti, M15, M12) (AL)

MOUNTING SYSTEMS FOOTNOTES:

(P) Moves factory bumper forward five inches. (M) Not compatible when installing M8274-50

(AL) Not compatible with Adaptive Cruise Control (AO) Max Winch Capacity 18,000 lbs

winch

. 99396

...99395



MOUNTING SYSTEMS (CONTINUED)

MOUNTING SYSTEMS FOOTNOTES:

- (L) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear.
- (P) Moves factory bumper forward five inches.
- (Q) Intended to be sold with PN 38772.
- (R) Front Receiver applications (does not fit diesels) '80–91 Pickup 1/2 Ton (2 & 4WD) and 3/4 Ton 2WD is PN 25862. '80-91 Pickup 3/4 Ton 4WD with leaf springs is PN 25852. (S) Must be Rev. BØ for
- '99-00 models. (T) Must be Rev. BØ for HS9000 winch PN 47550, 48500.
- (U) Requires Factory Tow Hooks or Adapter Kit PN 37174
- (W) Roller Fairlead Cover 25580 recommended. (X) Cannot be used with
- optional factory driving lights. (Y) Requires Factory Tow Hooks or Adapter Kit
- (M) Not compatible when installing M8274-50 winch
- (AL) Not compatible with Adaptive Cruise Control (AN) Max Winch Capacity 12.000 lbs

'11-16 SUPER DUTY, F-250, F-350, F-450, F-550 (2)	ND & 4WD)
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	10091
Baja Grille Guard Tube	
Ascent XP front bumper (Non-Winch) (AL)	107290
Ascent rear bumper	96290

Gen II Trans4mer Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50) (AL)..... 90110

Winch Carrier Kit, Mid Frame, Black (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	8824
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9) (AL)	9140!
Bracket Kit (Required)	9015!
Grille Guard Kit, Black	8505
Short Grille Guard Kit, Black (M)	8478
Headlamp Guard Kit, Black	8479
Light Bar Kit, Black (M)	8014
Receiver Kit, Black	8014
Hidden Mount (16.5ti, M15, M12) (AL)(P)	8451
Skirting Kit (required for above kit)	84520

'08-10 SUPER DUTY, F-250, F-350, F-450, F-550 (2WD & 4WD)

Gen II Irans4mer	
Winch Carrier Kit, Large Frame, Black (16.5ti, M15, M12, M8274-50) (AL)	90110
Winch Carrier Kit, Mid Frame, Black (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	. 88240
Winch Carrier Kit; Industrial; Black (Series 15, 12, 9) (AL)	91405
Bracket Kit (Required)	90130
Light Bar Kit, Black (M)	80143
Receiver Kit, Black	80149
'05-07 SUPER DUTY, F-250, F-350, F-450, F-550 (2WD & 4V EXCLUDES EXCURSION	VD);

Multi-Mount Winch Frame	
(ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8)	(L) 107000

'99-04 SUPER DUTY, F-250, F-350, F-450, F-550 (2WD & 4WD); '00-04 EXCURSION

Hidden Mount (16.5ti, M15, M12) (AL)(P)(Q)(W)(X)	62289
Skirting Kit (required for above kit)	38772

'19-21 RANGER (NOT COMPATIBLE W/ADAPTIVE CRUISE CONTROL) Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL) ..103465 Baja Grille Guard Tube ...104296 Ascent rear bumper (AL). .. 105863

Gen III Trans4mer

UEII III II IIII II III II II II II II II	
Winch Carrier; Mid Frame (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8) (AL)	107650
(ZEUN, VK1Z, VK1U, 3.5CT, 3.5XP, XD3, XD3, M8, VK8) (AL)	10/050
Bracket Kit (Required) (AN)	108002
Center Grille Guard for Kit (Optional)	10425!
Full Grille Guard Kit (Optional)	103379
• • • •	

'17-20 F-150 RAPTOR 4WD

(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	99850
Ascent XP front bumper (Non-Winch)	107280

Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M	B, VR8) (AL)107638
Ascent XP front bumper (Non-Winch) (AL)	107660

Con III Trans/mor

Gen III Irans4mer	
Winch Carrier; Mid Frame	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9, XD9i, M8, VR8) (AL)	107650
Bracket Kit (Required) (AL) (AN)	.107653
Center Grille Guard for Kit (Optional)	.102957
Full Grille Guard Kit (Optional)	.107685

18-20 F-150 4WD (FITS STANDARD AND ECOBOOST MODEL; NOT
COMPATIBLE WITH	VEHICLES EQUIPPED WITH ADAPTIVE CRUISE
CONTROL)	

Ascent front bumper	
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	100916
Baja Grille Guard Tube	
Ascent XP front bumper (Non-Winch) (AL)	107282
Ascent rear bumper	96255

Con II Trans/mor

GCII II II III II II II II II II II II II	
Winch Carrier Kit, Mid Frame; Black (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	88240
Bracket Kit (Required)	100836
Grille Guard Kit, Black	9533
Headlamp Guard Kit, Black	95366
Light Bar Kit, Black (M)	8014
Receiver Kit. Black	80149

'15-17 F-150 4WD (FITS STANDARD AND ECOBOOST MODEL; NOT COMPATIBLE WITH VEHICLES EQUIPPED WITH ADAPTIVE CRUISE

Ascent tront bumper	
Ascent front bumper (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	100915
Baja Grille Guard Tube	100472
Ascent rear bumper	96255

Gen II Trans4mer

Winch Carrier Kit, Mid Frame; Black (ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)(AL)	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AL)	88240
Bracket Kit (Required)	9517
Grille Guard Kit, Black	9533
Headlamp Guard Kit, Black	9536
Light Bar Kit, Black (M)	8014
Receiver Kit, Black	8014

'09-14 F-150 4WD

Gen II Irans4mer	
Winch Carrier Kit, Mid Frame; Black	
(ZEON, VR12, VR10, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	88240
Bracket Kit (Required)	90125
Light Bar Kit, Black (M)	80143
Receiver Kit, Black	80149

'99-03 F-150 & F-250 LIGHT DUTY 4WD ONLY, '99-02 Expedition 4WD, '01-03 Super Crew 4WD

Hidden Mount (9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (S)(U)	34701
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)	107000

'97-98 F-150 & F-250 LIGHT DUTY 4WD ONLY, EXPEDITION 4X4

Hidden Mount (ZEON, ZEON Platinum, VR, 9.5cti, 9.5xp, XD9, M8) (T)(Y) 34701 Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)(Y)

. 107000

'92-96 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO (INCLUDES COMMERCIAL F-350 & SUPER DUTY), '97 F-250 HEAVY DUTY & F-350

Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) 107000

'87-91 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO Multi-Mount Winch Frame

107000 (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (I Front Receiver..

'80-86 F-SERIES PICKUP 1/2, 3/4, 1 TON; BRONCO

Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR	(s) (t) 107000
Front Docoivor	(D)



4WD HUBS

Vehicle Model	Year	Cautionary	Spline		Premium	Spindle Nut Kit	Hub Service Kit	
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Bronco II, Ranger	'83-89	E, D	23	29070		27988	39128	
Explorer	'90-94	D, E	27	29071		32720	39128	
Ranger	'90-97	E, D	27	29071		32720	39128	
Bronco	'66-96	B, G, H	19	9790	20990	32720	11967	20825
1/2 Ton Pickup	'59-96	B, G, H	19	9790	20990	32720	11967	20825
3/4 Ton Pickup	'59-75		19	9790	20990		11967	20825
3/4 Ton Pickup, Light Duty	'77.5–97	Н	19	9790	20990	32720	11967	20825
3/4 Ton Pickup, Heavy Duty	'63–77	G	19		9072			7302
3/4 Ton Pickup, Heavy Duty	'78-97	Н	30	11690	38826	32721	11714	11714
1 Ton Pickup	'78-97	Н	30	11690	38826	32721	11714	11714
Super Duty (F-250/350)	'99-04	K	30	11690	38826		11714	11714
Excursion	'99-05		30	11690	38826		11714	11714
Super Duty (F-250/350/450/550)	'05-20		35		95060 (Black)			95080
Super Duty (F-250/350/450/550)	'05-20		35		95070 (Chrome)			95080

4WD HUBS FOOTNOTES:

- B Will not fit '87-early '88 model vehicles, flange mount. (Dealer item only. See Ford parts oservice)
- D Very early '90 vehicles with 23 tooth axle spline require 1989 model hubs.
- E When replacing factory automatic hubs with manual hubs, vou must also purchase Spindle Nut Conversion Kit #27988 for '83-'89 vehicles; Conversion Kit #32720 for '90-97.
- G Vehicles with full-time 4WD will require a transfer case conversion
- H When replacing automatic 3 hole cap screw hubs with manual hubs, you must purchase corresponding spindle nut conversion kit per application chart. K Will not fit dual wheel application.

INTERNATIONAL HARVESTER

4WD HUBS

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit			
	Fo	Footnotes Co	Count	Manual PN	Manual PN	Manual PN	Std/Prem	Std	Prem
Scout	'61–70		10		29062			7300	
Scout II, Terra, Traveler	'71–80		27		9062			7300	
1/2 Ton Pickup, Travelall	'68-75		19	9790	20990		11967	20825	
1/2 Ton, 3/4 Ton Pickup	'56-72		19		9072			7302	

ISUZU

4WD HUBS

Vehicle Model	Year Cautionary						Premium		Spindle Nut Kit			Hub Service Kit	
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem					
Amigo	'87-99		17		61385			61693					
Rodeo	'91-99		17		61385			61693					
Trooper II	'87–99		17		61385			61693					



MOUNTING SYSTEMS/FRONT BUMPERS

MOUNTING SYSTEMS FOOTNOTES:

(L) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear.

(M) Not compatible with M8274-50 winch

(AF) Will fit standard bumper and factory optional Jeep tube bumper. (AA) Hard Winch Cover not

compatible with Grille
Guard.

(AB) Will not mount to Mopar
accessory tube bumper.

(AC) Requires winch plate 37170

(AD) Requires winch plate 13910 or 11310

18-21 JEEP WRANGLER JL AND GLADIATOR JT	Elite Series Front Bumper with
rawler Series Front Bumper with grille guard tube (winch mounts directly to bumper)	(winch mounts directly to bumpe (VR12, VR10, ZEON, XD9i, XD9, M8, V
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	46 Elite Series Front Bumper with
rawler Series Front Bumper without grille guard tube (winch mounts directly to bumper)	(winch mounts directly to bumpe (VR12, VR10, ZEON, XD9i, XD9, M8, V
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	45 Elite Series Stubby Front Bum (winch mounts directly to bumpe
rawler Series Stubby Bumper with grille guard tube (winch mounts directly to bumper)	(VR12, VR10, ZEON, XD9i, XD9, M8, VI
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)1025	20 Elite Series Stubby Front Bum
rawler Series Stubby Bumper without grille guard tube	(winch mounts directly to bumpe (VR12, VR10, ZEON, XD9i, XD9, M8, VI
(winch mounts directly to bumper) (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)1025	
kid Plate for Elite/Crawler Series bumper	Mounting Plate Kit for factory
(fits all Elite and Crawler Series front bumpers above)	45 (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9
lounting Plate Kit for Crawler Series front bumper (M8274-50)1027	297-06 WRANGLER TJ
lite Series Front Bumper with grille guard tube	Rock Crawler Stubby Front Bu
(winch mounts directly to bumper) (VR12, VR10, ZEON, XD9i, XD9, M8, VR8)1013	Bumper without grille guard t
lite Series Front Bumper without grille guard tube (winch mounts directly to bumper)	Rock Crawler Full Width Front
(VR12, VR10, ZEON, XD9i, XD9, M8, VR8)1013	35 Bumper only (order mounting p
lite Series Stubby Front Bumper with grille guard tube	Mounting Plate Kit for factory
(winch mounts directly to bumper)	(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9 30 (M8274-50) (AB)
(VR12, VR10, ZEON, XD9i, XD9, M8, VR8)1013: lite Series Stubby Front Bumper without grille guard tube	Grille Guard Tube
(winch mounts directly to bumper) (VR12, VR10, ZEON, XD91, XD9, M8, VR8)	For WARN Full Width Rock Cra
lite Rear Bumper for T Gladiator	107 OF WEATHER BY 104 BY
kid Platefor Elite/Crawler Series Bumper	Rock Crawler Front Bumper (B
(fits all Elite and Crawler Series front bumpers above)1014	776-86 CJ, SCRAMBLER
finch mount plate (for use with OE factory winch ready bumper only)	Rock Crawler Front Bumper
(VR12, VR10, ZEON, XD9, M8, VR8)	Bumper only (order mounting pl
rille Guard Tube - Low (fits Jeep JK Rubicon Mopar OE bumper)1023. rille Guard Tube - Standard (fits Jeep JK Rubicon Mopar OE bumper)1023!	
rille Guard Tube - Standard (hts jeep JK Rubicon Mopar OE bumper)1023	46 (M82/4-50)
07-19 IEED WDANGI ED IV (INCLIINES DIIRICAN IINI IMITED	Grille Guard Tube For WARN Rock Crawler Bump
07-18 JEEP WRANGLER JK (INCLUDES RUBICON, UNLIMITED, UNLIMITED RUBICON, 2 DOOR/4 DOOR; 2WD/4WD)	
rawler Series Front Bumper full width with grille guard tube	'99-02 GRAND CHEROKEE
(winch mounts directly to bumper) (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)1021	Multi-Mount Winch frame (M6000) (L)
rawler Series Front Bumper full width without grille guard tube	Front Receiver
(winch mounts directly to bumper) (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)1021	(Rated for use with the M6000 a
rawler Series Stubby Bumper with grille guard tube	
(winch mounts directly to bumper) (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)1025.	20
rawler Series Stubby Bumper without grille guard tube	
(winch mounts directly to bumper) (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	10
kid Plate for Elite/Crawler Series bumper (fite all Elite and Crawler Series front bumpers above) 1015	בנ

Mounting Plate Kit for Crawler Series front bumper (M8274-50)......102705

Elite Series Front Bumper with grille guard tube (winch mounts directly to bumper)	
(VR12, VR10, ZEON, XD9i, XD9, M8, VR8)	101465
Elite Series Front Bumper without grille guard tube	
(winch mounts directly to bumper) (VR12, VR10, ZEON, XD9i, XD9, M8, VR8)	101/120
Elite Series Stubby Front Bumper with grille guard tube	101420
(winch mounts directly to bumper)	
(VR12, VR10, ZEON, XD9i, XD9, M8, VR8)	101450
Elite Series Stubby Front Bumper without grille guard tub	е
(winch mounts directly to bumper) (VR12, VR10, ZEON, XD9i, XD9, M8, VR8)	101410
Skid Plate for Elite Series Bumper	
Mounting Plate Kit for factory front bumper (fits '12-17 only))
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8)	
'97-06 WRANGLER TJ	
Rock Crawler Stubby Front Bumper	
Bumper without grille guard tubes (Includes winch mounting p	late)
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (M)	87700
Rock Crawler Full Width Front Bumper Bumper only (order mounting plate below to mount winch)	6185
, , , , , , , , , , , , , , , , , ,	
Mounting Plate Kit for factory bumper or Full Width Rock	Crawler Bumpe
Mounting Plate Kit for factory bumper or Full Width Rock (VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
	Crawler Bumpe 37170
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe 37170
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF) (M8274-50) (AB)	Crawler Bumpe 37170
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)(M8274-50) (AB)	Crawler Bumpe 37170
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)(M8274-50) (AB)	Crawler Bumpe 37170 3867' 6185!
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)(M8274-50) (AB)	Crawler Bumpe 37170 3867
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe 37170 3867
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe
(VR12, VR10, ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR8) (AF)	Crawler Bumpe



4WD HUBS

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit	Hub Service Kit	
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
CJ, Universal, M38A1, Willys	'71 & Prior	Α	10		29062			7300
CJ, Universal (6 bolt)	'72–80	G	27		9062			7300
CJ, Universal Scrambler (5 bolt)	'81–86	F	27	28751				
Jeepster C101 Commando	'66–71		10		29062			7300
Jeepster C104	'72-73		27		9062			7300
Gladiator, Wagoneer, Pickup	'73 & Prior		10		29062			7300
Full Size Wagoneer, Cherokee, J-10 Pickup, Commander	'74-91	G	19	9790	20990		11967	20825
J-20 Pickup (heavy axle)	'72–76		19		9072			7302
J-20 Pickup	'77–87		19	9790	20990		29062	20825
Jeep Station Wagon, Pickup	'65 & Prior		10		29062			7300

JEEP HUBS FOOTNOTES:

- A Very early vehicles may require that the threaded
- axle end be cut off.

 F Will not fit vehicles with factory optional chrome
- G Vehicles with full-time 4WD will require a transfer case conversion kit.

JEEP ACCESSORIES

JL Rubicon Bumper Recovery Point 102370 Rubicon Accs - Winch Carrier 101255 Rubicon Accs - Hook Stay red 102300 102222 Rubicon Accs - Hook Stay blk 102346 Rubicon Accs - grille guard - stinger 102350 Rubicon Accs - grille guard - mid Rubicon Accs - grille guard - low 102355 2018+ Jeep JK & JL Doors - Front 103101 2018+ Jeep JK & JL Doors - Rear 103102

JEEP BODY ARMOR

Description	Year/Model	Part Number
Steps for Rock Sliders	2018+ JL/JT	102254
Rock Sliders	2020 JT Gladiator	106370
Rock Sliders	18-20 JL 4 Door	102740
Rock Sliders	18-20 Jeep JL 2 Door	102759
Rock Sliders	97-02 TJ	63002
Skid Plate	2018+ JL/JT	101445
Fuel Tank Skid Plate	'97–06 TJ	67820
Fuel Tank Skid Plate	'87-96 YJ	66550
Steering Box Skid Plate	97-06 TJ	64250

Description	Axle	Part Number
		65443
Differential Skid Plate (Black)	Dana 44	65447

REAR BUMPERS

Tire Carrier (for use with PN 74300)....

Elite Series Rear Bumper	IITED,
(designed to accept separate tire carrier)	102190
Tire carrier (designed for use with PN 102190) Rotopax Mount (for use with PN 102255)	
Offroad jack mount (for use with 89800 tire carrier)	102670
Elite Series Rear Bumper (bumper only)	
(will not accept tire carrier)	102410
'07-18 JEEP WRANGLER JK (INCLUDES RUBICON, UNLIN UNLIMITED RUBICON, 2 DOOR/4 DOOR; 2WD/4WD)	4ITED,
Elite Series Rear Bumper (designed to accept tire carrier)	
(sold separately) (Can be used with factory tailgate mounted tire carrier with stock size tires)	89525
Tire carrier	
Offroad jack mount (for use with 89800 tire carrier)	

'97-06 TJ WRANGLER (INCLUDES RUBICON AND UNLIM	IITED)
Rock Crawler Rear Bumper (will not accept tire carrier)	61857
Rock Crawler Rear Bumper (designed to accept tire carrier) (sold separately) Tire carrier (for use with PN 65508)	
'87-96 YJ WRANGLER	
Rock Crawler Rear Bumper (will not accept tire carrier)	61857
'76-86 CJ5, CJ7, CJ8	
Rock Crawler Rear Bumper (will not accept tire carrier)	61860
Rock Crawler Rear Bumper (designed to accept tire carrier) (sold separately)(AE)	62947

Tire carrier (for use with PN 62947)....

.74299

MOUNTING SYSTEMS FOOTNOTES: (AE) Some vehicles may require additional spacers to fit bumper. Contact Warn Customer Service if needed.

..63253

MAZDA

4WD HUBS

MAZDA HUBS FOOTNOTES:

E When replacing factory automatic hubs with automatic hubs, you must also purchase Spindle Nut Conversion Kit #27988 for '83–89 vehicles; Conversion Kit #32720 for '90–97

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit	Hub Ser	vice Kit
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Pickup	'94–97	Е	27	29071		32720	39128	
Navajo	'90-94	E	27	29071		32720	39128	

NISSAN

4WD HUBS

NISSAN HUBS FOOTNOTES: I Hub Set includes Stud Kit

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit	Hub Ser	rvice Kit	
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem	
Pickup, Pathfinder	'86.5–89	I	27		28739			29061	
Pickup, 4 cylinder	'90-93	1	27		28739			29061	
Pickup (incl. Frontier), 4 cyl.	'94-01	1	28		29091			29061	
Pickup (incl. Frontier), Pathfinder, 6 cyl	'90-01	1	28		29091			29061	
Xterra	'00	1	28		29091			29061	

SUBARU

MOUNTING SYSTEMS

'18-20 CROSSTREK	
Semi-Hidden Mount (Axon 45, Axon 55)	106221
Grille Guard with Light Mounting Tabs	106236
'19-21 FORESTER	
'19-21 FORESTER Semi-Hidden Mount (Axon 45, Axon 55)	106413

'20-21 OUTBACK	
Semi-Hidden Mount (Axon 45, Axon 55)	106396
Grille Guard with Light Mounting Tabs	106398

SUZUKI

4WD HUBS

SUZUKI HUBS FOOTNOTES: J Not for front axle disconnect systems

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit	Hub Ser	rvice Kit
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Samurai, Sierra	'82-01	J	26		34581			7309
Sidekick, X-90, Vitara, Escudo	'89-01	J	26		34581			7309

TOYOTA

MOUNTING SYSTEMS

'16-21 TACOMA 4WD PICKUP	
Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) Baja Grille Guard Tube	100476
Ascent rear bumper	98054
Semi-Hidden Mount (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	100044
Semi-Hidden Mount (No Grille Guard Tube) (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	
'12-15 TACOMA 4WD PICKUP	
Semi-Hidden Mount Kit (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	102874
Semi-Hidden Mount (No Grille Guard Tube) (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	106670
'05-11 TACOMA 4WD PICKUP	
Semi-Hidden Mount Kit (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	102876
Semi-Hidden Mount (No Grille Guard Tube) (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	106668
'98-00 TACOMA 4WD PICKUP, '98-00 PRERUNNER	
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L) Front Receiver (AH)	
'95-97 TACOMA 4WD PICKUP	
Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)Front Receiver	
FIGUR Receiver	33023
'14-21 TUNDRA 2WD & 4WD	
Ascent front bumper (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8) .	

Semi-Hidden Mount Kit (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	103209
Semi-Hidden Mount (No Grille Guard Tube)	
(ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	106674
'14-21 4Runner	
Semi-Hidden mount (ZEON, 9.5cti, 9.5xp, XD9, M8, VR12, VR10, VR8)	100022
Semi-Hidden Mount (No Grille Guard Tube) (ZEON, 9.5cti, 9.5xp, XD9i, XD9, M8, VR12, VR10, VR8)	106254
'92-95 4WD PICKUP, HILUX (EXCLUDES TACOMA)	
Rock Crawler Front Bumper	
(9.5cti, 9.5xp, XD9i, XD9, M8, M6, VR12, VR10, VR8)	68450
Grille Guard Tube (for bumper PN 68450)	6845
Rock Crawler Rear Bumper	
Multi-Mount Winch Frame	
(ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)	107000
'89-91 4WD PICKUP, HILUX	
Rock Crawler Front Bumper	
(9.5cti, 9.5xp, XD9i, XD9, M8, M6, VR12, VR10, VR8)	68450
Grille Guard Tube (for bumper PN 68450)	

Rock Crawler Rear Bumper ..

'86-89 4RUNNER; '86-88 4WD PICKUP, HILUX Multi-Mount Winch Frame (ZEON 8, ZEON 10, 9.5xp, XD9i, XD9, M8, VR10, VR8) (L)....

MOUNTING SYSTEMS

..68490

... 107000

FOOTNOTES: (L) 20'/6m Power Lead (PN 32963) or 24'/8m Power Lead (PN 32966) required for winching from rear. (AH) Must be revision #BØ

4WD HUBS

Ascent rear bumper ..

Vehicle Model	Year	Cautionary	Spline	Standard	Premium	Spindle Nut Kit		
		Footnotes	Count	Manual PN	Manual PN	Std/Prem	Std	Prem
Pickup, Hilux, 4-Runner, with ADD	'86-95	С	26		28761	29918		7309
Landcruiser	'76-87	С	30		28771	29918		7309
Pickup, Hilux, 4-Runner	'76-85	С	30		28771	29918		7309
T100	'93–99	С	26		28761	29918		7309
T100, W/ADD	'93–99		26		28761	29918		7309
Van, Previa	'86-92	С	26		28761	29918		7309
Tacoma(w/factory man.hubs)	'95-01		26		60459			7309
Hilux Int'l with Torsion bar susp	'98-01	С			28761	29918		7309

..100360

TOYOTA HUBS FOOTNOTES:

C When replacing factory automatic hubs with manual hubs, you must also purchase Spindle Nut Conversion Kit #29918 (except for ADD)



POWERSPORTS PRODUCT APPLICATIONS BY VEHICLE MAKE AND MODEL

Application listing is current as of May 2021. Warn Industries is constantly developing new applications. If you can't find your vehicle listed here, call WARN customer service for the latest applications. In North America call 1-800-543-9276. Customers outside of North America can call 1-503-722-3008. Or check our web site warn.com.

CONTENTS:

Arctic Cat165, 168	Kawasaki165-166, 168	Polaris 166-167, 169
Can-Am/BRP 165-166, 168	Kubota166	Suzuki167, 169
Honda165-166. 168	Kvmco166, 168	Yamaha167. 169.

AXON & VRX BUMPER APPLICATION GUIDE

MODEL	YEAR	BUMPER	VRX 25	VRX 35	VRX 45	AXON 35	AXON 45	AXON 45RC	AXON 55
	J				-				
CAN-AM/BRP (UTV) Maverick Trail (DPS)	17-21	102506	Х	l x	1	l x	1		
Maverick Sport (DPS) (MAX DPS)	18-21	102506	X	X		X			
Maverick 1000R	16-19	101694	^	^	X	^	X		X
Defender	16-21	160750	X	X	X	X	X	X	l x
HONDA (UTV)	110 21	100000				1	,		
Pioneer 700 (Deluxe)	14-21	101698			Х	1	Х		Х
Pioneer 1000 (EPS) (LE) (Deluxe)	16-21	101700			Х		Х		Х
Talon 1000 (X) (R)	18-21	104300			Х		Х		Х
KAWASAKI (UTV)			•						
KRX 1000	20-21	106612			Х		Х		Х
POLARIS (UTV)									
RZR Trail	2021	103392			Х		Х		Х
RZR Trail S	2021	103392			Х		Х		Х
General 1000	16-21	106822			Х		Х		Х
General XP 1000	20-21	106822			Х		Х		X
Ranger 900 (Crew)	13-19	101708			Х		Х		Х
Ranger 1000 (Crew)	18-19	101708			Х		X		Х
RZR 900 (LE) (S) (4)	15-21	101702			Х		Х		Х
RZR 1000 (XP) (EPS) (LE) (S) (4)	15-21	101702			X		X		X
RZR XP Turbo (4 Turbo)	16-21	101702			Х		Х		X
RZR XP Turbo	19-21	103392			X		X		X
RZR XP Turbo S	18-21	103420			Х		Х		Х
RZR Pro XP	20-21	106308			Х		Х		Х

AXON & VRX MOUNTING KIT APPLICATION GUIDE

MODEL	YEAR	WINCH MOUNTING KIT	VRX 25	VRX 35	VRX 45	AXON 35	AXON 45	AXON 45RC	AXON 55
ARCTIC CAT (ATV)		•		'	'		•		
Alterra 400	16-19	96939	Х	Х				T	\top
Alterra 450	2021	Factory installed mount ^M	Х	Х					
Alterra 570	18-21	Factory installed mount ^M	Х	Х					
Alterra 700	15-21	Factory installed mount ^M	Х	Х					
Alterra TRV 500	17-21	Factory installed mount ^M	Х	Х					
Alterra TRV 550	16-19	Factory installed mount ^M	Х	Х					
Alterra TRV 700	15-21	Factory installed mount ^M	Х	Х					
Alterra 1000 TRV	17-19	Factory installed mount ^M	Х	Х					
700 TBX	12-19	Factory installed mount ^M	Х	Х					
700 VLX	17-19	Factory installed mount ^M	Х	Х					
1000 (Mudpro)	10-19	Factory installed mount ^M	Х	Х					
700 (Mudpro)	12-19	Factory installed mount ^M	Х	Х					
ARCTIC CAT (UTV)									
500 HDX	16-20	Factory installed mount ^M	χL	χ <mark>L</mark>	Х				1
Prowler 500	17-18	101316	χL	χ <mark>L</mark>	X	Х	Х	Х	Х
700 HDX	16-20	Factory installed mount ^M	χL	χ <mark>L</mark>	Х				
Prowler 700	15-19	Factory installed mount ^M	χL	χL	Х				
Prowler 1000	15-19	Factory installed mount ^M	χL	χ <mark>L</mark>	Х				
Stampede	16-19	Factory installed mount ^M			XΑ				
Havoc	18-19	Factory installed winch			XΑ				
Wildcat 1000	12-19	89050			Х		X		Х
Wildcat Sport	15-19	Factory installed mount ^M	χL	χ <mark>L</mark>					
Wildcat Trail	15-19	Factory installed mount ^M	χL	χ <mark>L</mark>					
Wildcat XX	18-21	101672	χL	χ <mark>L</mark>					
CAN-AM/BRP (ATV	')								
Outlander 450	17-21	Factory installed mount	Х	Х					Т
Outlander Max 450	17-21	Factory installed mount	Х	Х					
Outlander 450 6X6	19-21	Factory installed mount	Х	Х					
Outlander 570	17-21	Factory installed mount	Х	X					
Outlander 650	13-21	Factory installed mount	Х	Х		Х		Х	
Outlander 650 6X6	15-21	Factory installed mount	Х	X		X		X	
Outlander 850	16-21	Factory installed mount	Х	Х		Х		Х	
Outlander 1000	13-21	Factory installed mount	Х	Х		X		Х	
Outlander 1000 6X6	16-21	Factory installed mount	Х	Х		Х		Х	
Renegade 570	12-21	89535	Х	X					
Danagada 0F0	10.01	00535	l v	v					

16-21 89535

Renegade 570 Renegade 850

in order to mount winch to factory installed mount L. WARN PN 99897 Dash Rocker Switch Kit is recommended for UTV applications using VRX 25 and VRX 35 models M. Ranger 570 Full Size model has a number of chassis variations. If vehicle has radiator bracket with 4 holes,

use 90459 and short drum AXON or VRX. If vehicle has 2 threaded holes on the front of the chassis directly below the radiator, use 90930 and use a long drum AXON or VRX.

AXON & VRX MOUNTING KIT APPLICATION GUIDE

AXON & VRX MOUNTING	3 K	IT APPLII	SA 1		NG)E		
MODEL	YEAR	WINCH MOUNTING KIT	VRX 25	VRX 35	VRX 45	AXON 35	AXON 45	AXON 45RC	AXON 55
CAN-AM/BRP (UTV)						1		1	
Commander 800	12-20	85810	χL	χL	T x	Х	X	Х	T X
Commander 1000	12-20	85810	χL	χL	X	X	X	X	X
Defender	16-21	Factory installed mount	"		X	\ \ \	χA	^	χA
Maverick Trail	17-21	101394			Х				
Maverick Sport	18-21	101394			Х				
Maverick X3	17-21	101394	χ <mark>L</mark>	χ <mark>L</mark>	X	X	Х	X	Х
HONDA (ATV)									
Foreman TRX500	14-21	100380	X	X					
Rancher TRX420 ^N	14-21	100380	X	X					
Rubicon TRX500	15-19	100380	X	X					
Rubicon TRX520 Rincon TRX680	20-21	100380 84706	X	X					
HONDA (UTV)	100 2.	10.700	1	1 ~					
Pioneer 500	15-21	93720	χL	χL		1			1
Pioneer 520	2021	93720	χL	χL					
Pioneer 700	14-21	101260 ^B			Х		Х		Х
Pioneer 1000	16-21	93790 ^B		١.,	X		χJ		χJ
Talon 1000	19-21	102600	χ <mark>L</mark>	χ <mark>L</mark>	Х	Х	Х	Х	Х
JOHN DEERE (UTV)	1					1		1	1
XUV835	18-21	101688			X		X		X
XUV865	18-21	101688			X		X		Х
KAWASAKI (ATV) Brute Force 750	09-21	70207	X	Х	1	1	Т	1	T
KAWASAKI (UTV)	103-21	70207	1 ^				1		1
Mule 4000	10-21	101674		1	l x	1	X	1	X
Mule 4010	09-21	101674			X		x x		X
Mule PRO FX / FXT	15-21	101676	χL	χL	X		, A		, A
Mule PRO FXR	18-21	101676	χL	χ <mark>L</mark>	Х				
Mule PRO DX / DXT	15-21	101676	χ <mark>L</mark>	χ <mark>L</mark>	Х				
Mule PRO MX	19-21	Factory installed mount ^M	χL	χL					
Mule SX	17-21	94580	χL	χL	V	X		X	
Teryx Teryx KRX1000	14-21 20-21	101678 102102	χL	χL	X				
KUBOTA (UTV)	120 21	102102	1 ^		A		1	1	
RTV500	08-20	102852	Т	1	Тх	1	Х	T	Х
RTV-X900	14-21	102848	χL	χL	X	Х	X	Х	X
RTV-X1100	14-21	102848	χL	χL	X	x	X	X	X
RTV-X1120	14-21	102848	χ <mark>L</mark>	χL	Х	Х	Х	Х	Х
RTV-X1140	16-21	102848	χ <mark>L</mark>	χ <mark>L</mark>	Х	Х	χ	Х	Х
Sidekick 850	18-21	Factory installed mount ^M	χ <mark>L</mark>	χ <mark>L</mark>	Х	Х	Х	Х	Х
KYMCO (ATV)			1			_		1	
MXU450i	15-20	Factory installed mount ^M	X						
KYMCO (UTV)	14-20	Factory installed mount ^M	X						
I .	144.20	F. J. C. J. H. L M	T v	1	1	1	1	1	
UXV450i UXV700i	14-20 14-20	Factory installed mount ^M Factory installed mount ^M	X						
POLARIS (ATV)	111 20	Tructory instance mount	, <i>x</i>						
ACE 500	17-19	100878	Х	Х	1	Х	1	Х	
ACE 570	15-19	100878	X	X		X		Х	
ACE 900	16-19	100878	Х	Х		Х		Х	
Scrambler XP 850	13-21	100878	X	X		X		X	
Scrambler XP 1000	14-21	100878	X	X		Х		X	
Sportsman 450	16-21	100878	X	X					
Sportsman 570 Sportsman 570	15-20 2021	100878 107684	X	X					
Sportsman 570 Touring	15-20	100878	X	X					
Sportsman 570 Touring	2021	107684	X	X					
Sportsman 700	04-07	79608	Х	Х					
Sportsman 850	15-21	100878	Х	Х		Х		Х	
Sportsman 850 Touring	15-21	100878	X	X		X		X	
Sportsman 1000	15-21	100878	X	X		X		X	
Sportsman 1000 Touring	15-21	100878	Х	Х		Х		Х	1

AXON & VRX MOUNTING KIT APPLICATION GUIDE

MODEL	YEAR	WINCH MOUNTING KIT	VRX 25	VRX 35	VRX 45	AXON 35	AXON 45	AXON 45RC	AXON 55	
POLARIS (UTV)	46.24	 	l vi	l vi	_	T v		T ,,		A. Requires Warn PN 10147
General 1000	16-21	92332 ^K	χL	χL		Х		X		in order to mount winch to
General XP 1000	20-21	92332 ^K	χL	χL		Х		X		factory installed mount
Ranger 500	17-21	90459	χL	χL		Х		Х		B. Winch mounts not
Ranger 570 Mid-size	15-21	90459 ^K	χL	χL		Х		X		compatible with OEM plow
Ranger 570 Full-size	15-21	90930 or 90459 ^M	χ <mark>M</mark>	χM	XΜ	mount				
Ranger 900	13-19	90930 ^K			X		X		X	J. Some models may require grinding or modification of
Ranger 1000	18-20	102946 ^K			Х		Х		X	stock skid plate to fit wincl
Ranger 1000	2021	108170			X		X		X	L. WARN PN 99897 Dash
Ranger XP 1000	18-20	102946 ^K			Х		Х		X	Rocker Switch Kit is
Ranger XP 1000	2021	108170			X		Х		X	recommended for UTV
Ranger EV	15-21	90459	χ <mark>L</mark>	χ <mark>L</mark>		Х		Х		applications using VRX 25 a
Ranger Diesel	15-19	90930			X		X		X	VRX 35 models
RZR 570	12-19	80335	χ <mark>L</mark>	χL		Х		Х		M. Ranger 570 Full Size m has a number of chassis
RZR Trail 570	20-21	80335	χ <mark>L</mark>	χ <mark>L</mark>		Х		X		variations. If vehicle has
RZR 900	15-20	92332 ^K	χ <mark>L</mark>	χ <mark>L</mark>		Х		Х		radiator bracket with 4 ho
RZR S 900	15-19	92332 ^K	χL	χL		Х		Х		use 90459 and short drun
RZR S 1000	16-19	92332 <mark>K</mark>	χ <mark>L</mark>	χ <mark>L</mark>		Х		Х		AXON or VRX.
RZR XP 1000	14-21	92332 <mark>K</mark>	χ <mark>L</mark>	χL		Х		Х		If vehicle has 2 threaded h on the front of the chassis
RZR PRO XP	20-21	106204 ^K	χ <mark>L</mark>	χL	Х					directly below the radiator
RZR Trail	2021	92332 ^K	χ <mark>L</mark>	χ <mark>L</mark>		Х		Х		use 90930 and use a long
RZR Trail S	2021	92332 ^K	χL	χL		X		X		drum AXON or VRX.
RZR XP Turbo ^P	16-21	92332 ^K	χL	χL		X		X		P. Axon fitment on 2019 Tu
RZR XP Turbo S ^Q	18-20	101690 ^K	χL	χL		X		X		regr re-routing radiator ho
RZR Turbo S	2021	101690 ^K	χL	χL		X		X		Q. Some plastic trimming i
SUZUKI (ATV)	12021	10.050	1	1 ~		, ,		1 ~		be required on 2019 mode
King Quad 400	08-21	83130	X	Х	1	1	1	1		
King Quad 500	09-21	70326	X	X						
King Quad 750	08-21	70326	X	X						
YAMAHA (ATV)	100-21	70320	1 ^				ļ			
Grizzly 700	16-21	95740	Х	Х	1	Х		Х		
Kodiak 450	18-20	90850	X	X				^		
койак 450 Kodiak 700	16-21	95740				X		X		
YAMAHA (UTV)	Ib-21	35/40	Х	Х		X		X		
	lan (=	Tanana	Lul	Lul	1	1	1	1		
Nolverine	16-18	95350	χL	χL						
Wolverine X2	2019	90845	χ <mark>L</mark>	χ <mark>L</mark>	X	X		Х		
Nolverine X2	20-21	Factory installed mount	l .		Х		Х		X	
Nolverine X4	18-19	90845	χ <mark>L</mark>	χ <mark>L</mark>	X	Х		X		
Nolverine X4	20-21	Factory installed mount			Х		X		X	
Nolverine RMAX2	2021	Factory installed mount			X		χЈ		χJ	
Nolverine RMAX4	2021	Factory installed mount			Х		χJ		χJ	
Wilden	15 24	102020			l v		l v		v	

15-21 102920

16-21 101510

Viking YXZ1000

VRX 35 models M. Ranger 570 Full Size model has a number of chassis variations. If vehicle has radiator bracket with 4 holes, use 90459 and short drum AXON or VRX.
If vehicle has 2 threaded holes

A. Requires Warn PN 101473

in order to mount winch to

factory installed mount

compatible with OEM plow

L. WARN PN 99897 Dash Rocker Switch Kit is recommended for UTV

applications using VRX 25 and

E. Excluding X-rs or X-ds factory J. Some models may require grinding or modification of the stock skid plate to fit winch

B. Winch mounts not

directly below the radiator, use 90930 and use a long drum AXON or VRX. N. Excluding 2014 IRS models

on the front of the chassis

166 POWERSPORTS APPLICATIONS

PLOW MOUNTING KIT APPLICATION GUIDE

MODEL	YEAR	CENTER PLOW MOUNTING KIT	FRONT PLOW MOUNTING KIT
		_	<u>'</u>

C. Plow mount not compatible with OEM winch mount H. Plow mount must use Front Mount ATV base/tube assembly (Warn PN 92100) and ATV blade E. Excluding X-rs or X-ds factory

N. Excluding 2014 IRS models

		MUUNTING KII	MOUNTING KIT
ARCTIC CAT (ATV)			
Alterra 400	16-19	85260	96970
Alterra 570	18-21	63294	97212
Alterra 700	15-21	63294	97596
Alterra TRV 500	17-21	63294	97212
Alterra TRV 550	16-21	63294	97212
Alterra TRV 700	15-21		97212
Alterra 1000 TRV	17-21		97212
700 TBX	12-19	63294	84354
700 VLX	17-19		84354
1000 (Mudpro)	10-19		84354
700 (Mudpro)	12-19		84354
ARCTIC CAT (UTV)			
Wildcat Sport	15-19		97215 ^H
Wildcat Trail	15-19		97215 ^H
CAN-AM/BRP (ATV)			
Outlander 450	17-21	107562	97130
Outlander Max 450	17-21	107562	97130
Outlander 450 6X6	19-21		97130
Outlander 570	17-21	107562	97130
Outlander Max 570	17-21	107562	97130
Outlander 650	13-21	107562	95840
Outlander 650 6X6	15-21		95840
Outlander 850	16-21	107562	95840
Outlander Max 850	16-21	107562	95840
Outlander 1000	13-21	107562	95840
Outlander Max 1000	13-21	107562	95840
Outlander 1000 6X6	16-21		95840
Renegade 570	12-21	89613	
Renegade 850	16-21	89613	
Renegade 1000	12-21	89613	
CAN-AM/BRP (UTV)			
Commander 800	12-20		85690
Commander 1000	12-20		85690
Defender	16-21		95850
HONDA (ATV)			
Foreman TRX500	14-21	93901	93515
Rancher TRX420 ^N	14-21	93901	93515
Rubicon TRX500	15-19	93901	93515
Rubicon TRX520	20-21	93901	93515
Rincon TRX680	06-21	65070	79673
HONDA (UTV)			
Pioneer 500	15-21		93730 ^H
Pioneer 520	2021		93730 ^H
Pioneer 700	14-21		93954 ^C
Pioneer 1000 Talon 1000	16-21 19-21		93820 ^C 104126
KAWASAKI (ATV)	15-21		104126
Brute Force 750	09-21	70558	80360
KAWASAKI (UTV)	05 21		1 33300
Mule 4000	10-21		83503
Mule 4010	09-21		83503
Mule PRO FX / FXT	15-21		95370
Mule PRO FXR	18-21		95370
Mule PRO DX / DXT	15-21		95370
Mule PRO MX	19-21		106720
Mule SX	17-21		96990 ^H
Тегух	14-21		88330
Teryx KRX1000	20-21		106576

18-21

107644

MODEL	YEAR	CENTER PLOW	FRONT PLOW
		MOUNTING KIT	MOUNTING KIT
POLARIS (ATV)			
ACE 500	17-19	95848	
ACE 570	15-19	95848	
ACE 900	16-19	95848	
Sportsman 450	16-21	94644	95160
Sportsman 570	15-20	94644	95160
Sportsman 570	2021	94644	107820
Sportsman 570 Touring	15-20	94644	95160
Sportsman 570 Touring	2021	107762	107820
Sportsman 850	15-21	80260	100960
Sportsman 850 Touring	15-21	80260	100960
Sportsman 1000	15-21	80260	100960
Sportsman 1000 Touring	15-21		100960
POLARIS (UTV)			
General 1000	16-21		97340
General XP 1000	20-21		97340
Ranger 500	17-21		90546
Ranger 570 Mid-size	15-21		90546
Ranger 570 Full-size	15-21		90924
Ranger 900	13-19		90924
Ranger 1000	20-21		103050
Ranger XP 1000	18-21		103050
Ranger EV	15-21		90546
Ranger Diesel	15-19		90924
RZR 570	12-19		80681 ^H
RZR Trail 570	20-21		80681 ^H
RZR 900	15-20		97084 ^H
RZR S 900	15-19		97084 ^H
RZR S 1000	16-19		97084 ^H
RZR XP 1000	14-21		80681 ^H
RZR Trail	2021		97084 ^H
RZR Trail S	2021		97084 ^H
RZR XP Turbo	16-21		97084 ^H
SUZUKI (ATV)			
King Quad 400	08-21	63840	80566
King Quad 500	09-21	70737	80558
King Quad 750	08-21	70737	80558
YAMAHA (ATV)	·		
Grizzly 700	16-21	88188	95745 ^C
Kodiak 450	18-20	88188	90855
Kodiak 700	16-21	88188	95745
YAMAHA (UTV)			
Wolverine	16-18		95475
Wolverine X2	2019		90865
Wolverine X2	20-21		108000
Wolverine X4	18-21		90865
Wolverine X4	20-21		108000
Wolverine RMAX2	2021		107914
Wolverine RMAX4	2021		107914
Vildag	15 21		02156

C. Plow mount not compatible with DEM winch mount H. Plow mount must use Front Mount ATV base/tube assembly (Warn PN 92100) and ATV blade

Sidekick 850

KUBOTA (UTV)

107914 92156



WARN INDUSTRIES, INC.

12900 S.E. Capps Road Clackamas, OR USA 97015-8903

1-503-722-1200 FAX: 1-503-722-3000

Customer Service: 1-800-543-9276

International Sales Support: 1-503-722-1200









Join The Conversation

Connect with thousands of other WARN fans on our Facebook, Instagram, Twitter, YouTube, and WARN Blog sites and discuss the latest WARN products, post photos and videos of your WARN-equipped rigs, and keep up with company events and announcements.

instagram.com/warnindustries facebook.com/WARNfans twitter.com/warnindustries youtube.com/wwwwarncom warn.com/blog

DISTRIBUTED BY:

0100 N

© 2021 Warn Industries, Inc. WARN®, the WARN logo, Spydura®, Trans4mer®, ZEON®, and Go Prepared® are registered trademarks of Warn Industries. PullzAll™ and Ascent™ are trademarks of Warn Industries, Inc. All photographs shown are copyrighted material. Many photos were taken on private closed courses. Remember to tread lightly on public land. Product specifications are subject to change. Reproduction in any way is prohibited without written permission of Warn Industries or the copyright owner. Printed in USA.